Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR AND FIELD OFFICE BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS	ONWELLS	Artesia
Do not use this form for proposals to drill	or to re-enter	T IN THE CONTROL


SUNDRY NOTICES AND REPORTS ON WELLS A MESION DO not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			NMLC028731B 6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit or CA/Agreement, Name and/or No. NMNM111789X					
1. Type of Well				8. Well Name and No. DODD FEDERAL UNIT 980H				
2. Name of Operator Contact: ROBYN RUSSELL COG OPERATING LLC E-Mail: rrussell@concho.com			9. API Well No. 30-015-44807-00-X1					
3a. Address 600 W ILLINOIS AVENUE MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-685-4385				10. Field and Pool or Exploratory Area DODD-GLORIETA-UPPER YESO			
4. Location of Well (Footage, Sec., T	, R., M., or Survey Description)			11. County or Pari	ish, State		
Sec 10 T17S R29E NENW 33 32.855469 N Lat, 104.065422					EDDY COUN	NTY, NM		
12. CHECK THE A	PROPRIATE BOX(ES)	TO INDICAT	TE NATURE O	F NOTICE,	REPORT, OR C	THER I	DATA	
TYPE OF SUBMISSION			TYPE OF	ACTION				
DN-4' Clubent	☐ Acidize	☐ Deep	en	☐ Product	ion (Start/Resume)) <u> </u>	Water Shut-Off	
Notice of Intent	☐ Alter Casing	☐ Hydr	aulic Fracturing	☐ Reclam	ation	"	Well Integrity	
☐ Subsequent Report	□ Casing Repair	□ New	Construction	☐ Recom	olete	⊠.	Other	
☐ Final Abandonment Notice	□ Change Plans	□ Plug	and Abandon	□ Tempor	arily Abandon	Rig	ght of Way	
	Convert to Injection	Plug	Back	■ Water I	Disposal			
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC respectfulease road. The working psi withe Dodd Federal Unit #980H attached plat.	operations. If the operation repandonment Notices must be filinal inspection. Illy requests to add two (2 ill be below 125ps; and u	esults in a multiple led only after all r 2) surface 4" p sed to transpo	e completion or reco equirements, includ oly line along th rt produced wat	empletion in a ing reclamation e existing er beginning	new interval, a Form in, have been completed	3160-4 mu ted and the	ust be filed once	
	٥	G C C C	7-17-18 ecord NMOC	D		'SEP	1 4 2018	
	A	(CCEpus			Dis	TRICT II-	ARTESIA O.C.D.	
Approved. WDD.	001-BLM-1	VM-PO	20-201	8-0,	863-EA	Stipe	lations attacked	
14. If hereby certify that the foregoing is	Electronic Submission #	DPERATING L	C, sent to the Ca	arisbad	•	V		
Name (Printed/Typed) ROBYN RUSSELL Title REGULATORY AN								
				_				
Signature (Electronic	Submission)		Date 08/09/2	018				
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE			
Approved By	with_		Title A	N .	-lgM	•	29/06/74	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conditions.	uitable fitle to those rights in th	s not warrant or e subject lease	Office	0				


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

COG OPERATING, LLC.

PROPOSED 2-4" SURFACE POLY WATERLINES FROM THE EMPIRE FEDERAL SWD 10 #5 TO THE DODD FEDERAL UNIT #980H **SECTION 10, T17S, R29E,**

N. M. P. M., EDDY CO., NEW MEXICO





LINE TABLE				
LINE	BEARING	LENGTH		
L1	S 00.26,46, M	10.03'		
L2	S 43'36'33" W	7.34'		
L3	S 88'22'34" W	373.84		
L4	S 43'41'52" W	195.90'		
L5	S 53'31'05" W	172.71'		
L6	N 89'59'02" W	363.89		
L7	N 24'30'38" W	118.00		
L8	N 01'06'34" W	523.86		
L9	N 24'11'16" W	184.78'		

= 1000' 500' 1000

BEARINGS ARE GRID NAD 83 NM EAST DISTANCES ARE HORIZ. GROUND. LEGEND

RECORD DATA - GLO

FOUND MONUMENT AS NOTED

I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that I prepared this plat from an actual survey made on the ground under my direct supervision, soid survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

Robert M. Howell

PROPOSED PIPELINE

NM PS 19680

ON REPT 07/12/18 ONAL SUR "Rights A 19680

Robert M. Howett

Copyright 2016 - All Rights Reser

REVISION DATE JOB NO.: LS1807866

DWG. NO.: 1807866-1

308 W. BROADWAY ST., HOBBS. NM 83240 (575) 964-8200

SCALE: 1" = 1000 DATE: 07-11-2018 SURVEYED BY: BC/AJ DRAWN BY: KAKN APPROVED BY: RMH SHEET: 1 OF 2

COG OPERATING, LLC.

PROPOSED 2-4" SURFACE POLY WATERLINES FROM THE EMPIRE FEDERAL SWD 10 #5 TO THE DODD FEDERAL UNIT #980H SECTION 10, T17S, R29E,

N. M. P. M., EDDY CO., NEW MEXICO

DESCRIPTION

A strip of land 30 feet wide, being 1,950.35 feet or 118.203 rods in length, lying in Section 10, Township 17 South, Range 29 East, N. M. P. M., Lea County, New Mexico, being 15 feet left and 15 feet right of the following described survey of a centerline across B. L. M. land:

BEGINNING at Engr. Sta. 0+00, a point in the Northeast quarter of Section 10, which bears, S 65'51'50" W, 2.534.65 feet from a 1/2" rebar, found for the Northeast corner of Section 10;

Thence S 00°26'46" W, 10.03 feet, to Engr. Sta. 0+10.03, a P. I. of 43'09'47" right;

Thence S 43'36'33" W, 7.34 feet, to Engr. Sta. 0+17.37, a P. I. of 44'46'01" right;

Thence S 88°22'34" W, 373.84 feet, to Engr. Sta. 3+91.21, a P. I. of 44°40'42" left;

Thence S 43'41'52" W, 195.90 feet, to Engr. Sta. 5+87.11, a P. I. of 09'49'13" right;

Thence S 53'31'05" W, 172.71 feet, to Engr. Sta. 7+59.82, a P. I. of 36'29'53" right;

Thence N 89'59'02" W, 363.89 feet, to Engr. Sta. 11+23.71, a P. I. of 65'28'24" right;

Thence N 24'30'38" W, 118.00 feet, to Engr. Sta. 12+41.71, a P. I. of 23'24'04" right;

Thence N $01^{\circ}06'34''$ W, 523.86 feet, to Engr. Sta. 17+65.57, a P. I. of 23'04'24'' left;

Thence S 24*11'16" W, 184.78 feet, to Engr. Sta. 19+50.35, the End of Survey, a point in the Northwest quarter of Section 10, which bears, S 74*40'36" E, 1,887.67 feet from a brass cap, stamped "1914", found for the Northwest corner of Section 10.

Said strip of land contains 1.343 acres, more or less, and is allocated by forties as follows:

NW 1/4 NE 1/4 20.318 Rods 0.231 Acres NE 1/4 NW 1/4 97.885 Rods 1.112 Acres

Copyright 2016 - All Rights Reserve

NO. REVISION DATE
JOB NO.: LS1807866

DWG. NO.: 1807866-2

RRC

308 W. BROADWAY ST., HOBBS. NM 88240 (575) 964-8200

SCALE: 1" = 1000'
DATE: 07-11-2018
SURVEYED BY: BC/AJ
DRAWN BY: KAKN
APPROVED BY: RMH
SHEET: 2 OF 2

BLM LEASE NUMBER:NMNM111789X

COMPANY NAME: CONCHO

ASSOCIATED WELL NAME: Dodd 980H

STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the application (Grant, Sundry Notice, APD) and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:
 - a. Activities of the holder including, but not limited to construction, operation, maintenance,

and termination of the facility.

- b. Activities of other parties including, but not limited to:
 - (1) Land clearing.
 - (2) Earth-disturbing and earth-moving work.
 - (3) Blasting.
 - (4) Vandalism and sabotage.
- c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

- 5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.
- 6. All construction and maintenance activity will be confined to the authorized right-of-way width of ______ feet. If the pipeline route follows an existing road or buried pipeline right-of-way, the surface pipeline must be installed no farther than 10 feet from the edge of the road or buried pipeline right-of-way. If existing surface pipelines prevent this distance, the proposed surface pipeline must be installed immediately adjacent to the outer surface pipeline. All construction and maintenance activity will be confined to existing roads or right-of-ways.
- 7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.
- 8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.
- 9. The pipeline shall be buried with a minimum of <u>24</u> inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface.

- 10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.
- 13. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.
- 14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.
- 15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.
- 16. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, powerline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 17. Surface pipelines must be less than or equal to 4 inches and a working pressure below 125 psi.

18. Special Stipulations:

Karst Stipulations:

- Flowlines will be routed around sinkholes and other karst features to avoid or lessen the possibility of encountering near surface voids and to minimize the possibility of leaks and spills from entering karst systems.
- If a void is encountered alignments may be rerouted to avoid the karst feature and lessen; the potential of subsidence or collapse of karst features, buildup of toxic or combustible gas, or other possible impacts to cave and karst resources from the buried pipeline.
- Regular monitoring is required to quickly identify leaks for their immediate and proper treatment.
- All spills or leaks will be reported to the BLM immediately for their immediate and proper treatment.