

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

NOV 06 2018

SUNDRY NOTICES AND REPORTS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

Lease Serial No.
NMNM06764

If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
BUBBLES 22 15 FEDERAL 4H

2. Name of Operator

XTO ENERGY INCORPORATED

Contact: STEPHANIE RABADUE

E-Mail: stephanie_rabadue@xtoenergy.com

9. API Well No.
30-015-45256-00-X1

3a. Address

6401 HOLIDAY HILL ROAD BLDG 5
MIDLAND, TX 79707

3b. Phone No. (include area code)

Ph: 432-620-6714

10. Field and Pool or Exploratory Area
DELAWARE

4. Location of Well (Footage, Sec. T R M or Survey Description)

Sec 22 T19S R30E NESW 1970ft SL 1305ft EL
32.644024 N Lat, 103.955475 W LonCC 11-8-18
Accepted for record - NMOC

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Change to Original A PD
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

XTO Energy, Inc. respectfully requests to move the well pads associated with the Buttercup 27-34 Federal wells (1H-8H, 8 wells total) Westward to better accommodate Hackberry Trails and the anticipated rig.

XTO Energy, Inc. also respectfully requests to move the Bubbles 2215 wells (1H-8H, 8 wells total) to a single well pad, thereby reducing surface disturbance associated with 2-pads and to best accommodate drilling/development operations. ALL wells will still be located within the boundaries of the Mojo Jojo drill island.

Due to the shift of surface hole locations, requested length of access road, OHE, and flowlines to the Buttercup and Bubbles well pads have changed. An additional request is being submitted to add a buried flowline.

Appd 10/29/18
JBR
ENTERED 11/01/18
Surface JBR

Covered under EA-DOI-BLM-NM-P020-2018-0606

Same COA'S

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #440975 verified by the BLM Well Information System

For XTO ENERGY INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 10/25/2018 (19PP0242SE)

Name (Printed/Typed) STEPHANIE RABADUE

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 10/24/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Cody A. Kuyt

Title

HEM - L&M

Date

10/30/2018

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

CFO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **


Additional data for EC transaction #440975 that would not fit on the form

32. Additional remarks, continued

Attachments:

1. Well List / Infrastructure Description & Tabulation
2. Buttercup ? Well Site Layout [All Wells]
3. Buttercup ? C102s (8)
4. Bubbles ? Well Site Layout [All Wells]
5. Bubbles ? C102s (8)
6. Access Road Plat
7. OHE Plat
8. Buried & Surface Flowline Plat

These changes have been previously approved under the Buttercup 27-34 Federal #1H, covered under:
EA-DOI-BLM-NM-P020-2018-0606.



DESCRIPTION

SURVEY OF A STRIP OF LAND 300 FEET WIDE AND 4365.6 FEET OR 0.827 MILES IN LENGTH CROSSING USA LAND IN SECTIONS 21 & 22, TOWNSHIP 19 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 150 FEET LEFT AND 150 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983 DISTANCES ARE SURFACE VALUES


I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

RONALD J. EIDSON

DATE: 6/24/2018

LEGEND

- - DENOTES FOUND CORNER AS NOTED
- - DENOTES CENTERLINE SURVEY




XTO ENERGY

SURVEY FOR AN ACCESS ROAD TO CONNECT THE BUTTERCUP 27 34 FEDERAL #1H THROUGH #8H WELLS & BUBBLES 2215 FEDERAL #1H THROUGH #8H WELLS CROSSING SECTIONS 21 & 22, TOWNSHIP 19 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO

Survey Date: 05/22/18	CAD Date: 06/27/18	Drawn By: LSL
W.O. No.: 18110649	Rev:	Rel. W.O.: 16110563
		Sheet 1 of 1



PROVIDING SURVEYING SERVICES
SINCE 1946
JOHN WEST SURVEYING COMPANY
412 N. DAL PASO HOBBS, N.M. 88240
(575) 393-3117 www.jwsc.biz
TBPIS# 10021000



DESCRIPTION

SURVEY FOR A STRIP OF LAND 30.0 FEET WIDE AND 2547.5 FEET OR 0.482 MILES IN LENGTH CROSSING USA LAND IN SECTION 22, TOWNSHIP 19 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO, AND BEING 15.0 FEET LEFT AND 15.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM, "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.


I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAN AND THE ACTUAL SURVEY ON THE GROUND WERE BASED UPON THE FOLLOWING: THAT I WAS RESPONSIBLE FOR THIS SURVEY; THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

RONALD J. EIDSON *Ronald J. Eidson*

DATE: 06/29/2018

LEGEND

⊙ DENOTES FOUND CORNER AS NOTED



XTO ENERGY

BURIED & SURFACE FLOWLINE TO THE BUTTERCUP 27 34 FEDERAL WELL PAD & BUBBLES 22 15 FEDERAL WELL PAD CROSSING SECTION 22, TOWNSHIP 19 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO

Survey Date: 05/23/18	CAD Date: 06/27/18	Drawn By: LSL
W.O. No.: 18110650	Rev.:	Rel. W.O.: 16110565
		Sheet 1 of 1



PROVIDING SURVEYING SERVICES
SINCE 1946
JOHN WEST SURVEYING COMPANY
412 N. DAL PASO HOBBS, N.M. 88240
(575) 393-3117 www.jwsc.biz
TBPLS# 10021000



USA

100+55.5 N-S SEC. 14
100+37 P.O.E.
100+55 4 W CH. ELEC. IN
100+55 5 W B.W. FENCE
100+45 BUREAU OF LAND CABLE (C11)
100+44 NEW MEXICO GAS CO. BPL
100+39.2 C.L. ST. HWY. 360
99+57 BUREAU TELEPHONE CABLE
99+51 5 W B.W. FENCE
99+52.6 E.L. RAILROAD R.L. P.O.E.
ANCHOR 30' N. A. 24' S.W.
LAT: 32° 53' 00" N
LONG: 103° 56' 34" W
P.O.E.

97+20 N-S SEC. 14
95+49 P.O.E.
94+55 P.O.E.
91+95 P.O.E.
87+10 P.O.E.
84+41 P.O.E.
81+15 C.L. RAIL. RD
80+15 P.O.E.
77+06 P.O.E.
74+31 P.O.E.
71+60 P.O.E.
68+90 P.O.E.
65+26 P.O.E.
62+50 P.O.E.
59+87 P.O.E.
56+10 P.O.E.
53+40 P.O.E.
50+10 P.O.E.
47+10 P.O.E.
44+10 P.O.E.
41+35 P.O.E.
38+50 P.O.E.
35+10 P.O.E.
32+20 P.O.E.
29+10 P.O.E.
26+10 P.O.E.
23+10 P.O.E.
20+10 P.O.E.
17+10 P.O.E.
14+10 P.O.E.
11+10 P.O.E.
8+10 P.O.E.
5+10 P.O.E.
2+10 P.O.E.
0+10 P.O.E.

USA

28

27

33

34

USA

27

26

34

35

DESCRIPTION

SURVEY FOR A STRIP OF LAND 30.0 FEET WIDE AND 14609.4 FEET
OR 7.718 MILES IN LENGTH CROSSING USA LAND IN SECTIONS 21
22, 28 & 33, TOWNSHIP 19 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY
COUNTY, NEW MEXICO, AND BEING 15.0 FEET LEFT AND
15.0 FEET RIGHT OF THE ABOVE PLATTED CENTERLINE SURVEY.

LEGEND

- DINGLES FOUND CORNER AS NOTED

I, RONALD J. EDDSON, NEW MEXICO PROFESSIONAL SURVEYOR
No. 3239, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL
COURSE ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY
ME OR UNDER MY DIRECT SUPERVISION, THAT I AM RESPONSIBLE FOR THIS
SURVEY, THAT THIS SURVEY MEETS THE MAXIMUM STANDARDS FOR
SURVEYING IN NEW MEXICO, AND THAT IT IS TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

RONALD J. EDDSON *Ronald J. Eddson*

DATE 6/23/2016

PROVIDING SURVEYING SERVICES
SINCE 1946

JOHN WEST SURVEYING COMPANY

412 N. DAL PASO, HOBBBS, N.M. 88240

(575) 393-3117 www.jwsco.biz

TBPLS# 10021000

NOTE

1) BEARINGS SHOWN HEREON ARE MEASURED
AND CONFORM TO THE NEW MEXICO
COORDINATE SYSTEM (N.M.C.S.)
2) NORTH AMERICAN DATUM 1983
DISTANCES ARE SURFACE VALUES

2) LATITUDE AND LONGITUDE VALUES SHOWN
HEREON ARE RELATIVE TO THE NORTH
AMERICAN DATUM 1983 (NAD83)

XTO ENERGY

SURVEY FOR AN ELECTRIC LINE TO THE BUBBLES 2215
FEDERAL #111 THROUGH #8H WELLS AND BUTTERCUP 27
34 FEDERAL #111 THROUGH #8H WELLS CROSSING
SECTIONS 21, 22, 28 & 33, TOWNSHIP 19 SOUTH,
RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO

Survey Date: 05/24/18

CAD Date: 06/27/18

Drawn By: LSL

W.O. No: 18110551

Rev.

Rel. W.O: 16110564

Sheet 1 of 1

Well Name	SHL	ULSTR	BHL	ULSTR	County	Flowline Length:
Buttercup 27-34 Federal #1H	1330'FSL & 2409'FEL	J-22-19S-30E	200'FSL & 400'FWL	M-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #2H	1330'FSL & 2379'FEL	J-22-19S-30E	200'FSL & 1820'FWL	N-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #3H	1330'FSL & 2349'FEL	J-22-19S-30E	200'FSL & 820'FEL	O-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #4H	1330'FSL & 2319'FEL	J-22-19S-30E	200'FSL & 400'FEL	P-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #5H	1280'FSL & 2409'FEL	J-22-19S-30E	200'FSL & 660'FWL	M-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #6H	1280'FSL & 2379'FEL	O-22-19S-30E	200'FSL & 1980'FWL	N-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #7H	1280'FSL & 2349'FEL	O-22-19S-30E	200'FSL & 1980'FEL	O-34-19S-30E	Eddy	1651.8
Buttercup 27-34 Federal #8H	1280'FSL & 2319'FEL	O-22-19S-30E	200'FSL & 660'FEL	P-34-19S-30E	Eddy	1651.8
Bubbles 2215 Federal #1H	1906'FSL & 1599'FEL	J-22-19S-30E	200'FNL & 400'FWL	D-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #2H	1914.5'FSL & 1549.8'FEL	J-22-19S-30E	200'FNL & 1820'FWL	C-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #3H	1923'FSL & 1500.5'FEL	J-22-19S-30E	200'FNL & 1820'FEL	B-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #4H	1931.5'FSL & 1451.2'FEL	J-22-19S-30E	200'FNL & 400'FEL	A-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #5H	1955.3'FSL & 1607.5'FEL	J-22-19S-30E	200'FNL & 660'FWL	D-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #6H	1963.8'FSL & 1558.2'FEL	J-22-19S-30E	220'FNL & 1980'FWL	C-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #7H	1972.3'FSL & 1508.9'FEL	J-22-19S-30E	200'FNL & 1980'FEL	B-15-19S-30E	Eddy	2160.4
Bubbles 2215 Federal #8H	1980.8'FSL & 1459.6'FEL	J-22-19S-30E	200'FNL & 660'FEL	A-15-19S-30E	Eddy	2160.4

Infrastructure:

Access Road Length/Acres:	4356.8' / 3.000 Acres	Plat Attached
OHE Length/Acres:	14669.4' / No Add'l Acreage; In Road Corridor	Plat Attached

Flowline Information: All FL's Will Follow Approved Disturbance. Plat Attached.


16 [One per Well] 8" or Less, Buried, Full-Stream [Oil, Gas & Water] Steel or Poly [Variable to Inventory] Flowlines.

MAOP: 750psi, Maximum Safety Pressure [burst]: 1440psi

16 [One per Well] 4" or Less, Surface, Full-Stream [Oil, Gas & Water] Steel or Poly [Variable to Inventory] Flowlines.


MAOP: 125psi, Maximum Safety Pressure [burst]: 750psi

WELL SITE PLAN



DIRECTIONS TO LOCATION:

FROM THE INTERSECTION OF US. HWY. 62-180 AND STATE HWY. 360 GO NORTH APPROX. 7.0 MILES TURN RIGHT AND GO NORTHEAST APPROX. 1.8 MILES. TO ROAD SURVEY STAKE FOLLOW ROAD SURVEY 895.4' SE TO LOCATION.



XTO ENERGY

BUBBLES 2215 FEDERAL #1H WELL LOCATED 1906 FEET FROM THE SOUTH LINE AND 1599 FEET FROM THE EAST LINE OF SECTION 22. TOWNSHIP 19 SOUTH, RANGE 30 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO

Survey Date: 05/21/18	CAD Date: 06/26/18	Drawn By: LSL
W.O. No.: 18110618	Rev: .	Rel. W.O.: Sheet 1 of 1

NOTE:
SEE "TOPOGRAPHICAL AND ACCESS ROAD MAP" FOR PROPOSED ROAD LOCATION.



PROVIDING SURVEYING SERVICES
 SINCE 1946
JOHN WEST SURVEYING COMPANY
 412 N. DAL PASO HOBBS, N.M. 88240
 (575) 393-3117 www.jwsc.biz
 TBPLS# 10021000

DISTRICT I
1625 N. French Dr. Hobbs, NM 88240
Phone (575) 393-6101 Fax (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (575) 748-1283 Fax (575) 748-0720

DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone (505) 334-6178 Fax (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505


Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-		Pool Code 97050		Pool Name Hackberry, Bone Spring NW	
Property Code		Property Name BUBBLES 2215 FEDERAL		Well Number 4H	
OGRID No. 005380		Operator Name XTO ENERGY		Elevation 3314'	
Surface Location					
UL or lot No J	Section 22	Township 19-S	Range 30-E	Lot Idn	Feet from the 1931.5
				North/South line SOUTH	Feet from the 1451.2
				East/West line EAST	County EDDY
Bottom Hole Location If Different From Surface					
UL or lot No A	Section 15	Township 19-S	Range 30-E	Lot Idn	Feet from the 200
				North/South line NORTH	Feet from the 400
				East/West line EAST	County EDDY
Dedicated Acres 240		Joint or Infill		Consolidation Code	
				Order No	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



SCALE. 1"=2000'

GEODETIC COORDINATES
NAD 83 NME
BOTTOM HOLE LOCATION
Y= 606621.2 N
X= 658518.2 E
LAT.= 32.667070° N
LONG.= 103.952535° W

GEODETIC COORDINATES
NAD 27 NME
BOTTOM HOLE LOCATION
Y= 606558.6 N
X= 617338.6 E
LAT.= 32.666951° N
LONG.= 103.952031° W

GEODETIC COORDINATES
NAD 83 NME
LAST TAKE POINT
Y= 606491.2 N
X= 658511.2 E
LAT.= 32.666712° N
LONG.= 103.952559° W

GEODETIC COORDINATES
NAD 27 NME
LAST TAKE POINT
Y= 606428.6 N
X= 617331.6 E
LAT.= 32.666594° N
LONG.= 103.952055° W

CORNER COORDINATES TABLE

NAD 27 NME
A - Y= 597520.6 N, X= 616449.9 E
B - Y= 597522.9 N, X= 617770.5 E
C - Y= 598840.3 N, X= 616445.2 E
D - Y= 598843.0 N, X= 617765.5 E
E - Y= 606756.9 N, X= 616417.9 E
F - Y= 606759.2 N, X= 617737.8 E

CORNER COORDINATES TABLE

NAD 83 NME
A - Y= 597583.0 N, X= 657629.8 E
B - Y= 597585.4 N, X= 658950.4 E
C - Y= 598902.7 N, X= 657625.1 E
D - Y= 598905.5 N, X= 658945.4 E
E - Y= 606819.5 N, X= 657597.6 E
F - Y= 606821.9 N, X= 658917.5 E

GEODETIC COORDINATES
NAD 83 NME
FIRST TAKE POINT
Y= 599234.4 N
X= 658119.3 E
LAT.= 32.646770° N
LONG.= 103.953917° W

GEODETIC COORDINATES
NAD 27 NME
FIRST TAKE POINT
Y= 599172.0 N
X= 616939.5 E
LAT.= 32.646651° N
LONG.= 103.953413° W

GEODETIC COORDINATES
NAD 83 NME
SURFACE LOCATION
Y= 598194.1 N
X= 657497.2 E
LAT.= 32.643916° N
LONG.= 103.955950° W

GEODETIC COORDINATES
NAD 27 NME
SURFACE LOCATION
Y= 598131.6 N
X= 616317.4 E
LAT.= 32.643797° N
LONG.= 103.955447° W

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Stephanie Rabach 8.02.18
Signature Date
Stephanie Rabach
Printed Name
Stephanie = rabach@xtoenergy.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

MAY 21, 2018

Date of Survey
Signature & Seal of Professional Surveyor

Ronald J. Eidson 6/28/2018
Certificate Number Gary G. Eidson 12641
Ronald J. Eidson 3219
LSI WSC WO 18110621