

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMLC065705B

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
MUY WAYNO 18 FEDERAL 121H9. API Well No.
30-015-44840-00-X110. Field and Pool or Exploratory Area
DELAWARE11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

XTO ENERGY INCORPORATED

Contact: KELLY KARDOS

E-Mail: kelly_kardos@xtoenergy.com

3a. Address

6401 HOLIDAY HILL ROAD BLDG 5
MIDLAND, TX 79707

3b. Phone No. (include area code)

Ph: 432-620-4374

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 18 T25S R30E 2310FSL 410FWL
32.129173 N Lat, 103.928078 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Change to Original APD
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

XTO Energy, Inc. requests permission to make the following changes to the approved APD:

Change SHL fr/2310'FSL & 410'FWL to 2310'FSL & 380'FWL. SHL permitted on western most pad (Pad D) in slot 3 (west to east). Revised SHL will put the well in slot 2 on Pad D. No surface disturbance will occur with this change. See attached permitted vs proposed sheet.

NM OIL CONSERVATION

ARTESIA DISTRICT

NOV 28 2018

RECEIVED

Attachments:

C102 & Supplements

Revised Pad Layout

Permitted vs Proposed Sheet

GCP

Consent under DOI-Blm Nm-Perm-2018-0218 EA

OK Per BLM Bureau 11-17-2018 Same Cons Apply AP New Surface Disturbance

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #442753 verified by the BLM Well Information System

For XTO ENERGY INCORPORATED, sent to the Carlsbad

Committed to AFMSS for processing by PRISCILLA PEREZ on 11/06/2018 (19PP0332SE)

Name (Printed/Typed) KELLY KARDOS

Title REGULATORY COORDINATOR

Signature (Electronic Submission)

Date 11/06/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By <i>Cody J. Smith</i>	Title <i>AFM - LGM</i>	Date <i>11/15/2018</i>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office <i>CFO</i>

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

RWP 12-7-18

¹ API Number 30-015-44840	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code 321151	⁵ Property Name MUY WAYNO 18 FEDERAL	⁶ Well Number 121H
⁷ OGRID No. 005380	⁸ Operator Name XTO ENERGY INC.	⁹ Elevation 3,159'

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	18	25 S	30 E		2,310	SOUTH	380	WEST	EDDY

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
1	7	25 S	30 E		200	NORTH	330	WEST	EDDY

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kelly Kardos 09/14/18

Signature _____ Date _____

Kelly Kardos

Printed Name _____

kelly_kardos@xtoenergy.com

E-mail Address _____

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

07-16-2018


Date of Survey _____

Signature and Seal of
Professional Surveyor:

MARK DILLON HARP 23786
Certificate Number

RR/AW

2017060867



GEODETIC COORDINATES
NAD 27 NME
SURFACE LOCATION
Y= 410,906.1
X= 625,571.1
LAT.= 32.129048°N
LONG.= 103.927691°W

GEODETIC COORDINATES
NAD 83 NME
SURFACE LOCATION
Y= 410,964.4
X= 666,755.7
LAT.= 32.129172°N
LONG.= 103.928175°W

FIRST TAKE POINT
NAD 27 NME
Y= 411,606.0
X= 625,516.9
LAT.= 32.130972°N
LONG.= 103.927857°W

FIRST TAKE POINT
NAD 83 NME
Y= 411,664.3
X= 666,701.5
LAT.= 32.131096°N
LONG.= 103.928342°W

CORNER COORDINATES TABLE
NAD 27 NME

A	-	Y=	419,223.6	N,	X=	625,149.2	E
B	-	Y=	419,230.0	N,	X=	626,505.6	E
C	-	Y=	416,577.1	N,	X=	625,163.9	E
D	-	Y=	416,580.8	N,	X=	626,517.9	E
E	-	Y=	413,914.7	N,	X=	625,173.1	E
F	-	Y=	413,919.9	N,	X=	626,527.4	E
G	-	Y=	411,254.3	N,	X=	625,189.0	E
H	-	Y=	411,260.6	N,	X=	626,542.4	E

CORNER COORDINATES TABLE
NAD 83 NME

A	-	Y=	419,282.0	N,	X=	666,333.6	E
B	-	Y=	419,288.4	N,	X=	667,690.0	E
C	-	Y=	416,635.5	N,	X=	666,348.4	E
D	-	Y=	416,639.2	N,	X=	667,702.4	E
E	-	Y=	413,973.0	N,	X=	666,357.6	E
F	-	Y=	413,978.2	N,	X=	667,712.0	E
G	-	Y=	411,312.6	N,	X=	666,373.6	E
H	-	Y=	411,318.9	N,	X=	667,727.0	E

LAST TAKE POINT
NAD 27 NME
Y= 418,895.1
X= 625,481.0
LAT.= 32.151010°N
LONG.= 103.927885°W

LAST TAKE POINT
NAD 83 NME
Y= 418,953.5
X= 666,665.4
LAT.= 32.151134°N
LONG.= 103.928370°W

BOTTOM HOLE LOCATION
NAD 27 NME
Y= 419,025.1
X= 625,480.3
LAT.= 32.151367°N
LONG.= 103.927885°W

BOTTOM HOLE LOCATION
NAD 83 NME
Y= 419,083.5
X= 666,664.7
LAT.= 32.151491°N
LONG.= 103.928371°W

RWP 12-7-18

NM OIL CONSERVATION

ARTESIA DISTRICT

Intent ☒ As Drilled ☐

NOV 28 2018

API #
30-015-44840

Operator Name: XTO Energy Inc.	Property Name: Muy Wayno 18 Federal	RECEIVED Well Number 121H
-----------------------------------	--	---------------------------------

Kick Off Point (KOP)

UL	Section 18	Township 25S	Range 30E	Lot 3	Feet 2310	From N/S South	Feet 380	From E/W West	County Eddy
Latitude 32.129172					Longitude -103.928175			NAD NAD83	

First Take Point (FTP)

UL E	Section 18	Township 25S	Range 30E	Lot	Feet 2310	From N/S North	Feet 330	From E/W West	County Eddy
Latitude 32.131096					Longitude -103.928342			NAD NAD83	

Last Take Point (LTP)

UL	Section 7	Township 25S	Range 30E	Lot 1	Feet 330	From N/S North	Feet 330	From E/W West	County Eddy
Latitude 32.151134					Longitude -103.928370			NAD NAD83	

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y


If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-44838	Operator Name: XTO ENERGY INC	Property Name: MUY WAYNO 18 FEDERAL	Well Number 102H
-----------------------	----------------------------------	--	---------------------


KZ 06/29/2018

SECTION 18

TOWNSHIP 25 SOUTH, RANGE 30 EAST
NEW MEXICO PRIME MERIDIAN



0 50' 100'
1" = 100 FEET



NOTE:

- 1). SEE "TOPOGRAPHICAL AND ACCESS ROAD
MAP" FOR PROPOSED ROAD LOCATION

LEGEND

- PROPOSED PAD
----- PROPOSED ROAD

DIRECTIONS TO THIS LOCATION:

FROM THE INTERSECTION OF HWY 285 AND LONGHORN RD. GO NORTHEAST ON LONGHORN ROAD (PAVED). ROAD BEND SOUTHEAST AND BACK TO NORTHEAST APPROX. 4.25 MILES. TURN LEFT AND GO NORTHEAST ON PIPELINE ROAD #1 (GRAVEL) APPROX. 7.12 MILES. TURN LEFT ON ROCK DOVE RD. APPROX. 1.00 MILES. TURN LEFT ON EXISTING GRAVEL RD. APPROX. 1.00 MILE TO ANOTHER LEFT FOR APPROX. 0.35 MILES TO BEGINNING OF PROPOSED ROAD AND LOCATION IS TO THE SOUTHWEST.



550 Bailey Ave., 205 - Fort Worth, TX 76107
Ph: 817.349.9800 - Fax: 979.732.5271
TBPE Firm 17957 | TBPLS Firm 10193887
www.fscinc.net

© COPYRIGHT 2016 - ALL RIGHTS RESERVED

XTO ENERGY, INC.

WELL SITE PLAN

MUY WAYNO 18 121H
LOCATED 350 FEET FROM THE WEST LINE
AND 2,310 FEET FROM THE SOUTH LINE OF
SECTION 18, TOWNSHIP 25 SOUTH, RANGE 30
EAST, N.M.P.M. EDDY COUNTY, NEW MEXICO

DATE:	7-16-2018	PROJECT NO:	2017060867
DRAWN BY:	JAR/AI/RS	SCALE:	1" = 100'
CHECKED BY:	DH	SHEET:	1 OF 1
FIELD CREW:	RE/RR	REVISION:	2

PERMITTED PLAN

API Number	Current Pad & Slot	Current Well Name	Permitted SHL
3001544844	D-1	MUY WAYNO 18 FEDERAL 701H	L-18-25S-30E (2310 FSL & 350 FWL)
3001544846	D-2	MUY WAYNO 18 FEDERAL 901H	L-18-25S-30E (2310 FSL & 380 FWL)
3001544840	D-3	MUY WAYNO 18 FEDERAL 121H	L-18-25S-30E (2310 FSL & 410 FWL)
3001544838	E-1	MUY WAYNO 18 FEDERAL 102H	L-18-25S-30E (2310 FSL & 1115 FWL)
3001544841	E-2	MUY WAYNO 18 FEDERAL 122H	L-18-25S-30E (2310 FSL & 1145 FWL)
3001544847	E-3	MUY WAYNO 18 FEDERAL 903H	L-18-25S-30E (2310 FSL & 1175 FWL)
3001544845	E-4	MUY WAYNO 18 FEDERAL 703H	L-18-25S-30E (2310 FSL & 1205 FWL)
3001544842	F-1	MUY WAYNO 18 FEDERAL 123H	K-18-25S-30E (2310 FSL & 1930 FWL)
3001544843	F-2	MUY WAYNO 18 FEDERAL 124H	K-18-25S-30E (2310 FSL & 1960 FWL)
3001544839	F-3	MUY WAYNO 18 FEDERAL 104H	K-18-25S-30E (2310 FSL & 1990 FWL)

SUNDRY CHANGES

Proposed Pad & Slot	Well Name Change	Updated SHL	ULSTR
D-1	MUY WAYNO 18 FEDERAL 161H	2310'FSL & 350'FWL	3-18-25S-30E
E-2	MUY WAYNO 18 FEDERAL 103H	2310'FSL & 1145'FWL	3-18-25S-30E
D-3	MUY WAYNO 18 FEDERAL 121H	2310'FSL & 380'FWL	3-18-25S-30E
D-3	MUY WAYNO 18 FEDERAL 102H	2310'FSL & 410'FWL	3-18-25S-30E
E-1	MUY WAYNO 18 FEDERAL 122H	2310'FSL & 1115'FWL	3-18-25S-30E
F-1	MUY WAYNO 18 FEDERAL 152H	2310'FSL & 1930'FWL	K-18-25S-30E
F-2	MUY WAYNO 18 FEDERAL 163H	2310'FSL & 1960'FWL	K-18-25S-30E
E-3	MUY WAYNO 18 FEDERAL 123H	2310'FSL & 1175'FWL	3-18-25S-30E
F-3	MUY WAYNO 18 FEDERAL 154H	2310'FSL & 1990'FWL	K-18-25S-30E
E-4	MUY WAYNO 18 FEDERAL 104H	2310'FSL & 1205'FWL	3-18-25S-30E

