UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD Artesia

FORM APPROVED

OMB	NO. 100	4-0	137	
Expires:	January	31,	20	1
Cardal Ma				

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

5. Lease Serial No. NMNM0405444

Ph: 40 arvey Description) FEL TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, idete horizontally, give subsulor from the operation results in a motices must be filed only after the operation of the operation results in a motices must be filed only after the operation of the operation results in a motices must be filed only after the operation of the operation	E L BEAVERS S@DVN.COM one No. (include area code) 05-552-3573 DICATE NATURE OF TYPE OF TYPE OF Deepen Hydraulic Fracturing New Construction Plug and Abandon Plug Back including estimated startin uniface locations and measu No. on file with BLM/BIA nultiple completion or recorder all requirements, including the completion of the completion o	F NOTICE, F ACTION Producti Reclama Recomp Tempora Water D g date of any production in a number	on (Start/Resume) tion lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	DO-S1 Exploratory Area DELAWARE , State Y, NM Water Shr Well Integration to the continuous of the cont	ut-Off grity hereof. zones. ays once
Mail: NATALIE.BEAVERS 3b. Phore Ph: 40 arvey Description) FEL TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, idlete horizontally, give subsubmed or provide the Bond of the operation results in a motices must be filed only after the control of the operation results in a motice of the control of the operation results in a motice of the control of the operation results in a motice of the control of the operation results in a motice of the control	S@DVN.COM one No. (include area code) 05-552-3573 DICATE NATURE O TYPE OF Deepen Hydraulic Fracturing New Construction Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco	F NOTICE, F ACTION Producti Reclama Recomp Tempora Water D g date of any production in a number	9. API Well No. 30-015-33104- 10. Field and Pool or INGLE WELLS 11. County or Parish EDDY COUNT REPORT, OR OT on (Start/Resume) tion lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be weinterval a Form 31	2 -00-S1 r Exploratory Area i-DELAWARE , State Y, NM THER DATA Water Shr Well Integration to the continuous markers and ite filed within 30 d do-4 must be filed	ut-Off grity hereof. zones. ays once
Mail: NATALIE.BEAVERS 3b. Phore Ph: 40 arvey Description) FEL TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, idlete horizontally, give subsubmed or provide the Bond of the operation results in a motices must be filed only after the control of the operation results in a motice of the control of the operation results in a motice of the control of the operation results in a motice of the control of the operation results in a motice of the control	S@DVN.COM one No. (include area code) 05-552-3573 DICATE NATURE O TYPE OF Deepen Hydraulic Fracturing New Construction Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco	F NOTICE, F ACTION Producti Reclama Recomp Tempora Water D g date of any production in a number	9. API Well No. 30-015-33104- 10. Field and Pool or INGLE WELLS 11. County or Parish EDDY COUNT REPORT, OR OT on (Start/Resume) tion lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be weighterval. a Form 31	DO-S1 Exploratory Area DELAWARE , State Y, NM HER DATA Well Integration to the continuous of the conti	ut-Off grity hereof. zones. ays once
Mail: NATALIE.BEAVERS 3b. Phore Ph: 40 arvey Description) FEL TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, idlete horizontally, give subsubmed or provide the Bond of the operation results in a motices must be filed only after the control of the operation results in a motice of the control of the operation results in a motice of the control of the operation results in a motice of the control of the operation results in a motice of the control	S@DVN.COM one No. (include area code) 05-552-3573 DICATE NATURE O TYPE OF Deepen Hydraulic Fracturing New Construction Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco	F NOTICE, F ACTION Producti Reclama Recomp Tempora Water D g date of any production in a number	30-015-33104- 10. Field and Pool or INGLE WELLS 11. County or Parish EDDY COUNT REPORT, OR OT on (Start/Resume) tion lete arily Abandon isposal coposed work and appropriated depths of all pertised weight pertised weight of all pe	Exploratory Area G-DELAWARE , State Y, NM THER DATA Water Shi Well Integration to the continuous markers and a see filed within 30 de 60-4 must be filed.	ut-Off grity hereof. zones. ays once
Ph: 40 arvey Description) FEL TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, idete horizontally, give subsulor from the operation results in a motices must be filed only after the operation of the operation results in a motices must be filed only after the operation of the operation results in a motices must be filed only after the operation of the operation	DICATE NATURE OF TYPE	F NOTICE, F ACTION Producti Reclama Recomp Tempora Water D g date of any production in a number	INGLE WELLS 11. County or Parish EDDY COUNT REPORT, OR OT on (Start/Resume) tion lete arily Abandon isposal oposed work and apprentical depths of all pertisequent reports must be ew interval. a Form 31	S-DELAWARE , State , State , NM CHER DATA Water Shr Well Integration to the continuous of the conti	ut-Off grity hereof. zones. ays once
TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, idete horizontally, give subsubmed or provide the Bond of the operation results in a motices must be filed only after the control of the operation o	TYPE OF] Deepen] Hydraulic Fracturing] New Construction] Plug and Abandon] Plug Back including estimated startin urface locations and measur No. on file with BLM/BIA nultiple completion or reco	F ACTION Producti Reclama Recomp Temport Water D g date of any pred and true ve Required sub- umpletion in a n	EDDY COUNT REPORT, OR OT on (Start/Resume) tion lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	Water Shu Well Integ Other oximate duration the filed within 30 d. 60.4 must be filed	mereof. zones. ays
TE BOX(ES) TO IND ze Casing g Repair ge Plans ert to Injection y state all pertinent details, ilete horizontally, give subsulormed or provide the Bond of the operation results in a motices must be filed only after the operation of the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motices must be filed only after the operation results in a motice of t	TYPE OF] Deepen] Hydraulic Fracturing] New Construction] Plug and Abandon] Plug Back including estimated startin urface locations and measur No. on file with BLM/BIA nultiple completion or reco	F ACTION Producti Reclama Recomp Temport Water D g date of any pred and true ve Required sub- umpletion in a n	on (Start/Resume) tion lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	Water Sho Well Integration to the continuous markers and a continuous must be filed within 30 do 60-4 must be filed within 30-4 must be filed within 30 do 60-4 must be filed within 30 do 60-	mereof. zones. ays
ze Casing Sepair	TYPE OF] Deepen] Hydraulic Fracturing] New Construction] Plug and Abandon] Plug Back including estimated startin urface locations and measur No. on file with BLM/BIA nultiple completion or reco	F ACTION Producti Reclama Recomp Temport Water D g date of any pred and true ve Required sub- umpletion in a n	on (Start/Resume) tion lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	Water Shuman Well Integrated Other Oximate duration the filed within 30 d. 60.4 must be filed	mereof. zones. ays
Casing g Repair ge Plans ert to Injection y state all pertinent details, idete horizontally, give subsuformed or provide the Bond of the operation results in a motices must be filed only aft. verify w/2 3/8" tbg. Circ 50 bbl MLF. St	Deepen Hydraulic Fracturing New Construction Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco	Producti Reclama Recomp Tempora Water D g date of any pred and true ve Required sub- wonsletion in a n	arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	Well Integration to the continuous of the continuous with the cont	mereof. zones. ays
Casing g Repair ge Plans ert to Injection y state all pertinent details, idete horizontally, give subsuformed or provide the Bond of the operation results in a motices must be filed only aft. verify w/2 3/8" tbg. Circ 50 bbl MLF. St	Hydraulic Fracturing New Construction Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco	Reclama Recomp Tempora Water D g date of any pred and true ve	arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	Well Integration to the continuous of the continuous with the cont	mereof. zones. ays
g Repair ge Plans ert to Injection y state all pertinent details, ilete horizontally, give subsulormed or provide the Bond of the operation results in a motices must be filed only after. verify w/2 3/8" tbg. Circ 50 bbl MLF. St	New Construction Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco	Recomp Tempore Water D g date of any pred and true ve more and true ve more and true ve	lete arily Abandon isposal oposed work and appritical depths of all pertisequent reports must be ew interval. a Form 31	Other oximate duration the filed within 30 d. 60-4 must be filed	hereof. zones. ays
ge Plans ert to Injection y state all pertinent details, illete horizontally, give subsuomned or provide the Bond of the operation results in a motices must be filed only aft. verify w/2 3/8" tbg. Circ 50 bbl MLF. So	Plug and Abandon Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco ter all requirements, includ	☐ Tempore ☐ Water D g date of any pred and true ve Required sub	isposal oposed work and appritical depths of all pertical tepths of all pertical with the community of the	oximate duration the filed within 30 d of 60-4 must be filed	zones. ays once
y state all pertinent details, ilete horizontally, give subsulormed or provide the Bond of the operation results in a motices must be filed only after. Verify w/2 3/8" tbg. Circ 50 bbl MLF. St	Plug Back including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or recorder all requirements, including the starting of the star	Water D g date of any pr red and true ve . Required sub	isposal oposed work and apprintical depths of all pertisequent reports must be winterval a Form 31	inent markers and a se filed within 30 d 60-4 must be filed	zones. ays once
y state all pertinent details, in the pertinent details, in the horizontally, give subsubstant or provide the Bond of the operation results in a motices must be filed only after the pertinent of the pertinent o	including estimated startin urface locations and measu No. on file with BLM/BIA nultiple completion or reco ter all requirements, includ	g date of any proceed and true ve	roposed work and appretical depths of all pertisequent reports must be winterval, a Form 31	inent markers and a se filed within 30 d 60-4 must be filed	zones. ays once
lete horizontally, give subsulting of the provide the Bond of the operation results in a motices must be filed only aft. Verify w/2 3/8" tbg. Circ 50 bbl MLF. St	urface locations and measu No. on file with BLM/BIA nultiple completion or reco ter all requirements, includ	red and true ve Required sub moletion in a re	rtical depths of all perti sequent reports must b ew interval, a Form 31	inent markers and a se filed within 30 d 60-4 must be filed	zones. ays once
nt @ 4405'-2685. Tag nt @ 3610'-2685'. Tag TOC @ 1490'. ' cmt @ 1475-805'. !) 140?-surf. 5 1/2" x and dean location.	g @ 3610'. g TOC @ 2740? Po 5 1/2" x 8 5/8". Tac 8 5/8". Verify cmt (erf/ <u>sqz 230</u> g TOC @ @	RECI	ATION PROCEI ATTACHED LAMATI 5-20-19	
ect.		·	518.0		
Submission #446644 ve EVON ENERGY PRODU	UCTIΦN ĆOM LP, sent	to the Carist	ad	DIL CONSEI ARTESIA DIST	
MSS for processing by E	i		•		
<u> </u>	THE PRODU	CHON IEC	MINULUGIS I	NEU I Z Z	מוע
	Date 12/05/20	018		RECEIVE	D
S SPACE FOR FED	ERAL OR STATE				
	Title			Date	
f this notice does not warran			DEC	6 2018	
those rights in the subject leathereon.	Office	}	DEC	0 2010	
those rights in the subject le	Office any person knowingly and	willfully to ma		Ostrency of the I	ited T
	S SPACE FOR FED	S Title PRODUCTION To Title PRODUCTION To Title Title Title PRODUCTION To TITLE PRODUC	Date 12/05/2018 S SPACE FOR FEDERAL OR STATE OFFICE US Title Of this notice does not warrant or	S Title PRODUCTION TECHNOLOGIST Date 12/05/2018 S SPACE FOR FEDERAL OR STATE OFFICE USE Title Of this notice does not warrant or	S Title PRODUCTION TECHNOLOGIST DEC 1 2 2 Date 12/05/2018 RECEIVE S SPACE FOR FEDERAL OR STATE OFFICE USE Title Date



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612