



**Additional data for EC transaction #447312 that would not fit on the form**

**Wells/Facilities, continued**

<b>Agreement</b>	<b>Lease</b>	<b>Well/Fac Name, Number</b>	<b>API Number</b>	<b>Location</b>
NMNM45236	NMNM45236	IRIDIUM MDP1 28-21 FEDERAL C	30-015-45247-00-X1	Sec 33 T23S R31E NENE 276FNL 529FEL 32.267426 N Lat, 103.775917 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-015-45393-00-X1		Sec 33 T23S R31E NENE 96FNL 634FEL 32.267918 N Lat, 103.776260 W Lon
NMNM45236	NMNM45236	IRIDIUM MDP1 28-21 FEDERAL C	30-015-45242-00-X1	Sec 33 T23S R31E NWNW 270FNL 834FWL 32.267437 N Lat, 103.788589 W Lon
NMNM45236	NMNM45236	IRIDIUM MDP1 28-21 FEDERAL C	30-015-45243-00-X1	Sec 33 T23S R31E NWNW 270FNL 904FWL 32.267437 N Lat, 103.788368 W Lon
NMNM45236	NMNM45236	IRIDIUM MDP1 28-21 FEDERAL C	30-015-45246-00-X1	Sec 33 T23S R31E NENE 276FNL 634FEL 32.267426 N Lat, 103.776260 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-015-45386-00-X1		Sec 33 T23S R31E NENW 69FNL 2439FWL 32.267994 N Lat, 103.783401 W Lon
NMNM45236	NMNM45236	STERLING SILVER MDP1 33-4 FD30-015-45389-00-X1		Sec 33 T23S R31E NENE 96FNL 564FEL 32.267918 N Lat, 103.776031 W Lon

**32. Additional remarks, continued**

Iridium MDP1 28-21 Fed Com 6H (30-015-45247)

Please see attached updated drill plan for more details.

Thank you.

## Oxy USA Inc. – Sand Dunes Salt Intermediate Lead Excess Amended Drilling Plan

### 1. Bulk Sundry Details

This is a bulk sundry request for 7 wells in Sand Dunes to decrease our Intermediate Lead Excess from 100% to 50% due to achieving large volumes amounts of cement to surface. The wells related to this sundry request are:

Well Name	API	Lease Number
Sterling Silver MDP1 33-4 Fed Com 5H	30-015-45393	NMNM45236
Sterling Silver MDP1 33-4 Fed Com 6H	30-015-45386	NMNM45236
Sterling Silver MDP1 33-4 Fed Com 7H	30-015-45389	NMNM45236
Iridium MDP1 28-21 Fed Com 1H	30-015-45242	NMNM45236
Iridium MDP1 28-21 Fed Com 2H	30-015-45243	NMNM45236
Iridium MDP1 28-21 Fed Com 5H	30-015-45246	NMNO45236
Iridium MDP1 28-21 Fed Com 6H	30-015-45247	NMNM45236

### 2. Cementing Program

Casing String	# Sks	Wt. (lb/gal)	Yld (ft <sup>3</sup> /sack)	H2O (gal/sk)	500# Comp. Strength (hours)	Slurry Description
Intermediate (Lead)	910	12.9	1.88	10.130	14:22	Pozzolan Cement, Retarder
Intermediate (Tail)	155	14.8	1.33	6.370	12:45	Class C Cement, Accelerator

Casing String	Top (ft)	Bottom (ft)	% Excess
Intermediate (Lead)	0	3746	50%
Intermediate (Tail)	3746	4246	20%