

Oilfield Services, Central U.S. Land
Schlumberger Drilling and Measurements
Drilling Group
Geo Market Area: South West Texas Basin
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)

Schlumberger

30-015-44694

August 15, 2018

Cimarex Energy Co.
202 S.Cheyenne Ave.
Tulsa, OK 74103

Re:

S27-T24S-R26E 782 FNL 330 FWL
N 32.19349 W 104.28846

CLIENT: Cimarex Energy Co.
WELL: Crawford 27 26 Fee 2H
FIELD: Purple Sage; Wolfcamp

RIG: H&P 396
COUNTY: Eddy
API NO: 30-015-44694
JOB NO: 18MLD3675

Enclosed, please find the original copy of the survey performed on the referenced well by Drilling & Measurements, a division of Schlumberger Technology Corporation (P-5 No. 754900).
Other information required by your office is as follows.

<u>Name & Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Kenny Fusilier FS	Crawford 27 26 Fee 2H Original Hole	168.00 Ft to 18177.00 Ft	July 23, 2018 to July 29, 2018	Extreme/SlimPulse Third Party Corrected

If any other information is required, please contact the undersigned at the above letterhead and phone number.
Sincerely,

Heath Beck
Field Service Manager

RECEIVED

JAN 22 2019

DISTRICT II-ARTESIA O.C.D.


Oilfield Services, Central U.S. Land
Schlumberger Drilling and Measurements
Drilling Group
Geo Market Area: South West Texas Basin
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)

Schlumberger

Well Reference:
S27-T24S-R26E 782 FNL 330 FWL
N 32.19349 W 104.28846

I, Kenny Fusilier certify that; I am employed by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I did on the day(s) of July 23, 2018 through July 29, 2018, conduct or supervise the taking of the SlimPulse & Third Party Corrected surveys from a depth of 168.00 feet to a depth of 18177.00 feet referenced to driller's depth; that the data is true, correct, complete and within the limitations of the tool as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of Cimarex Energy Co. for the Crawford 27 26 Fee 2H Well (Original Hole) API No. 30-015-44694 in New Mexico; and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation.

By
Kenny Fusilier
FS



Subscribed and Sworn to before me this 15th day of August (month) 2018 (yr)


My Commission expires:

2-16-2022

D. Adams
Notary Public

Adams County Colorado
(County State)

(signature)



RECEIVED

JAN 22 2019

DISTRICT II-ARTESIA O.C.D.

Final Survey - Cimarex Crawford 27-26 Fee 2H MWD 0ft-18219ft (Surcon Corrected) (Def Survey)

Report Date: July 31, 2018 - 03:21 PM
 Client: Cimarex
 Field: NM Eddy County (NAD 83)
 Structure / Slot: Cimarex Crawford 27-26 Fee 2H / Cimarex Crawford 27-26 Fee 2H
 Well: Cimarex Crawford 27-26 Fee 2H
 Borehole: Original Borehole
 UWI / API#: Unknown / Unknown
 Survey Name: Final Survey - Cimarex Crawford 27-26 Fee 2H MWD 0ft-18219ft (Surcon Corrected)
 Survey Date: June 29, 2018
 Tort / AHD / DDI / ERD Ratio: 219.636' / 10376.339 ft / 6.676 / 1.185
 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
 Location Lat / Long: N 32° 11' 36.57600", W 104° 17' 18.44328"
 Location Grid N/E Y/X: N 434130.200 NUS, E 555219.500 NUS
 CRS Grid Convergence Angle: 0.0239°
 Grid Scale Factor: 0.99990931
 Version / Patch: 2.10.720.0

Survey / DLS Computation: Minimum Curvature / Lubinski
 Vertical Section Azimuth: 90.156° (Grid North)
 Vertical Section Origin: 0.000 ft, 0.000 ft
 TVD Reference Datum: RKB
 TVD Reference Elevation: 3373.000 ft above MSL
 Seabed / Ground Elevation: 3349.000 ft above MSL
 Magnetic Declination: 7.396°
 Total Gravity Field Strength: 998.4453mgn (9.80665 Based)
 Gravity Model: GARM
 Total Magnetic Field Strength: 47890.703 nT
 Magnetic Dip Angle: 59.867°
 Declination Date: July 24, 2018
 Magnetic Declination Model: HDGM 2018
 North Reference: Grid North
 Grid Convergence Used: 0.0239°
 Total Corr Mag North->Grid North: 7.3725°
 Local Coord Referenced To: Structure Reference Point

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northings (ft)	Easting (ft)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
SHL [782' FNL, 330° FWL]	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	434130.20	555219.50	N 32 11 36.58 W 104 17 18.44	
168.00	0.39	75.43	168.00	0.55	0.14	0.55	0.23	434130.34	555220.05	N 32 11 36.58 W 104 17 18.44		
202.00	0.40	76.97	202.00	0.78	0.20	0.78	0.04	434130.40	555220.28	N 32 11 36.58 W 104 17 18.43		
273.00	0.53	80.62	273.00	1.35	0.31	1.35	0.19	434130.51	555220.85	N 32 11 36.58 W 104 17 18.43		
341.00	0.50	87.90	340.99	1.95	0.37	1.95	0.11	434130.57	555221.45	N 32 11 36.58 W 104 17 18.42		
485.00	0.53	120.87	484.99	3.15	0.05	3.15	0.20	434130.25	555222.65	N 32 11 36.58 W 104 17 18.41		
576.00	0.62	121.38	575.98	3.94	-0.42	3.93	0.10	434129.78	555223.43	N 32 11 36.57 W 104 17 18.40		
667.00	0.88	126.89	666.97	4.92	-1.10	4.91	0.30	434129.10	555224.41	N 32 11 36.57 W 104 17 18.39		
758.00	1.53	126.40	757.95	6.46	-2.24	6.45	0.71	434127.96	555225.95	N 32 11 36.55 W 104 17 18.37		
849.00	1.21	112.10	848.93	8.33	-3.32	8.32	0.51	434126.88	555227.82	N 32 11 36.54 W 104 17 18.35		
943.00	0.90	104.56	942.91	9.96	-3.88	9.95	0.36	434126.32	555229.45	N 32 11 36.54 W 104 17 18.33		
1037.00	1.52	115.44	1036.89	11.81	-4.60	11.79	0.70	434125.60	555231.29	N 32 11 36.53 W 104 17 18.31		
1131.00	2.58	116.09	1130.83	14.84	-6.06	14.82	1.13	434124.14	555234.32	N 32 11 36.52 W 104 17 18.27		
1226.00	2.12	108.27	1225.75	18.43	-7.56	18.41	0.59	434122.64	555237.91	N 32 11 36.50 W 104 17 18.23		
1320.00	2.14	104.04	1319.68	21.78	-8.53	21.76	0.17	434121.67	555241.26	N 32 11 36.49 W 104 17 18.19		
1415.00	2.09	69.22	1414.62	25.12	-8.34	25.10	1.33	434121.86	555244.60	N 32 11 36.49 W 104 17 18.15		
1509.00	2.89	50.54	1508.54	28.55	-6.23	28.53	1.20	434123.97	555248.03	N 32 11 36.51 W 104 17 18.11		
1603.00	1.15	54.41	1602.47	31.14	-4.17	31.13	1.86	434126.03	555250.63	N 32 11 36.53 W 104 17 18.08		
1698.00	0.99	226.20	1697.47	31.33	-4.19	31.31	2.25	434126.01	555250.81	N 32 11 36.53 W 104 17 18.08		
1861.00	1.31	233.70	1860.44	28.81	-6.26	28.80	0.22	434123.94	555248.29	N 32 11 36.51 W 104 17 18.11		
1956.00	1.49	228.89	1955.41	27.01	-7.72	26.99	0.22	434122.48	555246.49	N 32 11 36.50 W 104 17 18.13		
2051.00	0.80	4.32	2050.40	26.13	-7.87	26.11	2.25	434122.33	555245.60	N 32 11 36.50 W 104 17 18.14		
2145.00	1.87	357.10	2144.37	26.09	-5.68	26.08	1.15	434124.52	555245.58	N 32 11 36.52 W 104 17 18.14		
2240.00	3.93	348.88	2239.24	25.37	-0.94	25.37	2.21	434129.26	555244.87	N 32 11 36.57 W 104 17 18.15		
2334.00	4.07	350.08	2333.02	24.16	5.51	24.18	0.17	434135.71	555243.67	N 32 11 36.63 W 104 17 18.16		
2429.00	3.77	347.45	2427.79	22.88	11.88	22.82	0.37	434142.08	555242.41	N 32 11 36.69 W 104 17 18.18		
2523.00	5.14	348.28	2521.51	21.34	19.02	21.39	1.46	434149.22	555240.89	N 32 11 36.76 W 104 17 18.19		
2618.00	5.65	346.38	2616.09	19.35	27.73	19.42	0.57	434157.93	555238.92	N 32 11 36.85 W 104 17 18.22		
2712.00	5.41	342.04	2709.65	16.87	36.44	16.97	0.51	434166.64	555236.47	N 32 11 36.94 W 104 17 18.25		
2806.00	6.23	347.81	2803.16	14.40	45.64	14.52	1.07	434175.84	555234.02	N 32 11 37.03 W 104 17 18.27		
2901.00	6.73	348.50	2897.56	12.17	56.14	12.33	0.53	434186.33	555231.83	N 32 11 37.13 W 104 17 18.30		
2995.00	5.44	348.27	2991.02	10.14	65.90	10.32	1.37	434198.09	555229.82	N 32 11 37.23 W 104 17 18.32		
3089.00	5.17	345.00	3084.62	8.12	74.35	8.32	0.43	434204.54	555227.82	N 32 11 37.31 W 104 17 18.35		
3184.00	4.97	348.67	3179.25	6.18	82.52	6.40	0.40	434212.71	555225.90	N 32 11 37.39 W 104 17 18.37		
3278.00	3.31	341.46	3273.00	4.50	89.09	4.74	1.85	434219.28	555224.24	N 32 11 37.46 W 104 17 18.39		
3373.00	3.12	328.98	3367.85	2.28	93.90	2.54	0.76	434224.09	555222.04	N 32 11 37.51 W 104 17 18.41		
3467.00	3.66	342.54	3461.69	0.05	98.96	0.32	1.02	434228.15	555219.82	N 32 11 37.56 W 104 17 18.44		
3562.00	5.52	354.36	3556.38	-1.33	106.40	-1.04	2.19	434236.59	555218.46	N 32 11 37.63 W 104 17 18.45		
3656.00	5.57	357.30	3649.94	-2.01	115.45	-1.70	0.31	434245.64	555217.80	N 32 11 37.72 W 104 17 18.46		
3751.00	5.57	359.34	3744.50	-2.31	124.67	-1.97	0.21	434254.86	555217.53	N 32 11 37.81 W 104 17 18.47		
3845.00	4.81	353.64	3838.11	-2.82	133.15	-2.46	0.98	434263.33	555217.04	N 32 11 37.89 W 104 17 18.47		
3940.00	4.15	345.36	3932.82	-4.15	140.43	-3.77	0.97	434270.62	555215.73	N 32 11 37.97 W 104 17 18.49		
4034.00	4.28	8.82	4026.57	-4.61	147.21	-4.21	1.67	434277.39	555215.29	N 32 11 38.03 W 104 17 18.49		
4129.00	3.96	11.31	4121.33	-3.57	153.94	-3.15	0.48	434284.13	555216.35	N 32 11 38.10 W 104 17 18.48		
4223.00	3.99	13.24	4215.10	-2.20	160.31	-1.76	0.15	434290.49	555217.74	N 32 11 38.16 W 104 17 18.46		
4318.00	3.94	13.92	4309.87	-0.87	166.69	-0.22	0.07	434296.88	555219.28	N 32 11 38.23 W 104 17 18.45		
4412.00	3.92	17.66	4403.65	1.06	172.89	1.53	0.27	434303.07	555221.03	N 32 11 38.29 W 104 17 18.42		
4507.00	3.76	20.33	4498.44	3.11	178.91	3.60	0.25	434309.09	555223.10	N 32 11 38.35 W 104 17 18.40		
4602.00	3.38	5.01	4593.26	4.42	184.62	4.93	1.08	434314.80	555224.42	N 32 11 38.40 W 104 17 18.39		
4696.00	3.24	6.39	4687.10	4.95	190.02	5.46	0.17	434320.20	555224.96	N 32 11 38.46 W 104 17 18.38		
4791.00	2.72	1.88	4781.97	5.30	194.94	5.84	0.60	434325.12	555225.34	N 32 11 38.50 W 104 17 18.37		
4886.00	3.07	3.29	4876.85	5.51	199.73	6.06	0.38	434329.91	555225.55	N 32 11 38.55 W 104 17 18.37		
4980.00	3.90	10.35	4970.68	6.22	205.39	6.77	0.99	434335.57	555226.27	N 32 11 38.61 W 104 17 18.36		
5075.00	3.37	9.30	5065.48	7.23	211.32	7.81	0.56	434341.50	555227.31	N 32 11 38.67 W 104 17 18.35		
5169.00	4.13	9.30	5159.28	8.21	217.39	8.80	0.81	434347.57	555228.30	N 32 11 38.73 W 104 17 18.34		
5266.00	4.21	7.68	5256.03	9.23	224.36	9.84	0.15	434354.54	555229.34	N 32 11 38.80 W 104 17 18.33		
5360.00	4.04	10.43	5349.78	10.27	231.04	10.90	0.28	434361.22	555230.40	N 32 11 38.86 W 104 17 18.32		
5455.00	3.32	12.36	5444.59	11.45	237.02	12.10	0.77	434367.20	555231.59	N 32 11 38.92 W 104 17 18.30		
5549.00	3.36	350.39	5538.43	11.56	242.39	12.22	1.35	434372.57	555231.72	N 32 11 38.97 W 104 17 18.30		
5644.00	3.80	354.85	5633.24	10.79	248.36	11.46	0.64	434378.53	555230.96	N 32 11 39.03 W 104 17 18.31		
5738.00	4.98	345.62	5726.96	9.47	255.49	10.16	1.37	434385.67	555229.66	N 32 11 39.10 W 104 17 18.32		
5833.00	5.37	340.80	5821.57	6.96	263.68	7.68	0.61	434393.86	555227.18	N 32 11 39.19 W 104 17 18.35		
5928.00	4.19	350.26	5916.24	4.89	271.30	5.63	1.49	434401.48	555225.13	N 32 11 39.26 W 104 17 18.38		
6022.00	3.14	353.41	6010.05	4.00	277.25	4.75	1.14	434407.42	555224.25	N 32 11 39.32 W 104 17 18.39		
6117.00	3.84	345.04	6104.87	2.86	282.90	3.63	0.91	434413.08	555223.13	N 32 11 39.38 W 104 17 18.40		
6212.00	3.75	340.15	6199.66	0.97	288.90	1.76	0.35	434419.07	555221.26	N 32 11 39.43 W 104 17 18.42		
6306.00	4.02	346.88	6293.45	-0.84	295.00	-0.04	0.56	434425.17	555219.48	N 32 11 39.50 W 104 17 18.44		
6401.00	3.81	347.48	6388.22	-2.30	301.32	-1.48	0.23	434431.50	555218.02	N 32 11 39.56 W 104 17 18.46		
6496.00	4.30	348.70	6482.99	-3.82	307.87	-2.98	0.52	434438.04	555216.52	N 32 11 39.62 W 104 17 18.48		
6590.00	4.93	348.50	6576.68	-5.45	315.26	-4.60	0.69	434445.43	555214.90	N 32 11 39.70 W 104 17 18.50		
6685.00	6.96	351.34	6671.17	-7.16	324.95	-6.28	2.16	434455.12	555213.22	N 32 11 39.79 W 104 17 18.51		
6779.00	6.14	348.32	6764.55	-9.07	335.50	-8.15	0.95	434465.67	555211.35	N 32 11 39.90 W 104 17 18.54		
6873.00	5.52	348.24	6858.07	-11.03	344.85	-10.09	0.66	434475.02	555209.41	N 32 11 39.99 W 104 17 18.56		
6968.00	4.94	347.53	6952.67	-12.87	353.32	-11.91	0.61	434483.49	555207.60	N 32 11 40		

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	7252.00	2.89	356.68	7236.09	-16.94	370.77	-15.93	0.61	434500.84	555203.57	N 32 11 40.24 W 104 17 18.63	
	7346.00	3.12	6.93	7329.96	-16.78	375.67	-15.76	0.62	434505.84	555203.74	N 32 11 40.29 W 104 17 18.62	
	7441.00	2.09	5.68	7424.86	-16.31	379.97	-15.28	1.09	434510.13	555204.23	N 32 11 40.34 W 104 17 18.62	
	7535.00	1.36	15.60	7518.82	-15.85	382.75	-14.81	0.84	434512.91	555205.70	N 32 11 40.36 W 104 17 18.61	
	7630.00	0.59	56.16	7613.80	-15.14	384.10	-14.10	1.04	434514.27	555205.41	N 32 11 40.38 W 104 17 18.61	
	7724.00	0.49	102.84	7707.80	-14.35	384.28	-13.30	0.47	434514.45	555206.20	N 32 11 40.38 W 104 17 18.60	
	7819.00	0.76	116.82	7802.79	-13.39	383.91	-12.34	0.32	434514.07	555207.16	N 32 11 40.37 W 104 17 18.59	
	7930.00	0.24	103.08	7913.79	-12.50	383.52	-11.46	0.48	434513.69	555208.04	N 32 11 40.37 W 104 17 18.57	
First Legal Take Point	8012.00	5.07	95.21	7995.68	-8.73	382.16	-7.68	5.89	434513.32	555211.82	N 32 11 40.37 W 104 17 18.53	
	8049.00	7.25	95.09	8032.46	-4.77	382.80	-3.73	5.89	434512.97	555215.77	N 32 11 40.36 W 104 17 18.48	
	8081.00	11.51	91.07	8064.02	0.44	382.56	1.48	13.46	434512.73	555220.98	N 32 11 40.36 W 104 17 18.42	
	8113.00	14.35	88.01	8095.21	7.59	382.64	8.63	9.13	434512.80	555228.13	N 32 11 40.36 W 104 17 18.34	
	8144.00	15.73	86.81	8125.15	15.63	383.01	16.67	4.56	434513.17	555236.17	N 32 11 40.37 W 104 17 18.25	
	8176.00	18.57	87.48	8155.72	25.05	383.47	26.09	8.90	434513.64	555245.59	N 32 11 40.37 W 104 17 18.14	
	8208.00	22.07	87.68	8185.73	36.15	383.94	37.19	10.94	434514.11	555256.69	N 32 11 40.38 W 104 17 18.01	
	8239.00	25.23	88.15	8214.12	48.57	384.39	49.62	10.21	434514.55	555269.11	N 32 11 40.38 W 104 17 17.86	
	8270.00	29.42	89.45	8241.65	62.79	384.68	63.84	13.65	434514.84	555283.34	N 32 11 40.38 W 104 17 17.70	
	8302.00	33.17	91.19	8268.89	79.41	384.57	80.46	12.05	434514.73	555299.95	N 32 11 40.38 W 104 17 17.51	
	8333.00	36.94	91.78	8294.37	97.21	384.10	98.26	12.21	434514.27	555317.75	N 32 11 40.38 W 104 17 17.30	
	8365.00	41.28	91.64	8319.19	117.38	383.50	118.43	13.57	434513.67	555337.92	N 32 11 40.37 W 104 17 17.06	
	8396.00	45.22	90.88	8341.77	138.62	383.04	139.66	12.82	434513.21	555359.15	N 32 11 40.37 W 104 17 16.82	
	8428.00	48.56	90.75	8363.63	161.97	382.71	163.01	10.44	434512.87	555382.50	N 32 11 40.36 W 104 17 16.54	
	8460.00	52.87	90.37	8383.89	186.73	382.47	187.78	13.50	434512.63	555407.26	N 32 11 40.36 W 104 17 16.26	
	8491.00	56.75	89.51	8401.75	212.06	382.50	213.11	12.72	434512.67	555432.59	N 32 11 40.36 W 104 17 15.96	
	8523.00	60.18	88.16	8418.48	239.32	383.06	240.37	11.31	434513.23	555458.85	N 32 11 40.37 W 104 17 15.64	
	8554.00	64.52	86.61	8432.87	266.74	384.32	267.79	14.68	434514.49	555487.27	N 32 11 40.38 W 104 17 15.33	
	8586.00	68.57	86.68	8445.60	296.04	386.04	297.09	12.66	434516.20	555516.56	N 32 11 40.39 W 104 17 14.98	
	8618.00	75.40	86.77	8476.20	389.96	391.41	391.03	6.90	434521.58	555610.49	N 32 11 40.45 W 104 17 13.89	
	8717.00	77.98	87.57	8483.57	421.06	392.95	422.13	8.42	434523.11	555641.59	N 32 11 40.46 W 104 17 13.53	
	8749.00	81.16	88.16	8489.36	452.50	394.12	453.57	10.10	434524.28	555673.03	N 32 11 40.47 W 104 17 13.16	
	8780.00	84.04	89.12	8493.35	483.23	394.85	484.30	9.78	434525.01	555703.76	N 32 11 40.48 W 104 17 12.81	
	8812.00	86.18	89.38	8496.08	515.10	395.27	516.18	6.74	434525.43	555735.63	N 32 11 40.49 W 104 17 12.43	
	8907.00	88.45	89.24	8500.53	609.98	396.41	611.06	2.39	434526.57	555830.51	N 32 11 40.50 W 104 17 11.33	
	9002.00	88.49	89.65	8503.07	704.94	397.33	706.03	0.43	434527.49	555925.46	N 32 11 40.50 W 104 17 10.23	
	9097.00	88.45	89.85	8505.60	799.91	397.74	800.99	0.21	434527.91	556020.42	N 32 11 40.51 W 104 17 9.12	
	9192.00	88.35	89.22	8508.26	894.86	398.51	895.95	0.67	434528.68	556115.37	N 32 11 40.52 W 104 17 8.02	
	9287.00	88.66	89.38	8510.73	989.82	399.67	990.91	0.37	434529.84	556210.32	N 32 11 40.53 W 104 17 6.91	
	9382.00	88.83	89.43	8512.81	1084.79	400.66	1085.88	0.19	434530.82	556305.28	N 32 11 40.54 W 104 17 5.81	
	9477.00	89.59	90.05	8514.12	1179.78	401.09	1180.87	1.03	434531.25	556400.26	N 32 11 40.54 W 104 17 4.70	
	9572.00	89.42	89.07	8514.95	1274.77	401.82	1275.86	1.05	434531.98	556495.25	N 32 11 40.55 W 104 17 3.59	
	9666.00	89.45	89.61	8515.87	1368.75	402.80	1369.85	0.58	434533.07	556589.23	N 32 11 40.56 W 104 17 2.50	
	9761.00	89.59	89.16	8516.67	1463.74	403.92	1464.84	0.50	434534.09	556684.21	N 32 11 40.57 W 104 17 1.40	
	9857.00	89.45	89.64	8517.47	1559.73	404.93	1560.83	0.52	434535.09	556780.19	N 32 11 40.58 W 104 17 0.28	
	9951.00	89.28	90.98	8518.51	1653.72	404.42	1654.83	1.44	434534.58	556874.17	N 32 11 40.57 W 104 16 59.18	
	10046.00	87.87	91.37	8520.88	1748.67	402.47	1749.77	1.54	434532.64	556969.11	N 32 11 40.55 W 104 16 58.08	
	10141.00	88.38	91.37	8523.99	1843.60	400.20	1844.70	0.54	434530.37	557064.02	N 32 11 40.53 W 104 16 56.97	
	10236.00	88.38	91.35	8526.67	1938.54	397.95	1939.63	0.02	434528.11	557158.95	N 32 11 40.51 W 104 16 55.87	
	10331.00	88.38	91.25	8529.36	2033.48	395.79	2034.57	0.11	434525.96	557253.88	N 32 11 40.48 W 104 16 54.77	
	10425.00	88.25	91.37	8532.12	2127.42	393.65	2128.50	0.19	434523.81	557347.81	N 32 11 40.46 W 104 16 53.67	
	10520.00	88.28	91.42	8535.00	2222.36	391.33	2223.43	0.06	434521.50	557442.73	N 32 11 40.44 W 104 16 52.57	
	10615.00	87.97	90.95	8538.11	2317.29	389.37	2318.36	0.59	434519.53	557537.64	N 32 11 40.42 W 104 16 51.46	
	10710.00	87.93	90.06	8541.50	2412.23	388.53	2413.29	0.94	434518.70	557632.57	N 32 11 40.41 W 104 16 50.36	
	10805.00	88.00	90.66	8544.88	2507.17	387.94	2508.23	0.64	434518.10	557727.50	N 32 11 40.40 W 104 16 49.25	
	10900.00	89.11	91.27	8547.27	2602.12	386.34	2603.19	1.33	434516.50	557822.45	N 32 11 40.39 W 104 16 48.15	
	10994.00	89.11	90.92	8548.73	2696.10	384.54	2697.16	0.37	434514.71	557916.41	N 32 11 40.37 W 104 16 47.05	
	11089.00	88.90	89.13	8550.38	2791.08	384.50	2792.14	1.80	434514.66	558011.38	N 32 11 40.37 W 104 16 45.95	
	11184.00	89.07	89.61	8552.07	2886.06	385.54	2887.12	0.54	434515.71	558106.35	N 32 11 40.38 W 104 16 44.84	
	11279.00	89.66	89.47	8553.12	2981.05	386.36	2882.11	0.66	434516.52	558201.33	N 32 11 40.39 W 104 16 43.74	
	11374.00	88.59	89.94	8554.57	3076.02	387.72	3077.09	1.23	434517.89	558296.30	N 32 11 40.40 W 104 16 42.63	
	11469.00	88.62	89.00	8556.86	3169.97	389.41	3171.04	0.07	434519.58	558390.25	N 32 11 40.41 W 104 16 41.54	
	11563.00	88.69	88.69	8559.17	3264.92	391.33	3266.00	0.33	434521.49	558485.19	N 32 11 40.43 W 104 16 40.44	
	11658.00	88.45	89.20	8561.62	3359.86	393.08	3360.95	0.56	434523.24	558580.14	N 32 11 40.45 W 104 16 39.33	
	11753.00	89.31	89.41	8563.48	3454.84	394.23	3455.92	0.83	434524.39	558675.10	N 32 11 40.46 W 104 16 38.23	
	11848.00	89.00	89.03	8564.88	3549.81	395.52	3550.90	0.52	434525.69	558770.07	N 32 11 40.47 W 104 16 37.12	
	11943.00	89.97	88.43	8565.74	3644.78	397.63	3645.87	1.20	434527.79	558865.04	N 32 11 40.49 W 104 16 36.01	
	12038.00	88.21	91.45	8567.24	3739.75	397.73	3740.85	3.68	434527.89	558960.00	N 32 11 40.49 W 104 16 34.91	
	12133.00	89.66	91.48	8569.01	3834.71	395.30	3835.80	1.53	434525.46	559054.94	N 32 11 40.47 W 104 16 33.80	
	12228.00	89.55	91.79	8569.67	3929.67	392.59	3930.76	0.35	434522.75	559149.89	N 32 11 40.44 W 104 16 32.70	
	12320.00	88.93	92.71	8570.89	4021.60	388.98	4022.67	1.21	434519.14	559241.80	N 32 11 40.41 W 104 16 31.63	
	12415.00	89.69	90.33	8572.03	4116.56	386.46	4117.63	2.63	434516.62	559336.75	N 32 11 40.38 W 104 16 30.52	
	12510.00	89.55	90.25	8572.66	4211.56	385.98	4212.62	0.17	434516.14	559431.73	N 32 11 40.38 W 104 16 29.42	
	12605.00	89.28	90.38	8573.63	4306.55	385.45	4307.62	0.32	434515.62	559526.72	N 32 11 40.37 W 104 16 28.31	
	12700.00	89.52	90.52	8574.62	4401.55	384.71	4402.61	0.29	434514.87	559621.70	N 32 11 40.36 W 104 16 27.21	
	12795.00	89.14	90.15	8575.74	4496.54	384.15	4497.60	0.56	434514.32	559716.68	N 32 11 40.36 W 104 16 26.10	
	12890.00	90.07	89.92	8576.39	4591.53	384.10	4592.60	1.01	434514.26	559811.67	N 32 11 40.35 W 104 16 25.00	
	12985.00	89.48	90.47	8576.76	4686.53	383.77	4687.60	0.85	434513.94	559906.66	N 32 11 40.35 W 104 16 23.89	
	13079.00	89.35	90.15	8577.72	4780.53	383.26	4781.59	0.37	434513.43	560000.65	N 32 11	

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS ("/100ft)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	16117.00	88.73	89.95	8706.05	7815.03	376.69	7816.09	0.47	434506.86	563034.86	N 32 11 40.26	W 104 15 47.49
	16212.00	89.00	89.35	8707.93	7910.01	377.27	7911.07	0.69	434507.44	563129.83	N 32 11 40.27	W 104 15 46.38
	16307.00	88.14	89.24	8710.30	8004.97	378.44	8006.03	0.91	434508.60	563224.79	N 32 11 40.28	W 104 15 45.28
	16402.00	89.93	90.06	8711.90	8099.95	379.02	8101.01	2.07	434509.18	563319.76	N 32 11 40.28	W 104 15 44.17
	16497.00	90.10	90.23	8711.88	8194.95	378.78	8196.01	0.25	434508.94	563414.75	N 32 11 40.28	W 104 15 43.07
	16592.00	87.42	90.26	8713.93	8289.92	378.37	8290.88	2.82	434508.54	563509.71	N 32 11 40.28	W 104 15 41.96
	16687.00	87.90	90.00	8717.81	8384.84	378.16	8385.90	0.57	434508.32	563604.62	N 32 11 40.27	W 104 15 40.86
	16782.00	86.97	89.54	8722.06	8479.74	378.54	8480.80	1.09	434508.70	563699.51	N 32 11 40.28	W 104 15 39.75
	16877.00	89.38	90.57	8725.09	8574.68	378.45	8575.74	2.76	434508.61	563794.45	N 32 11 40.27	W 104 15 38.65
	16972.00	89.52	90.32	8726.00	8669.68	377.71	8670.74	0.30	434507.87	563889.43	N 32 11 40.27	W 104 15 37.54
	17068.00	89.62	90.71	8726.72	8765.67	376.85	8766.73	0.42	434507.01	563985.42	N 32 11 40.26	W 104 15 36.42
	17163.00	89.14	90.64	8727.75	8860.66	375.73	8861.72	0.51	434505.89	564080.40	N 32 11 40.25	W 104 15 35.32
	17258.00	88.83	90.35	8729.43	8955.64	374.91	8956.70	0.45	434505.07	564175.37	N 32 11 40.24	W 104 15 34.21
	17352.00	89.21	90.40	8731.04	9049.63	374.29	9050.68	0.41	434504.46	564269.34	N 32 11 40.23	W 104 15 33.12
	17447.00	88.93	90.53	8732.58	9144.62	373.52	9145.67	0.32	434503.69	564364.32	N 32 11 40.22	W 104 15 32.01
	17542.00	88.93	90.77	8734.35	9239.60	372.44	9240.64	0.25	434502.61	564459.29	N 32 11 40.21	W 104 15 30.91
	17637.00	88.86	90.54	8736.19	9334.57	371.36	9335.62	0.25	434501.52	564554.26	N 32 11 40.20	W 104 15 29.80
	17732.00	88.66	90.42	8738.24	9429.55	370.56	9430.59	0.25	434500.73	564649.22	N 32 11 40.19	W 104 15 28.70
	17827.00	87.76	90.47	8741.21	9524.50	369.82	9525.54	0.95	434499.99	564744.16	N 32 11 40.18	W 104 15 27.59
	17922.00	87.70	88.85	8744.97	9619.42	370.39	9620.47	1.71	434500.55	564839.07	N 32 11 40.19	W 104 15 26.49
	18017.00	87.63	88.84	8748.84	9714.32	372.30	9715.37	0.07	434502.47	564933.97	N 32 11 40.21	W 104 15 25.38
	18112.00	88.25	88.83	8752.26	9809.23	374.23	9810.29	0.65	434504.40	565028.88	N 32 11 40.22	W 104 15 24.28
	18177.00	87.66	88.69	8754.58	9874.17	375.64	9875.23	0.93	434505.80	565093.81	N 32 11 40.24	W 104 15 23.52
TD, Projection to Bit	18219.00	87.66	88.69	8756.29	9916.12	376.60	9917.18	0.00	434506.76	565135.76	N 32 11 40.25	W 104 15 23.04

Survey Type: Def Survey

Survey Error Model: ISCWSA Rev 0 *** 3-D 95.000% Confidence 2.7955 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size	Casing Diameter (in)	Survey Tool Type	Borehole / Survey
	1	0.000	24.000	1/98.425	12.250	9.625	NAL_MWD_IFR1+MS-Depth Only	Original Borehole / Final Survey - Cimarex Crawford 27-26 Fee 2H MWD 0ft-18219ft (Surcon Corrected)
	1	24.000	24.000	Act Stns	12.250	9.625	NAL_MWD_IFR1+MS-Depth Only	Original Borehole / Final Survey - Cimarex Crawford 27-26 Fee 2H MWD 0ft-18219ft (Surcon Corrected)
	1	24.000	1830.000	Act Stns	12.250	9.625	NAL_MWD_IFR1+MS	Original Borehole / Final Survey - Cimarex Crawford 27-26 Fee 2H
	1	1830.000	8641.000	Act Stns	8.750	7.000	NAL_MWD_IFR1+MS	Original Borehole / Final Survey - Cimarex Crawford 27-26 Fee 2H
	1	8641.000	18219.000	Act Stns	6.000	4.500	NAL_MWD_IFR1+MS	Original Borehole / Final Survey - Cimarex Crawford 27-26 Fee 2H