

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

BLM/BLM/BLM
ARTESIA DISTRICT
N.M. OIL CONSERVATION

3. Lease Serial No.
NMLC061497

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
FULLER 13/12 W/IED FED COM 2H 317659

9. API Well No.
30-015-43516

10. Field and Pool or Exploratory Area
98220

11. County or Parish, State
EDDY COUNTY, NM

SUBMIT IN TRIPLICATE - Other Instructions on page 2

JAN 31 2019

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
MEWBOURNE OIL COMPANY
Contact: JACKIE LATHAN
E-Mail: jlathan@mewbourne.com

3a. Address
PO BOX 5270
HOBBS, NM 88241

3b. Phone No. (include area code)
Ph: 575-393-5905

4. Location of Well (Footage, Sec., T. R., M., or Survey Description)
Sec 13 T26S R29E Mer NMP NWSW 2620FSL 550FWL

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A PD
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

MOC would like to change the SL to 2620' FSL & 390' FWL, Sec 13 T26S R29E. BHL will be @ 330' FNL & 990' FWL, Sec 12 T26S R29E. MOC would also like to change the production facility to 800' x 400' (FULLER 13/12 & 13/24 battery). Approximately 5,002' of buried 250#, 2 7/8" steel flowline will be installed along new road from well site to production facility. See attached for new plats & maps of flowline, well site & production facility. Please call Bradley Bishop with any questions.

PCM 1-14-19
see attached
COAs

14. I hereby certify that the foregoing is true and correct.
Electronic Submission #444740 verified by the BLM Well Information System
For MEWBOURNE OIL COMPANY, sent to the Carlsbad

Name (Printed/Typed) JACKIE LATHAN Title AUTHORIZED REPRESENTATIVE

Signature (Electronic Submission) Date 11/20/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By Cody H. Layton Title FFM - LOM Date 1/14/19

Conditions of approval, if any, are attached: Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CPD

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

RWP 2-21-19.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-015-43516		2 Pool Code 98220		3 Pool Name Purple Sage Wolfcamp					
4 Property Code 317659		5 Property Name FULLER 13/12 WIED FED COM			6 Well Number 2H				
7 GRID NO. 14744		8 Operator Name MEWBOURNE OIL COMPANY			9 Elevation 2958'				
10 Surface Location									
UL or lot no. L	Section 13	Township 26S	Range 29E	Lot Idn	Feet from the 2620	North/South line SOUTH	Feet From the 390	East/West line WEST	County EDDY
11 Bottom Hole Location If Different From Surface									
UL or lot no. D	Section 12	Township 26S	Range 29E	Lot Idn	Feet from the 330	North/South line NORTH	Feet from the 990	East/West line WEST	County EDDY
12 Dedicated Acres 480		13 Joint or Infill		14 Consolidation Code		15 Order No.			


No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

<p>16</p> <p>GEODETIC DATA NAD 83 GRID - NM EAST</p> <p>SURFACE LOCATION N: 379137.6 - E: 661880.9</p> <p>LAT: 32.0417323° N LONG: 103.9442938° W</p> <p>GEODETIC DATA NAD 83 GRID - NM EAST</p> <p>BOTTOM HOLE N: 386973.7 - E: 662475.9</p> <p>LAT: 32.0632672° N LONG: 103.9422817° W</p> <p>CORNER DATA NAD 83 GRID - NM EAST</p> <p>A: FOUND BRASS CAP "1940" N: 376497.1 - E: 661496.5</p> <p>B: FOUND BRASS CAP "1940" N: 379187.8 - E: 661491.3</p> <p>C: FOUND BRASS CAP "1940" N: 381882.4 - E: 661489.4</p> <p>D: FOUND BRASS CAP "1940" N: 387281.8 - E: 661486.2</p> <p>E: FOUND 1/2" REBAR N: 387392.8 - E: 666515.9</p> <p>F: FOUND BRASS CAP "1940" N: 384735.7 - E: 666527.5</p> <p>G: FOUND BRASS CAP "1940" N: 382074.4 - E: 666537.7</p> <p>H: FOUND BRASS CAP "1940" N: 379419.0 - E: 666548.9</p> <p>I: FOUND BRASS CAP "1940" N: 376761.3 - E: 666560.2</p> <p>J: FOUND BRASS CAP "1940" N: 376630.2 - E: 664029.0</p> <p>K: FOUND BRASS CAP "1940" N: 381978.1 - E: 664013.6</p>		<p>17 OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><i>[Signature]</i> 2-1-19 Signature Date</p> <p>BRADLEY BISHOP Printed Name</p> <p>Bbishop@mewbourne.com E-mail Address</p>
	<p>18 SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>10-11-18 Date of Survey</p> <p><i>[Signature]</i> Signature and Seal of Professional Surveyor</p> <p>19880 Certificate Number</p>	

S 86°59'27" W 2536.51' S 87°02'10" W 2535.15' Job No.: LS1711724R

RWP 2-21-19. RWP.

**MEWBOURNE OIL COMPANY
PROPOSED BATTERY FOR THE FULLER FED COM WELLS
SECTION 13, T26S, R29E,
N. M. P. M., EDDY CO., NEW MEXICO**



SCALE: 1" = 250'
0 125' 250'

BEARINGS ARE GRID MAG. & J
N.M. EAST
DISTANCES ARE HORIZ. GROUND

LEGEND

() RECORD DATA - GLO
△ FOUND MONUMENT AS NOTED
P.O.B. POINT OF BEGINNING



I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that I prepared this plat from an actual survey made on the ground under my direct supervision, said survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

Robert M. Howett
Robert M. Howett NM PS 19680

DESCRIPTION

A tract of land situated within Section 13, Township 26 South, Range 29 East, N. M. P. M. Eddy County, New Mexico, across B. L. M. land, and being more particularly described by metes and bounds as follows:

BEGINNING at a point which bears, S 57°28'15" E, 2,292.58 feet from a brass cap, stamped "1940", found for the Northwest corner of Section 13 and being S 24°00'47" W, 1,454.44 feet from a brass cap, stamped "1940", found for the North quarter corner of Section 13;

Thence N 89°59'54" E, 800.00 feet, to a point;

Thence S 00°00'06" E, 400.00 feet, to a point;

Thence S 89°59'54" W, 800.00 feet, to a point;

Thence N 00°00'06" W, 400.00 feet, to the Point of Beginning.

Said tract of land contains 320,000.00 square feet or 7.346 acres, more or less, and is allocated by forties as follows:

NE/4 NW/4	12,807.05 Sq. Ft.	0.294 Acres
NW/4 NE/4	1,097.18 Sq. Ft.	0.025 Acres
SE/4 NW/4	225,587.18 Sq. Ft.	5.179 Acres
SW/4 NE/4	80,508.59 Sq. Ft.	1.848 Acres

Copyright 2016 - All Rights Reserved


NO.	REVISION	DATE
JOB NO.: LS18111256		
DWG. NO.: 18111256-4		



701 S. CECIL ST., HOBBS, NM 88240 (975) 964-8200

SCALE: 1" = 250'
DATE: 11-13-2018
SURVEYED BY: ML/TF
DRAWN BY: KAKN
APPROVED BY: RMH
SHEET: 1 OF 1

LOCATION VERIFICATION MAP



**SECTION 13, TWP. 26 SOUTH, RGE. 29 EAST,
N. M. P. M., EDDY COUNTY, NEW MEXICO**

OPERATOR: Mewbourne Oil Company
 LEASE: Fuller 13/12 W1ED Fed Com
 WELL NO.: 2H
 ELEVATION: 2958'

LOCATION: 2620' FSL & 390' FWL
 CONTOUR INTERVAL: 10'
 USGS TOPO. SOURCE MAP:
Ross Ranch, NM (1968)

Copyright 2016 - All Rights Reserved

NO.	REVISION	DATE
JOB NO.: LS1711724R		
DWG. NO.: 1711724LVM		


RRC

308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: 1" = 1000'
 DATE: 10-11-18
 SURVEYED BY: ML
 DRAWN BY: GA
 APPROVED BY: RMH
 SHEET: 1 OF 1

VICINITY MAP

NOT TO SCALE



*SECTION 13, TWP. 26 SOUTH, RGE. 29 EAST,
N. M. P. M., EDDY COUNTY, NEW MEXICO*

OPERATOR: Mewbourne Oil Company
 LEASE: Fuller 13/12 W1ED Fed Com
 WELL NO.: 2H

LOCATION: 2620' FSL & 390' FWL
 ELEVATION: 2958'

Copyright 2016 - All Rights Reserved


NO.	REVISION	DATE
JOB NO.: LS1711724R		
DWG. NO.: 1711724RVM		

RRC

308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: N. T. S.
DATE: 10-11-18
SURVEYED BY: ML
DRAWN BY: GA
APPROVED BY: RMH
SHEET: 1 OF 1

**MEWBOURNE OIL COMPANY
FULLER 13/12 WIED FED COM #2H
(2620' FSL & 390' FWL)
SECTION 13, T26S, R29E
N. M. P. M., EDDY CO., NEW MEXICO**



DIRECTIONS TO LOCATION

*From the intersection of CR-725 (Longhorn Rd.) and CR-725A (Tarbrush Rd.);
Go Northeast on CR-725A approx. 0.5 miles to lease road to the right;
Turn right and go Northeast approx. 0.5 miles to a lease road to the right;
Turn right and go South approx. 0.3 miles to location on the left.*



SCALE: 1" = 100'

BEARINGS ARE
NAD 83 GRID - NM EAST
DISTANCES ARE
GROUND.

I, R. M. Howett, a N. M. Professional Surveyor, hereby certify that I prepared this unclassified survey of a well location from an actual survey made on the ground under my direct supervision, said survey and plat meet the Min. Stds. for Land Surveying in the State of N. M. and are true and correct to the best of my knowledge and belief.

Robert M. Howett
Robert M. Howett NM PS 19680



Copyright 2016 - All Rights Reserved

NO.	REVISION	DATE
JOB NO.: LS1711724R		
DWG. NO.: 1711724RPA0		

RRC

308 W. BROADWAY ST., HOBBS, NM 88240 (575) 964-8200

SCALE: 1" = 100'

DATE: 10-11-18

SURVEYED BY: ML

DRAWN BY: GA

APPROVED BY: RMH

SHEET: 1 OF 1

