

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-45461 45641
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Niny the Elder Fee
8. Well Number #202H
9. OGRID Number 372043
10. Pool name or Wildcat Purple Sage, Wolfcamp (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐ 2. Name of Operator Tap Rock Operating, LLC 3. Address of Operator 602 Park Point Dr., Golden, CO 80401 4. Well Location Unit Letter E; 2276 feet from the North line and 556 feet from the West line Section 4 Township 23 - South Range 27 - East NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3151'		ARTESIA DISTRICT MAR 21 2019 RECEIVED
--	--	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☒ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: ☐
--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Revise BHL

New location: Unit Letter E; 1980' from the North line and 200' from the West line of Section 6, Township 23 South, Range 27 East; NMNM Eddy County, NM

Spud Date: 6/25/19

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE C. S. TITLE VP DATE 3/21/19

Type or print name Clayton Sparich E-mail address: csparich@tprk.com PHONE: 720-772-5090
For State Use Only

APPROVED BY: Raymond D. Solamy TITLE Geologist DATE 3-21-19
Conditions of Approval (if any):

District I
1625 N French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Bravos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico **NM OIL CONSERVATION** FORM C-102
Energy, Minerals & Natural Resources **ARTESIA DISTRICT** Revised August 1, 2011
Department **OIL CONSERVATION DIVISION** Submit one copy to appropriate District Office
1220 South St. Francis Dr. **MAR 21 2019**
Santa Fe, NM 87505 **RECEIVED** **AMENDED REPORT**

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-4041-45641		Pool Code 98220	Pool Name Purple Sage ; Wolfcamp (Gas)
Property Code	Property Name PLINY THE ELDER FEE		Well Number 202H
GRID No. 372043	Operator Name TAP ROCK OPERATING, LLC.		Elevation 3151'


10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	4	23-S	27-E	-	2276'	NORTH	566'	WEST	EDDY

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E 5	6	23-S	27-E	-	1980'	NORTH	200'	WEST	EDDY


Dedicated Acre 635.02	Point or Infill 635.88	Consolidation Code	Order No.
------------------------------	-------------------------------	--------------------	-----------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Rup 3-21-19

LOCATION & ELEVATION VERIFICATION MAP



LEASE NAME & WELL NO.: PLINY THE ELDER FEE 202H

SECTION 4 TWP 23-S RGE 27-E SURVEY N.M.P.M.
 COUNTY EDDY STATE NM ELEVATION 3151'
 DESCRIPTION 2276' FNL & 566' FVWL

LATITUDE N 32.3349494 LONGITUDE W 104.2018397



SCALE: 1" = 2000'
 0' 1000' 2000'


THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
 ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.



TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 140 - FT. WORTH, TEXAS 76140
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
 2903 NORTH BKG. SPRING • MIDLAND, TEXAS 79705
 TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743
 WWW.TOPOGRAPHIC.COM

EXHIBIT 2
VICINITY MAP



LEASE NAME & WELL NO.: PLINY THE ELDER FEE 202H

SECTION 4 TWP 23-S RGE 27-E SURVEY N.M.P.M.
COUNTY EDDY STATE NM
DESCRIPTION 2276' FNL & 566' FWL

DISTANCE & DIRECTION
FROM INT. OF GRANDI RD. & US-285. GO SOUTH ON GRANDI RD. ±0.6 MILES.
THENCE WEST (RIGHT) ON E DERRICK RD. ±2.0 MILES, THENCE SOUTH
(LEFT) ON S THOMASON RD. ±0.4 MILE TO A POINT ±535 FEET WEST OF THE
LOCATION.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY TAP ROCK OPERATING, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.

SCALE: 1" = 10000'
0 5000' 10000'




TOPOGRAPHIC
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76148
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX: (432) 682-1743
WWW.TOPOGRAPHIC.COM


TAP ROCK EXHIBIT 2A

SECTION 4, TOWNSHIP 23-S, RANGE 27-E, N.M.P.M.
EDDY COUNTY, NEW MEXICO



TAP ROCK

DETAIL VIEW
SCALE: 1" = 100'



1403 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554
2903 NORTH 810 SPRING • MIDLAND, TEXAS 79705
TELEPHONE: (432) 682-1553 or (800) 787-1553 • FAX (432) 682-1745
WWW.TOPOGRAPHIC.COM

S:\SURVEYT\APROCK\PLINY_THE_ELDER_UNIT\FINAL_PRODUCTS\LO_PLINY_THE_ELDER_FEE_202H_REV2.DWG 2/26/2019 10:38:04 AM kmratheny



NM OIL CONSERVATION
ARTESIA DISTRICT

MAR 21 2019

RECEIVED

Tap Rock Resources, LLC

Eddy County, NM (NAD 83 NME)
(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E
Pliny The Elder Fee #202H

OWB

30-015-45641

Plan: Plan #1

Standard Planning Report

06 March, 2019

The logo for Intrepid, featuring a stylized graphic of three vertical bars of increasing height to the left of the word "INTREPID" in a bold, sans-serif font.



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Pliny The Elder Fee #202H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3177.5usft (H&P 422)
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3177.5usft (H&P 422)
Site:	(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E	North Reference:	Grid
Well:	Pliny The Elder Fee #202H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #1		

Project:	Eddy County, NM (NAD 83 NME)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site:	(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E			
Site Position:		Northing:	485,612.00 usft	Latitude: 32° 20' 5.822 N
From:	Map	Easting:	581,950.00 usft	Longitude: 104° 12' 6.624 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence: 0.07 °

Well:	Pliny The Elder Fee #202H			
Well Position	+N-S	0.0 usft	Northing:	485,612.00 usft
	+E-W	0.0 usft	Easting:	581,950.00 usft
Position Uncertainty		0.0 usft	Wellhead Elevation:	Ground Level: 3,151.0 usft

Wellbore:	OWB				
Magnetics	Model Name	Sample Date	Declination	Dip Angle	Field Strength
			(°)	(°)	(nT)
	IGRF2015	03/05/19	7.07	60.04	47,762.33251356

Design:	Plan #1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD)	+N-S	+E-W	Direction
	(usft)	(usft)	(usft)	(°)
	0.0	0.0	0.0	271.34

Plan Survey Tool Program		Date 03/06/19		
Depth From	Depth To	Survey (Wellbore)	Tool Name	Remarks
(usft)	(usft)			
1	0.0	19,357.4 Plan #1 (OWB)	MWD	
			OWSG MWD - Standard	

Plan Sections										
Measured	Inclination	Azimuth	Vertical	+N-S	+E-W	Dogleg	Build	Turn	TFO	Target
Depth	(°)	(°)	Depth	(usft)	(usft)	Rate	Rate	Rate	(°)	
(usft)			(usft)			(°/100usft)	(°/100usft)	(°/100usft)		
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,747.5	11.21	312.29	1,742.7	49.1	-53.9	1.50	1.50	0.00	312.29	
3,189.6	11.21	312.29	3,157.3	237.7	-261.4	0.00	0.00	0.00	0.00	
3,937.0	0.00	0.00	3,900.0	286.8	-315.3	1.50	-1.50	0.00	180.00	
8,478.1	0.00	0.00	8,441.1	286.8	-315.3	0.00	0.00	0.00	0.00	
9,387.9	90.98	269.82	9,014.0	285.0	-898.0	10.00	10.00	-9.91	269.82	
19,357.4	90.98	269.82	8,844.0	254.0	-10,866.0	0.00	0.00	0.00	0.00	PBHL (Pliny The El



Intrepid
Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Pliny The Elder Fee #202H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3177.5usft (H&P 422)
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3177.5usft (H&P 422)
Site:	(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E	North Reference:	Grid
Well:	Pliny The Elder Fee #202H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
557.0	0.00	0.00	557.0	0.0	0.0	0.0	0.00	0.00	0.00
Rustler Anhydrite									
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
NUDGE - Build 1.50									
1,100.0	1.50	312.29	1,100.0	0.9	-1.0	1.0	1.50	1.50	0.00
1,122.0	1.83	312.29	1,122.0	1.3	-1.4	1.5	1.50	1.50	0.00
Top Salt									
1,200.0	3.00	312.29	1,199.9	3.5	-3.9	4.0	1.50	1.50	0.00
1,300.0	4.50	312.29	1,299.7	7.9	-8.7	8.9	1.50	1.50	0.00
1,400.0	6.00	312.29	1,399.3	14.1	-15.5	15.8	1.50	1.50	0.00
1,500.0	7.50	312.29	1,498.6	22.0	-24.2	24.7	1.50	1.50	0.00
1,600.0	9.00	312.29	1,597.5	31.6	-34.8	35.5	1.50	1.50	0.00
1,700.0	10.50	312.29	1,696.1	43.0	-47.3	48.3	1.50	1.50	0.00
1,747.5	11.21	312.29	1,742.7	49.1	-53.9	55.1	1.50	1.50	0.00
HOLD - 1442.1 at 1747.5 MD									
1,800.0	11.21	312.29	1,794.2	55.9	-61.5	62.8	0.00	0.00	0.00
1,833.4	11.21	312.29	1,827.0	60.3	-66.3	67.7	0.00	0.00	0.00
Base Salt									
1,900.0	11.21	312.29	1,892.3	69.0	-75.9	77.5	0.00	0.00	0.00
1,969.0	11.21	312.29	1,960.0	78.0	-85.8	87.6	0.00	0.00	0.00
Delaware Mountain Gp									
2,000.0	11.21	312.29	1,990.4	82.1	-90.3	92.1	0.00	0.00	0.00
2,100.0	11.21	312.29	2,088.5	95.2	-104.6	106.8	0.00	0.00	0.00
2,103.6	11.21	312.29	2,092.0	95.6	-105.2	107.4	0.00	0.00	0.00
Bell Canyon									
2,108.7	11.21	312.29	2,097.0	96.3	-105.9	108.1	0.00	0.00	0.00
Lamar									
2,129.0	11.21	312.29	2,117.0	99.0	-108.8	111.1	0.00	0.00	0.00
Ramsey Sand									
2,200.0	11.21	312.29	2,186.6	108.3	-119.0	121.5	0.00	0.00	0.00
2,300.0	11.21	312.29	2,284.7	121.3	-133.4	136.2	0.00	0.00	0.00
2,400.0	11.21	312.29	2,382.8	134.4	-147.8	150.9	0.00	0.00	0.00
2,500.0	11.21	312.29	2,480.9	147.5	-162.2	165.6	0.00	0.00	0.00
2,600.0	11.21	312.29	2,579.0	160.6	-176.6	180.3	0.00	0.00	0.00
2,700.0	11.21	312.29	2,677.1	173.7	-190.9	195.0	0.00	0.00	0.00
2,800.0	11.21	312.29	2,775.1	186.8	-205.3	209.6	0.00	0.00	0.00
2,900.0	11.21	312.29	2,873.2	199.8	-219.7	224.3	0.00	0.00	0.00
2,938.5	11.21	312.29	2,911.0	204.9	-225.3	230.0	0.00	0.00	0.00
Cherry Canyon									
3,000.0	11.21	312.29	2,971.3	212.9	-234.1	239.0	0.00	0.00	0.00
3,100.0	11.21	312.29	3,069.4	226.0	-248.5	253.7	0.00	0.00	0.00
3,189.6	11.21	312.29	3,157.3	237.7	-261.4	266.9	0.00	0.00	0.00



Intrepid Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Pliny The Elder Fee #202H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3177.5usft (H&P 422)
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3177.5usft (H&P 422)
Site:	(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E	North Reference:	Grid
Well:	Pliny The Elder Fee #202H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
DROP - -1.50									
3,200.0	11.06	312.29	3,167.5	239.1	-262.9	268.4	1.50	-1.50	0.00
3,300.0	9.56	312.29	3,265.9	251.1	-276.1	281.9	1.50	-1.50	0.00
3,400.0	8.06	312.29	3,364.7	261.4	-287.4	293.4	1.50	-1.50	0.00
3,500.0	6.56	312.29	3,463.9	270.0	-296.8	303.1	1.50	-1.50	0.00
3,600.0	5.06	312.29	3,563.4	276.8	-304.3	310.7	1.50	-1.50	0.00
3,700.0	3.56	312.29	3,663.1	281.8	-309.9	316.4	1.50	-1.50	0.00
3,800.0	2.06	312.29	3,763.0	285.1	-313.5	320.1	1.50	-1.50	0.00
3,900.0	0.56	312.29	3,863.0	286.7	-315.2	321.8	1.50	-1.50	0.00
3,937.0	0.00	0.00	3,900.0	286.8	-315.3	321.9	1.50	-1.50	0.00
HOLD - 4541.1 at 3937.0 MD									
4,000.0	0.00	0.00	3,963.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,033.0	0.00	0.00	3,996.0	286.8	-315.3	321.9	0.00	0.00	0.00
Brushy Canyon									
4,100.0	0.00	0.00	4,063.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,200.0	0.00	0.00	4,163.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,300.0	0.00	0.00	4,263.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,400.0	0.00	0.00	4,363.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,500.0	0.00	0.00	4,463.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,600.0	0.00	0.00	4,563.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,700.0	0.00	0.00	4,663.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,800.0	0.00	0.00	4,763.0	286.8	-315.3	321.9	0.00	0.00	0.00
4,900.0	0.00	0.00	4,863.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,000.0	0.00	0.00	4,963.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,100.0	0.00	0.00	5,063.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,200.0	0.00	0.00	5,163.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,300.0	0.00	0.00	5,263.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,400.0	0.00	0.00	5,363.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,500.0	0.00	0.00	5,463.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,544.0	0.00	0.00	5,507.0	286.8	-315.3	321.9	0.00	0.00	0.00
Bone Spring Lime									
5,600.0	0.00	0.00	5,563.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,629.0	0.00	0.00	5,592.0	286.8	-315.3	321.9	0.00	0.00	0.00
Upper Avalon									
5,700.0	0.00	0.00	5,663.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,800.0	0.00	0.00	5,763.0	286.8	-315.3	321.9	0.00	0.00	0.00
5,886.0	0.00	0.00	5,849.0	286.8	-315.3	321.9	0.00	0.00	0.00
Middle Avalon									
5,900.0	0.00	0.00	5,863.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,000.0	0.00	0.00	5,963.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,100.0	0.00	0.00	6,063.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,200.0	0.00	0.00	6,163.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,234.0	0.00	0.00	6,197.0	286.8	-315.3	321.9	0.00	0.00	0.00
Lower Avalon									
6,300.0	0.00	0.00	6,263.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,400.0	0.00	0.00	6,363.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,500.0	0.00	0.00	6,463.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,516.0	0.00	0.00	6,479.0	286.8	-315.3	321.9	0.00	0.00	0.00
1st Bone Spring Sand									
6,600.0	0.00	0.00	6,563.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,698.0	0.00	0.00	6,661.0	286.8	-315.3	321.9	0.00	0.00	0.00
2nd Bone Spring Carb									
6,700.0	0.00	0.00	6,663.0	286.8	-315.3	321.9	0.00	0.00	0.00



Intrepid
Planning Report



Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Pliny The Elder Fee #202H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3177.5usft (H&P 422)
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3177.5usft (H&P 422)
Site:	(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E	North Reference:	Grid
Well:	Pliny The Elder Fee #202H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
6,800.0	0.00	0.00	6,763.0	286.8	-315.3	321.9	0.00	0.00	0.00
6,900.0	0.00	0.00	6,863.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,000.0	0.00	0.00	6,963.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,014.0	0.00	0.00	6,977.0	286.8	-315.3	321.9	0.00	0.00	0.00
2nd Bone Spring Sand									
7,100.0	0.00	0.00	7,063.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,200.0	0.00	0.00	7,163.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,251.0	0.00	0.00	7,214.0	286.8	-315.3	321.9	0.00	0.00	0.00
3rd Bone Spring Carb									
7,300.0	0.00	0.00	7,263.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,400.0	0.00	0.00	7,363.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,500.0	0.00	0.00	7,463.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,600.0	0.00	0.00	7,563.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,700.0	0.00	0.00	7,663.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,800.0	0.00	0.00	7,763.0	286.8	-315.3	321.9	0.00	0.00	0.00
7,900.0	0.00	0.00	7,863.0	286.8	-315.3	321.9	0.00	0.00	0.00
8,000.0	0.00	0.00	7,963.0	286.8	-315.3	321.9	0.00	0.00	0.00
8,100.0	0.00	0.00	8,063.0	286.8	-315.3	321.9	0.00	0.00	0.00
8,200.0	0.00	0.00	8,163.0	286.8	-315.3	321.9	0.00	0.00	0.00
8,300.0	0.00	0.00	8,263.0	286.8	-315.3	321.9	0.00	0.00	0.00
8,400.0	0.00	0.00	8,363.0	286.8	-315.3	321.9	0.00	0.00	0.00
8,478.1	0.00	0.00	8,441.1	286.8	-315.3	321.9	0.00	0.00	0.00
KOP - DLS 10.00 TFO 269.82									
8,500.0	2.19	269.82	8,462.9	286.8	-315.7	322.3	10.00	10.00	0.00
8,550.0	7.19	269.82	8,512.8	286.8	-319.8	326.4	10.00	10.00	0.00
8,577.5	9.94	269.82	8,540.0	286.8	-323.9	330.5	10.00	10.00	0.00
3rd Bone Spring Sand									
8,600.0	12.19	269.82	8,562.0	286.7	-328.2	334.8	10.00	10.00	0.00
8,650.0	17.19	269.82	8,610.4	286.7	-340.9	347.5	10.00	10.00	0.00
8,700.0	22.19	269.82	8,657.5	286.6	-357.7	364.3	10.00	10.00	0.00
8,750.0	27.19	269.82	8,702.9	286.6	-378.6	385.2	10.00	10.00	0.00
8,800.0	32.19	269.82	8,746.3	286.5	-403.3	409.9	10.00	10.00	0.00
8,850.0	37.19	269.82	8,787.4	286.4	-431.8	438.4	10.00	10.00	0.00
8,878.9	40.08	269.82	8,810.0	286.4	-449.9	456.4	10.00	10.00	0.00
3rd Bone Spring W Sand									
8,900.0	42.19	269.82	8,825.9	286.3	-463.7	470.3	10.00	10.00	0.00
8,950.0	47.19	269.82	8,861.4	286.2	-498.9	505.4	10.00	10.00	0.00
8,987.6	50.94	269.82	8,886.0	286.1	-527.2	533.8	10.00	10.00	0.00
Wolfcamp A X Sand									
9,000.0	52.19	269.82	8,893.7	286.1	-537.0	543.5	10.00	10.00	0.00
9,050.0	57.19	269.82	8,922.6	286.0	-577.8	584.3	10.00	10.00	0.00
9,100.0	62.19	269.82	8,947.9	285.8	-620.9	627.4	10.00	10.00	0.00
9,150.0	67.19	269.82	8,969.2	285.7	-666.1	672.6	10.00	10.00	0.00
9,159.9	68.18	269.82	8,973.0	285.7	-675.3	681.8	10.00	10.00	0.00
Wolfcamp A Y Sand									
9,200.0	72.19	269.82	8,986.6	285.5	-713.0	719.4	10.00	10.00	0.00
9,250.0	77.19	269.82	8,999.8	285.4	-761.2	767.6	10.00	10.00	0.00
9,300.0	82.19	269.82	9,008.7	285.2	-810.4	816.8	10.00	10.00	0.00
9,350.0	87.19	269.82	9,013.4	285.1	-860.1	866.5	10.00	10.00	0.00
9,387.9	90.98	269.82	9,014.0	285.0	-898.0	904.4	10.00	10.00	0.00
EOC - 9969.5 hold at 9387.9 MD									
9,400.0	90.98	269.82	9,013.8	284.9	-910.1	916.5	0.00	0.00	0.00
9,500.0	90.98	269.82	9,012.1	284.6	-1,010.1	1,016.5	0.00	0.00	0.00



Intrepid
Planning Report



Database: EDM 5000.15 Single User Db
Company: Tap Rock Resources, LLC
Project: Eddy County, NM (NAD 83 NME)
Site: (Pliny The Elder Fee) Sec-4_T-23-S_R-27-E
Well: Pliny The Elder Fee #202H
Wellbore: OWB
Design: Plan #1

Local Co-ordinate Reference: Well Pliny The Elder Fee #202H
TVD Reference: KB @ 3177.5usft (H&P 422)
MD Reference: KB @ 3177.5usft (H&P 422)
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,600.0	90.98	269.82	9,010.4	284.3	-1,110.1	1,116.4	0.00	0.00	0.00
9,700.0	90.98	269.82	9,008.7	284.0	-1,210.1	1,216.4	0.00	0.00	0.00
9,800.0	90.98	269.82	9,006.9	283.7	-1,310.0	1,316.3	0.00	0.00	0.00
9,900.0	90.98	269.82	9,005.2	283.4	-1,410.0	1,416.3	0.00	0.00	0.00
10,000.0	90.98	269.82	9,003.5	283.1	-1,510.0	1,516.2	0.00	0.00	0.00
10,100.0	90.98	269.82	9,001.8	282.8	-1,610.0	1,616.2	0.00	0.00	0.00
10,200.0	90.98	269.82	9,000.1	282.4	-1,710.0	1,716.1	0.00	0.00	0.00
10,300.0	90.98	269.82	8,998.4	282.1	-1,810.0	1,816.1	0.00	0.00	0.00
10,400.0	90.98	269.82	8,996.7	281.8	-1,910.0	1,916.0	0.00	0.00	0.00
10,500.0	90.98	269.82	8,995.0	281.5	-2,009.9	2,016.0	0.00	0.00	0.00
10,600.0	90.98	269.82	8,993.3	281.2	-2,109.9	2,115.9	0.00	0.00	0.00
10,700.0	90.98	269.82	8,991.6	280.9	-2,209.9	2,215.9	0.00	0.00	0.00
10,800.0	90.98	269.82	8,989.9	280.6	-2,309.9	2,315.8	0.00	0.00	0.00
10,900.0	90.98	269.82	8,988.2	280.3	-2,409.9	2,415.8	0.00	0.00	0.00
11,000.0	90.98	269.82	8,986.5	280.0	-2,509.9	2,515.7	0.00	0.00	0.00
11,100.0	90.98	269.82	8,984.8	279.7	-2,609.9	2,615.7	0.00	0.00	0.00
11,200.0	90.98	269.82	8,983.1	279.3	-2,709.8	2,715.6	0.00	0.00	0.00
11,300.0	90.98	269.82	8,981.4	279.0	-2,809.8	2,815.6	0.00	0.00	0.00
11,400.0	90.98	269.82	8,979.7	278.7	-2,909.8	2,915.5	0.00	0.00	0.00
11,500.0	90.98	269.82	8,978.0	278.4	-3,009.8	3,015.5	0.00	0.00	0.00
11,600.0	90.98	269.82	8,976.3	278.1	-3,109.8	3,115.4	0.00	0.00	0.00
11,700.0	90.98	269.82	8,974.6	277.8	-3,209.8	3,215.4	0.00	0.00	0.00
11,800.0	90.98	269.82	8,972.8	277.5	-3,309.7	3,315.3	0.00	0.00	0.00
11,900.0	90.98	269.82	8,971.1	277.2	-3,409.7	3,415.3	0.00	0.00	0.00
12,000.0	90.98	269.82	8,969.4	276.9	-3,509.7	3,515.2	0.00	0.00	0.00
12,100.0	90.98	269.82	8,967.7	276.5	-3,609.7	3,615.2	0.00	0.00	0.00
12,200.0	90.98	269.82	8,966.0	276.2	-3,709.7	3,715.1	0.00	0.00	0.00
12,300.0	90.98	269.82	8,964.3	275.9	-3,809.7	3,815.1	0.00	0.00	0.00
12,400.0	90.98	269.82	8,962.6	275.6	-3,909.7	3,915.0	0.00	0.00	0.00
12,500.0	90.98	269.82	8,960.9	275.3	-4,009.6	4,015.0	0.00	0.00	0.00
12,600.0	90.98	269.82	8,959.2	275.0	-4,109.6	4,114.9	0.00	0.00	0.00
12,700.0	90.98	269.82	8,957.5	274.7	-4,209.6	4,214.9	0.00	0.00	0.00
12,800.0	90.98	269.82	8,955.8	274.4	-4,309.6	4,314.8	0.00	0.00	0.00
12,900.0	90.98	269.82	8,954.1	274.1	-4,409.6	4,414.8	0.00	0.00	0.00
13,000.0	90.98	269.82	8,952.4	273.7	-4,509.6	4,514.7	0.00	0.00	0.00
13,100.0	90.98	269.82	8,950.7	273.4	-4,609.5	4,614.7	0.00	0.00	0.00
13,200.0	90.98	269.82	8,949.0	273.1	-4,709.5	4,714.6	0.00	0.00	0.00
13,300.0	90.98	269.82	8,947.3	272.8	-4,809.5	4,814.6	0.00	0.00	0.00
13,400.0	90.98	269.82	8,945.6	272.5	-4,909.5	4,914.5	0.00	0.00	0.00
13,500.0	90.98	269.82	8,943.9	272.2	-5,009.5	5,014.5	0.00	0.00	0.00
13,600.0	90.98	269.82	8,942.2	271.9	-5,109.5	5,114.4	0.00	0.00	0.00
13,700.0	90.98	269.82	8,940.5	271.6	-5,209.5	5,214.4	0.00	0.00	0.00
13,800.0	90.98	269.82	8,938.8	271.3	-5,309.4	5,314.3	0.00	0.00	0.00
13,900.0	90.98	269.82	8,937.0	271.0	-5,409.4	5,414.3	0.00	0.00	0.00
14,000.0	90.98	269.82	8,935.3	270.6	-5,509.4	5,514.2	0.00	0.00	0.00
14,100.0	90.98	269.82	8,933.6	270.3	-5,609.4	5,614.2	0.00	0.00	0.00
14,200.0	90.98	269.82	8,931.9	270.0	-5,709.4	5,714.1	0.00	0.00	0.00
14,300.0	90.98	269.82	8,930.2	269.7	-5,809.4	5,814.1	0.00	0.00	0.00
14,400.0	90.98	269.82	8,928.5	269.4	-5,909.4	5,914.0	0.00	0.00	0.00
14,500.0	90.98	269.82	8,926.8	269.1	-6,009.3	6,014.0	0.00	0.00	0.00
14,600.0	90.98	269.82	8,925.1	268.8	-6,109.3	6,113.9	0.00	0.00	0.00
14,700.0	90.98	269.82	8,923.4	268.5	-6,209.3	6,213.9	0.00	0.00	0.00
14,800.0	90.98	269.82	8,921.7	268.2	-6,309.3	6,313.8	0.00	0.00	0.00
14,900.0	90.98	269.82	8,920.0	267.8	-6,409.3	6,413.8	0.00	0.00	0.00



Intrepid Planning Report



Database: EDM 5000.15 Single User Db
Company: Tap Rock Resources, LLC
Project: Eddy County, NM (NAD 83 NME)
Site: (Pliny The Elder Fee) Sec-4_T-23-S_R-27-E
Well: Pliny The Elder Fee #202H
Wellbore: OWB
Design: Plan #1

Local Co-ordinate Reference: Well Pliny The Elder Fee #202H
TVD Reference: KB @ 3177.5usft (H&P 422)
MD Reference: KB @ 3177.5usft (H&P 422)
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
15,000.0	90.98	269.82	8,918.3	267.5	-6,509.3	6,513.7	0.00	0.00	0.00
15,100.0	90.98	269.82	8,916.6	267.2	-6,609.2	6,613.7	0.00	0.00	0.00
15,200.0	90.98	269.82	8,914.9	266.9	-6,709.2	6,713.6	0.00	0.00	0.00
15,300.0	90.98	269.82	8,913.2	266.6	-6,809.2	6,813.6	0.00	0.00	0.00
15,400.0	90.98	269.82	8,911.5	266.3	-6,909.2	6,913.5	0.00	0.00	0.00
15,500.0	90.98	269.82	8,909.8	266.0	-7,009.2	7,013.5	0.00	0.00	0.00
15,600.0	90.98	269.82	8,908.1	265.7	-7,109.2	7,113.4	0.00	0.00	0.00
15,700.0	90.98	269.82	8,906.4	265.4	-7,209.2	7,213.4	0.00	0.00	0.00
15,800.0	90.98	269.82	8,904.7	265.1	-7,309.1	7,313.3	0.00	0.00	0.00
15,900.0	90.98	269.82	8,902.9	264.7	-7,409.1	7,413.3	0.00	0.00	0.00
16,000.0	90.98	269.82	8,901.2	264.4	-7,509.1	7,513.2	0.00	0.00	0.00
16,100.0	90.98	269.82	8,899.5	264.1	-7,609.1	7,613.2	0.00	0.00	0.00
16,200.0	90.98	269.82	8,897.8	263.8	-7,709.1	7,713.1	0.00	0.00	0.00
16,300.0	90.98	269.82	8,896.1	263.5	-7,809.1	7,813.1	0.00	0.00	0.00
16,400.0	90.98	269.82	8,894.4	263.2	-7,909.1	7,913.0	0.00	0.00	0.00
16,500.0	90.98	269.82	8,892.7	262.9	-8,009.0	8,013.0	0.00	0.00	0.00
16,600.0	90.98	269.82	8,891.0	262.6	-8,109.0	8,112.9	0.00	0.00	0.00
16,700.0	90.98	269.82	8,889.3	262.3	-8,209.0	8,212.9	0.00	0.00	0.00
16,800.0	90.98	269.82	8,887.6	261.9	-8,309.0	8,312.8	0.00	0.00	0.00
16,900.0	90.98	269.82	8,885.9	261.6	-8,409.0	8,412.8	0.00	0.00	0.00
17,000.0	90.98	269.82	8,884.2	261.3	-8,509.0	8,512.7	0.00	0.00	0.00
17,100.0	90.98	269.82	8,882.5	261.0	-8,608.9	8,612.7	0.00	0.00	0.00
17,200.0	90.98	269.82	8,880.8	260.7	-8,708.9	8,712.6	0.00	0.00	0.00
17,300.0	90.98	269.82	8,879.1	260.4	-8,808.9	8,812.6	0.00	0.00	0.00
17,400.0	90.98	269.82	8,877.4	260.1	-8,908.9	8,912.5	0.00	0.00	0.00
17,500.0	90.98	269.82	8,875.7	259.8	-9,008.9	9,012.5	0.00	0.00	0.00
17,600.0	90.98	269.82	8,874.0	259.5	-9,108.9	9,112.4	0.00	0.00	0.00
17,700.0	90.98	269.82	8,872.3	259.1	-9,208.9	9,212.4	0.00	0.00	0.00
17,800.0	90.98	269.82	8,870.6	258.8	-9,308.8	9,312.4	0.00	0.00	0.00
17,900.0	90.98	269.82	8,868.8	258.5	-9,408.8	9,412.3	0.00	0.00	0.00
18,000.0	90.98	269.82	8,867.1	258.2	-9,508.8	9,512.3	0.00	0.00	0.00
18,100.0	90.98	269.82	8,865.4	257.9	-9,608.8	9,612.2	0.00	0.00	0.00
18,200.0	90.98	269.82	8,863.7	257.6	-9,708.8	9,712.2	0.00	0.00	0.00
18,300.0	90.98	269.82	8,862.0	257.3	-9,808.8	9,812.1	0.00	0.00	0.00
18,400.0	90.98	269.82	8,860.3	257.0	-9,908.8	9,912.1	0.00	0.00	0.00
18,500.0	90.98	269.82	8,858.6	256.7	-10,008.7	10,012.0	0.00	0.00	0.00
18,600.0	90.98	269.82	8,856.9	256.4	-10,108.7	10,112.0	0.00	0.00	0.00
18,700.0	90.98	269.82	8,855.2	256.0	-10,208.7	10,211.9	0.00	0.00	0.00
18,800.0	90.98	269.82	8,853.5	255.7	-10,308.7	10,311.9	0.00	0.00	0.00
18,900.0	90.98	269.82	8,851.8	255.4	-10,408.7	10,411.8	0.00	0.00	0.00
19,000.0	90.98	269.82	8,850.1	255.1	-10,508.7	10,511.8	0.00	0.00	0.00
19,100.0	90.98	269.82	8,848.4	254.8	-10,608.6	10,611.7	0.00	0.00	0.00
19,200.0	90.98	269.82	8,846.7	254.5	-10,708.6	10,711.7	0.00	0.00	0.00
19,300.0	90.98	269.82	8,845.0	254.2	-10,808.6	10,811.6	0.00	0.00	0.00
19,357.4	90.98	269.82	8,844.0	254.0	-10,866.0	10,869.0	0.00	0.00	0.00

TD at 19357.4



Intrepid Planning Report




Database:	EDM 5000.15 Single User Db	Local Co-ordinate Reference:	Well Pliny The Elder Fee #202H
Company:	Tap Rock Resources, LLC	TVD Reference:	KB @ 3177.5usft (H&P 422)
Project:	Eddy County, NM (NAD 83 NME)	MD Reference:	KB @ 3177.5usft (H&P 422)
Site:	(Pliny The Elder Fee) Sec-4_T-23-S_R-27-E	North Reference:	Grid
Well:	Pliny The Elder Fee #202H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OWB		
Design:	Plan #1		

Design Targets									
Target Name	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- hit/miss target	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
- Shape									
LTP (Pliny The Elder I - plan misses target center by 2.3usft at 19227.4usft MD (8846.2 TVD, 254.4 N, -10736.0 E) - Point	0.00	0.01	8,844.0	254.0	-10,736.0	485,866.00	571,214.00	32° 20' 8.449 N	104° 14' 11.759 W
PBHL (Pliny The Elde - plan hits target center - Rectangle (sides W100.0 H9,970.0 D30.0)	-0.98	269.82	8,844.0	254.0	-10,866.0	485,866.00	571,084.00	32° 20' 8.450 N	104° 14' 13.274 W
FTP (Pliny The Elder I - plan hits target center - Point	0.00	0.00	9,014.0	285.0	-898.0	485,897.00	581,052.00	32° 20' 8.653 N	104° 12' 17.087 W

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
557.0	557.0	Rustler Anhydrite				
1,122.0	1,122.0	Top Salt				
1,833.4	1,827.0	Base Salt				
1,969.0	1,960.0	Delaware Mountain Gp				
2,103.6	2,092.0	Bell Canyon				
2,108.7	2,097.0	Lamar				
2,129.0	2,117.0	Ramsey Sand				
2,938.5	2,911.0	Cherry Canyon				
4,033.0	3,996.0	Brushy Canyon				
5,544.0	5,507.0	Bone Spring Lime				
5,629.0	5,592.0	Upper Avalon				
5,886.0	5,849.0	Middle Avalon				
6,234.0	6,197.0	Lower Avalon				
6,516.0	6,479.0	1st Bone Spring Sand				
6,698.0	6,661.0	2nd Bone Spring Carb				
7,014.0	6,977.0	2nd Bone Spring Sand				
7,251.0	7,214.0	3rd Bone Spring Carb				
8,577.5	8,540.0	3rd Bone Spring Sand				
8,878.9	8,810.0	3rd Bone Spring W Sand				
8,987.6	8,886.0	Wolfcamp A X Sand				
9,159.9	8,973.0	Wolfcamp A Y Sand				

Plan Annotations				
Measured Depth (usft)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Comment
1,000.0	1,000.0	0.0	0.0	NUDGE - Build 1.50
1,747.5	1,742.7	49.1	-53.9	HOLD - 1442.1 at 1747.5 MD
3,189.6	3,157.3	237.7	-261.4	DROP - -1.50
3,937.0	3,900.0	286.8	-315.3	HOLD - 4541.1 at 3937.0 MD
8,478.1	8,441.1	286.8	-315.3	KOP - DLS 10.00 TFO 269.82
9,387.9	9,014.0	285.0	-898.0	EOC - 9969.5 hold at 9387.9 MD
19,357.4	8,844.0	254.0	-10,866.0	TD at 19357.4

[illegible]

DESIGN TACSET DETAILS				
Name	TYD	48/48	Archiving	Rating
TV (entry The Edge P46 07220)	8644.8	134.0	448848.83	87774.0
TV (entry The Edge P46 07220)	8644.8	-10735.8	448848.83	87774.0
TV (entry The Edge P46 07220)	8644.8	-10984.8	448848.83	87774.0
TV (entry The Edge P46 07220)	8644.8	468897.16	448848.83	87774.0

POPULATION TOP DETAILS	
TYPE	NUMBER
11722	57/0
11723	57/0
11724	57/0
11840	198/0
11841	198/0
20822	2148/0
21178	2117/0
21179	2113/0
20463	4753/0
20464	4753/0
66676	5844/0
66677	5844/0
66678	5844/0
61970	6234/0
61971	6234/0
61972	6234/0
61973	6234/0
61974	6234/0
61975	6234/0
61976	6234/0
61977	6234/0
61978	6234/0
61979	6234/0
61980	6234/0
61981	6234/0
61982	6234/0
61983	6234/0
61984	6234/0
61985	6234/0
61986	6234/0
61987	6234/0
61988	6234/0
61989	6234/0
61990	6234/0
61991	6234/0
61992	6234/0
61993	6234/0
61994	6234/0
61995	6234/0
61996	6234/0
61997	6234/0
61998	6234/0
61999	6234/0
62000	6234/0
62001	6234/0
62002	6234/0
62003	6234/0
62004	6234/0
62005	6234/0
62006	6234/0
62007	6234/0
62008	6234/0
62009	6234/0
62010	6234/0
62011	6234/0
62012	6234/0
62013	6234/0
62014	6234/0
62015	6234/0
62016	6234/0
62017	6234/0
62018	6234/0
62019	6234/0
62020	6234/0
62021	6234/0
62022	6234/0
62023	6234/0
62024	6234/0
62025	6234/0
62026	6234/0
62027	6234/0
62028	6234/0
62029	6234/0
62030	6234/0
62031	6234/0
62032	6234/0
62033	6234/0
62034	6234/0
62035	6234/0
62036	6234/0
62037	6234/0
62038	6234/0
62039	6234/0
62040	6234/0
62041	6234/0
62042	6234/0
62043	6234/0
62044	6234/0
62045	6234/0
62046	6234/0
62047	6234/0
62048	6234/0
62049	6234/0
62050	6234/0
62051	6234/0
62052	6234/0
62053	6234/0
62054	6234/0
62055	6234/0
62056	6234/0
62057	6234/0
62058	6234/0
62059	6234/0
62060	6234/0
62061	6234/0
62062	6234/0
62063	6234/0
62064	6234/0
62065	6234/0
62066	6234/0
62067	6234/0
62068	6234/0
62069	6234/0
62070	6234/0
62071	6234/0
62072	6234/0
62073	6234/0
62074	6234/0
62075	6234/0
62076	6234/0
62077	6234/0
62078	6234/0
62079	6234/0
62080	6234/0
62081	6234/0
62082	6234/0
62083	6234/0
62084	6234/0
62085	6234/0
62086	6234/0
62087	6234/0
62088	6234/0
62089	6234/0
62090	6234/0
62091	6234/0

Tap Rock Resources, LLC
Project: Eddy County, NM (NAD 83 NME)
Site: (Pinyon The Elder) Fun Blvd - 7-123-S, R-7-E
Well: Pinyon The Elder Pan #202H
Wellbore: OWB
Design: Pan #1
Lat: 32° 20' 5.822 N
Long: 106° 17' 8.824 W
Prod Gf: 3165.0
KB: KB @ 3177' (unpl 422')

