(June 2015)		UNITED STATE PARTMENT OF THE I UREAU OF LAND MANA	NTERIOR	Operator	· OMB N	APPROVED O. 1004-0137 anuary 31, 2018
	SUNDRY	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			 5. Lease Serial No. NMLC028784B 6. If Indian, Allottee or Tribe Name 	
	Do not use thi abandoned wel					
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or	
1. Type of Well 🔲 Gas Well 🔲 Other					8. Well Name and No. GRAYBURG DEEP 14	
2. Name of Operator Contact: GREG BRYANT CONOCOPHILLIPS COMPANY E-Mail: GREG.BRYANT@BASICENERGYSERVICES.COM					9. API Well No. 30-015-29766-00-S3	
3a. Address HOUSTON	, TX 77252		3b. Phone No. (include area co Ph: 432-563-3355 Fx: 432-563-3364	ode)	10. Field and Pool or BEAR GRASS	
		, R., M., or Survey Description	ı)	•	11. County or Parish,	State
Sec 25 T17	'S R29E NWNW 86	68FNL 1062FWL			EDDY COUNT	Y, NM
12.	CHECK THE AP	PROPRIATE BOX(ES)	TO INDICATE NATURE	OF NOTICE,	REPORT, OR OTH	HER DATA
TYPE OF S	SUBMISSION	·	ТҮРЕ	OF ACTION	· ····	
□ Notice of	Intent	🗖 Acidize	Deepen	Product	ion (Start/Resume)	U Water Shut-O
		Alter Casing	Hydraulic Fracturir	ng 🗖 Reclama	ation	🗖 Well Integrit
🛛 Subsequer	 Subsequent Report Casing Repair Change Plans Convert to Injection 		- • - 1		orarily Abandon	
🗖 Final Aba						
If the proposal Attach the Bor following com	l is to deepen directiona nd under which the wor poletion of the involved	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re	nt details, including estimated sta , give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r	asured and true ve BIA. Required sub ecompletion in a r	rtical depths of all pertin psequent reports must be new interval, a Form 316	ent markers and zone filed within 30 days 0-4 must be filed one
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RI⊢ 4/8/19 - DB 25sx cmt to 4/9/19- Tac	l is to deepen directiona nd under which the wor upletion of the involved an completed. Final Ab at the site is ready for finant the	Ily or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fi nal inspection. BP @ 66885'. Set 5-1/2 mt @ 4570' sx cmt @ 4180' to 3883'	, give subsurface locations and me the Bond No. on file with BLM/I	asured and true ve BIA. Required suf ecompletion in a r luding reclamation <u>MLF</u> . Cap BP rag @ 760'. Cir	rtical depths of all pertin sequent reports must be new interval, a Form 316 n, have been completed a RECLAM W/	ent markers and zone filed within 30 days 0-4 must be filed one and the operator has
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RI⊢ 4/8/19 - DB 25sx cmt to 4/9/19- Tac	l is to deepen directiona nd under which the wor upletion of the involved en completed. Final Ab at the site is ready for fit <u>I GR to 6685'</u> <u>35' cmt on existing 4853'. Spot 25sx of <u>a</u> @ 4336'. Spot 30 @ 580' to surface. N</u>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be final inspection. BP @ 6685'. Set 5-1/2 omt @ 4570' sx cmt @ 4180' to 3883' Verify	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CIBP @ 5100'. Circ hole w/	asured and true ve BIA. Required suf ecompletion in a r luding reclamation <u>MLF. Cap BP</u>	rtical depths of all pertin sequent reports must be hew interval, a Form 316 n, have been completed a RECLAM w/	ent markers and zon filed within 30 days 0-4 must be filed ond and the operator has ATION PROCEDI ATTACHED
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RIF 4/8/19 - DB 25sx cmt to 4/9/19- Tac 165sx cmt d	l is to deepen directiona nd under which the wor upletion of the involved en completed. Final Ab at the site is ready for fit <u>I GR to 6685'</u> <u>35' cmt on existing 4853'. Spot 25sx of <u>a</u> @ 4336'. Spot 30 @ 580' to surface. N</u>	Ily or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fi nal inspection. BP @ 66885'. Set 5-1/2 mt @ 4570' sx cmt @ 4180' to 3883'	, give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CI <u>BP @ 5100'. Circ hole w/</u> . <u>Spot 25sx cmt @ 1076</u> ' - T	asured and true ve BIA. Required sut ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760' Cir RECEIVED	rtical depths of all pertin sequent reports must be hew interval, a Form 316 n, have been completed a RECLAM w/ cc N19 DUE	ent markers and zone filed within 30 days 0-4 must be filed one and the operator has ATION PROCEDI ATTACHED
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RIF 4/8/19 - DB 25sx cmt to 4/9/19 - Tac 165sx cmt (4/10/19 - RI	l is to deepen directiona nd under which the wor apletion of the involved en completed. Final Ab at the site is ready for final <u>H GR to 6685</u> ' <u>35' cmt on existing 1.4853'. Spot 255x ct 1.00.4336'. Spot 30 00.580' to surface. No DMO</u>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be final inspection. BP @ 6685'. Set 5-1/2 cmt @ 4570' sx cmt @ 4180' to 3883' Verify Septed for record - NM true and correct. Electronic Submission # For CONOCOF	, give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CI <u>BP @ 5100'. Circ hole w/</u> . <u>Spot 25sx cmt @ 1076</u> ' - T	asured and true ve BIA. Required suf ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760', Cir RECEIVED MAY 1 5 20 ICT II-ARTESI Vell Information the Carlsbad	rtical depths of all pertin sequent reports must be new interval, a Form 316 n, have been completed a RECLAM w/ c ng AO.C.D.	ent markers and zone filed within 30 days 0-4 must be filed one and the operator has ATION PROCEDI ATTACHED
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RIF 4/8/19 - DB 25sx cmt to 4/9/19 - Tac 165sx cmt (4/10/19 - RI	l is to deepen directiona nd under which the wor apletion of the involved an completed. Final Ab at the site is ready for final <u>I GR to 6685</u> . <u>35' cmt on existing</u> <u>4853'. Spot 25sx contractors of the stress of @ 4336'. Spot 30 @ 580' to surface. No DMO</u>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be final inspection. BP @ 6685'. Set 5-1/2 ent @ 4570' sx cmt @ 4180' to 3883' Verify cepted for record - NM true and correct. Electronic Submission # For CONOCOF mitted to AFMSS for proc	, give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CIBP @ 5100'. Circ hole w/ . Spot 25sx cmt @ 1076' - T IOCD DISTR 461875 verified by the BLM V PHILLIPS COMPANY, sent to	asured and true ve BIA. Required suf ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760' Cir RECEIVED MAY 1 5 20 ICT II-ARTESI Vell Information the Carlsbad con 04/17/2019	rtical depths of all pertin sequent reports must be hew interval, a Form 316 n, have been completed a RECLAM w/ cc h]19 AO.C.D. a System (19PP1710SE)	ent markers and zone filed within 30 days 0-4 must be filed one and the operator has ATION PROCEDI ATTACHED LAMATIC 10 - 9-19
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RIF 4/8/19 - DB 25sx cmt to 4/9/19 - Tac 165sx cmt (4/10/19 - RIF 14. I hereby certi Name (Printed.	l is to deepen directiona nd under which the wor apletion of the involved an completed. Final Ab at the site is ready for final <u>I GR to 6685</u> ' <u>35' cmt on existing</u> <u>4853'. Spot 25sx contractors of the string</u> <u>4853'. Spot 25sx contractors of the string</u> <u>1 (0 4336' Spot 30)</u> <u>3 580' to surface. Notes</u> <u>1 (0 4336' Spot 30)</u> <u>3 580' to surface. Notes</u> <u>1 (1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5</u>	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be final inspection. BP @ 6685'. Set 5-1/2 mt @ 4570' sx cmt @ 4180' to 3883' Verify cont @ 4180' to 3883' Verify frue and correct. Electronic Submission # For CONOCOF mitted to AFMSS for proc YANT	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CIBP @ 5100'. Circ hole w/ Spot 25sx cmt @ 1076' - T Spot 25sx cmt @ 1076' - T IOCD DISTR 461875 verified by the BLM W PHILLIPS COMPANY, sent to essing by PRISCILLA PEREZ Title AGEI	asured and true ve BIA. Required suf ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760'. Cir RECEIVED MAY 1 5 20 ICT II-ARTESI Vell Information the Carlsbad on 04/17/2019 NT	rtical depths of all pertin sequent reports must be new interval, a Form 316 n, have been completed a RECLAM w/ c ng AO.C.D.	ent markers and zon filed within 30 days 0-4 must be filed ond and the operator has ATION PROCEDI ATTACHED LAMATIC 10 - 9-19
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RIF 4/8/19 - DB 25sx cmt to 4/9/19 - Tac 165sx cmt (4/10/19 - RIF 14. I hereby certi	l is to deepen directiona nd under which the wor apletion of the involved an completed. Final Ab at the site is ready for final RU <u>1 GR to 6685</u> ' <u>35'</u> cmt on existing <u>4853'. Spot 25sx co</u> <u>1 @ 4336'. Spot 30</u> <u>@ 580' to surface. No DMO</u> ify that the foregoing is Com <i>VTyped)</i> GREG BR	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be final inspection. BP @ 6685'. Set 5-1/2 omt @ 4570' sx cmt @ 4180' to 3883' Verify Septed for record - NM true and correct. Electronic Submission # For CONOCOF mitted to AFMSS for proc YANT ubmission)	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CIBP @ 5100'. Circ hole w/ Spot 25sx cmt @ 1076' - T Spot 25sx cmt @ 1076' - T IOCD DISTR 461875 verified by the BLM W PHILLIPS COMPANY, sent to essing by PRISCILLA PEREZ Title AGEI	asured and true ve BIA. Required sub ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760' Cir RECEIVED MAY 1 5 20 ICT II-ARTESI Vell Information the Carlsbad Con 04/17/2019 NT	rtical depths of all pertin sequent reports must be lew interval, a Form 316 n, have been completed a RECLAM w/ c NI9 AO.C.D. ACCEPTED ACCEPTED	ent markers and zon filed within 30 days 0-4 must be filed ond and the operator has ATION PROCEDI ATTACHED LAMATIC 10 - 9 - 19 FOR RECO
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RIF 4/8/19 - DB 25sx cmt to 4/9/19 - Tac 165sx cmt (4/10/19 - RIF 14. I hereby certi Name (Printed Signature	l is to deepen directiona nd under which the wor apletion of the involved an completed. Final Ab at the site is ready for final RU <u>1 GR to 6685</u> .' <u>35'</u> cmt on existing <u>4853'. Spot 25sx co</u> <u>1 @ 4336'. Spot 30</u> @ 580' to surface. No DMO ify that the foregoing is Com <i>VTyped)</i> GREG BR (Electronic S	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fi nal inspection. BP @ 6685'. Set 5-1/2 emt @ 4570' sx cmt @ 4180' to 3883' Verify cont @ 4180' to 3883' Verify for the correct. Electronic Submission # For CONOCOF mitted to AFMSS for proc YANT ubmission) THIS SPACE FC	give subsurface locations and me the Bond No. on file with BLM/I sults in a multiple completion or r led only after all requirements, inc CIBP @ 5100'. Circ hole w/ Spot 25sx cmt @ 1076' - T GOCD DISTR 461875 verified by the BLM W PHILLIPS COMPANY, sent to essing by PRISCILLA PEREZ Title AGEI Date 04/17 DR FEDERAL OR STAT	asured and true ve BIA. Required sub ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760' Cir RECEIVED MAY 1 5 20 ICT II-ARTESI Vell Information the Carlsbad Con 04/17/2019 NT	rtical depths of all pertin sequent reports must be new interval, a Form 316 n, have been completed a RECLAM w/ rc N19 AO.C.D. System (19PP1710SE) ACCEPTED SE APR W/R ² Kw/	ent markers and zone filed within 30 days 0-4 must be filed ond and the operator has ATION PROCEDI ATTACHED LA MATIC 10 - 9-19 FOR RECO
If the proposal Attach the Bor following com testing has bee determined tha 4/3/19 - MIF 4/5/19 - RII- 4/8/19 - DB 25sx cmt to 4/9/19 - Tac 165sx cmt (4/10/19 - RI 14. I hereby certi Name (Printed Signature Approved By Conditions of approcertify that the appl	I is to deepen directiona nd under which the wor and under which the word an completed. Final Ab at the site is ready for final RU <u>1 GR to 6685</u> : 35' cmt on existing <u>4853'. Spot 25sx co</u> <u>1 @ 4336'. Spot 30</u> <u>@ 580' to surface</u> . No DMO ify that the foregoing is <i>Com</i> <i>(Typed)</i> GREG BR (Electronic S	Illy or recomplete horizontally, k will be performed or provide operations. If the operation re andonment Notices must be fi nal inspection. BP @ 6685'. Set 5-1/2 omt @ 4570' sx cmt @ 4180' to 3883' Verify Septed for record - NM true and correct. Electronic Submission # For CONOCOF mitted to AFMSS for proc YANT ubmission) THIS SPACE FO	give subsurface locations and me the Bond No. on file with BLM/1 sults in a multiple completion or r led only after all requirements, inc CIBP @ 5100'. Circ hole w/ Spot 25sx cmt @ 1076' - T DISTR 461875 verified by the BLM V PHILLIPS COMPANY, sent to essing by PRISCILLA PEREZ Title AGEI Date 04/17 DR FEDERAL OR STAT	asured and true ve BIA. Required sub ecompletion in a r luding reclamation <u>MLF</u> . Cap BP ag @ 760' Cir RECEIVED MAY 1 5 20 ICT II-ARTESI Vell Information the Carlsbad Con 04/17/2019 NT	rtical depths of all pertin sequent reports must be hew interval, a Form 316 n, have been completed a RECLAM w/ c NI9 AO.C.D. System (19PP1710SE) ACCEPTED SEE APR SEE APR SURFAU OF L	ent markers and zond filed within 30 days 0-4 must be filed ond and the operator has ATION PROCEDI ATTACHED LA MATIC 10 - 9 - 19 FOR RECO



Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/mm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure) Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD. Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well completion, and final reclamation.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos

Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Hom Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-5996

Trishia Bad Bear Hobbs Field Station Natural Resource Specialist 575-393-3612