

RECEIVED

JUN 10 2019

Submit One Copy To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
DISTRICT IV-ARTESIA/OCD

Form C-103
Revised November 3, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: [ ] Oil Well [ ] Gas Well [X] Other SWD
2. Name of Operator: BTA Oil Producers, LLC
3. Address of Operator: 104 S. Pecos Street, Midland, TX 79701
4. Well Location: Unit Letter N: 176 feet from the SOUTH line and 1550 feet from the WEST line
Section 11 Township 23S Range 28E NMPM County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.): 2,996' - GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ]
TEMPORARILY ABANDON [ ] CHANGE PLANS [ ]
PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ]
SUBSEQUENT REPORT OF:
REMEDIATION WORK [ ] ALTERING CASING [ ]
COMMENCE DRILLING OPNS. [ ] P AND A [ ]
CASING/CEMENT JOB [ ]
OTHER: [ ] [X] Location is ready for OCD inspection after P&A

- [X] All pits have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan.
[X] Rat hole and cellar have been filled and leveled. Cathodic protection holes have been properly abandoned.
[ ] A steel marker at least 4" in diameter and at least 4' above ground level has been set in concrete. It shows the

OPERATOR NAME, LEASE NAME, WELL NUMBER, API NUMBER, QUARTER/QUARTER LOCATION OR UNIT LETTER, SECTION, TOWNSHIP, AND RANGE. All INFORMATION HAS BEEN WELDED OR PERMANENTLY STAMPED ON THE MARKER'S SURFACE.

- [X] The location has been leveled as nearly as possible to original ground contour and has been cleared of all junk, trash, flow lines and other production equipment.
[X] Anchors, dead men, tie downs and risers have been cut off at least two feet below ground level.
[X] If this is a one-well lease or last remaining well on lease, the battery and pit location(s) have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan. All flow lines, production equipment and junk have been removed from lease and well location.
[X] All metal bolts and other materials have been removed. Portable bases have been removed. (Poured onsite concrete bases do not have to be removed.)
[X] All other environmental concerns have been addressed as per OCD rules.
[X] Pipelines and flow lines have been abandoned in accordance with 19.15.35.10 NMAC. All fluids have been removed from non-retrieved flow lines and pipelines.
[ ] If this is a one-well lease or last remaining well on lease: all electrical service poles and lines have been removed from lease and well location, except for utility's distribution infrastructure.

When all work has been completed, return this form to the appropriate District office to schedule an inspection.

SIGNATURE: Bob Hall TITLE: Environmental Manager DATE: 6/6/2019
TYPE OR PRINT NAME: Bob Hall E-MAIL: bhall@btaoil.com PHONE: (432) 682-3753
APPROVED BY: DENIED TITLE: DENIED DATE: 6/12/19
Conditions of Approval (if any):

**Griswold, Jim, EMNRD**

---

**From:** Griswold, Jim, EMNRD  
**Sent:** Wednesday, October 20, 2010 8:43 AM  
**To:** 'bgrimes@btaoil.com'  
**Cc:** 'mark@laenvironmental.com'; VonGonten, Glenn, EMNRD; Bonham, Sherry, EMNRD; Macquesten, Gail, EMNRD  
**Subject:** BTA Pardue "C" 8808 JV-P Well #1 facility cleanup

Ben,

I have reviewed the requests to plug groundwater monitoring wells MW-12, -13, and -14 along with removing the well monument on the plugged SWD well as part of the soil reclamation efforts at the facility. Both these requests are approved under the condition that those efforts be completed as described. A properly completed and signed C-103 sundry notice should be filed both with myself and the District II office in Artesia for the disposal well once work has been completed. Please keep a copy of this email for your files as no written approval will be sent. Thank you.

Depending upon the time when a groundwater restoration program can be provided to the OCD for review and approval, the upcoming hearing on November 18 can be rescheduled. Please contact Gail Macquesten, Glenn VonGonten, or myself in that regard.

Jim Griswold  
Senior Hydrologist  
Environmental Bureau  
ENMRD/Oil Conservation Division  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505  
direct: 505.476.3465  
email: [jim.griswold@state.nm.us](mailto:jim.griswold@state.nm.us)



CARLTON BEAL, JR.  
BARRY BEAL  
SPENCER BEAL  
KELLY BEAL  
BARRY BEAL, JR.  
STUART BEAL  
ROBERT DAVENPORT, JR.

**BTA OIL PRODUCERS, LLC**

104 SOUTH PECOS  
MIDLAND, TEXAS 79701  
432-682-3753  
FAX 432-683-0311

**GULF COAST DISTRICT**  
FOUR GREENSPOINT PLAZA  
16945 NORTHCHASE DRIVE, STE. 1600  
HOUSTON, TEXAS 77060  
PH. 281-872-5022 FAX 281-872-5054

**ROCKY MOUNTAIN DISTRICT**  
600 17TH STREET, STE. 2230 SOUTH  
DENVER, CO 80202  
PH. 303-534-4404 FAX 303-534-4661

October 20, 2010

VIA EMAIL: Jim.Griswold@state.nm.us

Mr. Jim Griswold  
New Mexico Oil Conservation Division - Environmental  
1220 S. St. Francis Drive  
Santa Fe, New Mexico 88505

**Re: Case No. 14413 - Exemption to Remove Plugged Well Monument  
BTA Oil Producers LLC, Pardue "C" 8808 JV-P Well #1, API No. 30-015-26341  
Latitude 32° 18' 46.77896 North, Longitude 104° 03' 41.94813 West  
Unit N (SE/4, SW/4), Section 11, Township 23 South, Range 28 East NMPM  
Eddy County, New Mexico**

Dear Mr. Griswold,

This exemption request is submitted to the New Mexico Oil Conservation Division (OCD) to allow BTA Oil Producers LLC (BTA) to remove the plugged well monument on the Pardue "C" 8808 JV-P Well #1, with API #30-015-26341, and cut off the surface casing at a depth sufficient to place the well below the bentonite and polyethylene liner to be installed at approximately 5 feet below ground surface. A steel plate inscribed with the well information (i.e., well name, well owner, API number, footage from section line(s), unit letter, section number, township, range and plugging date) will be welded to the top of the well casing. Your approval of this request is appreciated. Please contact me if you have questions.

Sincerely,

BTA Oil Producers LLC

Ben Grimes  
Operations Manager  
BGrimes@btaoil.com

Cc: Sherry Bonham – OCD District 2  
Mark Larson – Larson & Associates, Inc.