B	UNITED STATES PARTMENT OF THE IN UREAU OF LAND MANAG	NTERIOR GEMENT	sceive CD Art	D Pesia	ON	ORM APPRO AB NO. 1004 res: January 3	-0137
SUNDRY	NOTICES AND REPOR	RTS ON WELL	2322	019	NMNM1412		
abandoned we	ll. Use form 3160-3 (APL	D) for such proposal	S.		6. If Indian, Allo	ottee or Tribe	Name
SUBMIT IN	TRIPLICATE - Other inst		THEOR	AU.C.D.	7. If Unit or CA	Agreement, 1	Name and/or No.
1. Type of Well ☐ Other				8. Well Name and No. MARQUARDT 12 PENN FEDERAL 1			
2. Name of Operator CIMAREX ENERGY COMPAI	Contact: NY OF C Đ -Mail: DEYLER@	DAVID A EYLER MILAGRO-RES.COM			9. API Well No. 30-015-334		
3a. Address 600 N MARIENFELD STE 600 MIDLAND, TX 79701		3b. Phone No. (include area code) Ph: 432-687-3033			10. Field and Pool or Exploratory Area SAGE DRAW-WOLFCAMP, EAST WHITE CITY-PENN (GAS)		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description					11. County or Pa	arish, State	
Sec 12 T25S R26E SWNE 88	0FSL 1760FEL				EDDY COL	JNTY, NM	
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICATE NAT	URE O	F NOTICE, J	REPORT, OR	OTHER D	DATA
TYPE OF SUBMISSION			ГҮРЕ ОР	ACTION	<u></u>		<u> </u>
□ Notice of Intent	□ Acidize	🗖 Deepen		Productio	on (Start/Resum	e) 🗖 V	Vater Shut-Off
Subsequent Report	Alter Casing	🗖 Hydraulic Fra	0	🗖 Reclama		-	Vell Integrity
	Casing Repair	□ New Constru		Recompl			Other
Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Aba Plug Back	ndon	☐ Tempora	rily Abandon		
If the proposal is to deepen direction. Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: TAG CMT @ 10.02	rk will be performed or provide l operations. If the operation respandonment Notices must be file inal inspection. <u>10.065'(PER BLM)</u> ; DUM 10: SET 5-1/2" CIRP @ 0	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement IP BAIL 35' CMT. @ 1 300': CIPC WELL W	and measu BLM/BIA on or reco nts, includ 10,065'.	red and true ver . Required subs mpletion in a no ing reclamation	ical depths of all equent reports m w interval, a Forn have been comp	pertinent man ust be filed w m 3160-4 mus leted and the ECLAMATI	kers and zones. ithin 30 days st be filed once operator has ON PROCECU
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>TAG CMT.@ 10.02</u> 06/23/19: PUMP 25 SXS_CMT 7,143';WOC X T <u>AG CMT.@ 6</u> 06/24-26/19: CUT 5-1/2" CSG 06/24-26/19: CUT 5-1/2" CSG 06/24-26/19: CUT 5-1/2" CSG 06/24-26/19: TAG CMT.@ 2,984 PERE_X SQZ_40 SXS_CMT. 06/28/19: PERE_X CIRC. TO WELLHEAD 3' B.G.L.: VERIE HOLE MARKER.	ally or recomplete horizontally, rk will be performed or provide loperations. If the operation res pandomment Notices must be file inal inspection. (6; SET <u>5-1/2" CIBP @ 9</u> (685'(OK'D BY BLM); PUI (685'(OK'D BY BLM); PUI (685'(OK'D BY BLM); PUI (0K'D BY BLM); PERF X @ 850'; WOC X TAG CM SURF., FILL ING ALL AN Y CMT. TO SURF., ON AL	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement <u>300'</u> , CIRC. WELL <u>W.</u> <u>25 \$X\$.CMT.@.86.65</u> <u>QZ. 50 \$X\$.CMT.@. SQZ. 45 \$X\$.CMT.@. T.@.705'(OKD BY B NULI, 90 \$X\$.CMT.@.</u>	and measu BLM/BIA ion or reco nts, includ (0,065' (<u>MLE</u> <u>41'-8,46</u>),248' <u>3,250'(P</u> <u>1,505'</u> <u>1,505'</u> <u>1,505'</u> <u>1,505'</u>	red and true ver . Required sub- impletion in a ne ing reclamation 1'; PUMP 25 ER BLM). WOC X TAC V: DIG OUT)	SXS.CMT_@ CMT.@ 1,37	pertinent man ust be filed w m 3160-4 mus leted and the ECLAMATI ATT RECL DUE	kers and zones. ithin 30 days st be filed once ON PROCEDU ACHED AMATI 2, - 2,8 - 1
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMT @ 10.02</u> 06/23/19: <u>PUMP 25 SXS_CMT</u> 7,143';WOC X T <u>AG CMT @ 10.02</u> 06/24-26/19: <u>CUT 5-1/2" CSG</u> 06/24-26/19: <u>CUT 5-1/2" CSG</u> 06/24-26/19: <u>TAG CMT @ 2.984</u> <u>PERE, X SQZ_40 SXS.CMT</u> 06/28/19 PERE, X CIRC, TO WELLHEAD 3' B.G.L.: VERIF	ally or recomplete horizontally, rk will be performed or provide loperations. If the operation res pandomment Notices must be file inal inspection. (6; SET <u>5-1/2" CIBP @ 9</u> (685'(OK'D BY BLM); PUI (685'(OK'D BY BLM); PUI (685'(OK'D BY BLM); PUI (0K'D BY BLM); PERF X @ 850'; WOC X TAG CM SURF., FILL ING ALL AN Y CMT. TO SURF., ON AL	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement <u>300'</u> , CIRC. WELL W. <u>25 SXS.CMT. @ 86</u> <u>MP 25 SXS.CMT. @ 6</u> QZ. 50 S <u>XS.CMT. @</u> SQZ. 45 SXS.CMT. @ T. @ 705'(OK'D BY B) <u>NULI, 90 SXS.CMT. (</u> L ANNULI; WELD OI	ind measu BLM/BIA on or reco nts, includ 10,065' <u>/MILF</u> 41-8,46 248' 3,250'(P 2,1,505') 11,505' 11,505' 11,505' 2,1,505' 11,505' 11,505' 2,1,505' 11,505' 11,505' 11,505' 2,268'-3 N STEE	red and true ver . Required sub- impletion in a ne ing reclamation 1'; PUMP 25 ER BLM). WOC X TAC V: DIG OUT)	ical depths of all equent reports m w interval, a Forn have been comp SXS.CMT_@ CMT.@ 1,37 CUT OFF CSGS. X INS	pertinent man ust be filed w m 3160-4 mus leted and the ECLAMATI ATT RECL DUE	kers and zones. ithin 30 days st be filed once ON PROCEDU ACHED AMATI 2, - 2,8 - 1
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>TAG CMT_@ 10.02</u> 06/23/19: <u>PUMP 25 SXS_CMT</u> 7,143';WOC X T <u>AG CMT_@ 10.02</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/24-26/19: <u>CUT 5-1/2</u> " <u>CSG</u> 06/24-26/19: <u>CUT 5-1/2</u> " <u>CSG</u> 06/24-26/19: <u>CUT 5-1/2</u> " <u>CSG</u> 06/24-26/19: <u>CUT 5-1/2</u> " <u>CSG</u> 06/28/19: <u>PERE_X CIRC_TO</u> <u>WELLHEAD 3' B.G.L.: VERIE</u> HOLE MARKER.	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation res andonment Notices must be file inal inspection. 10.065'(PER BLM); DUM (6; SET 5-1/2" CIBP @ 9. 1.@ 9.300'-9.110': PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PERF X @ 850'; WOC X TAG CM SURF FILLING ALL AN Y CMT. TO SURF. ON AL IDONED 06/28/19.	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 19 BAIL 35' CMT. @ 1 300', CIRC. WELL W 25 SXS.CMT. @ 86. MP 25 SXS.CMT. @ 0 22. 50 SXS.CMT. @ 302. 45 SXS.CMT. @ 50Z. 45 SXS.CMT. @ 1. ANNULI; WELD OI C. C. Acceptor 472340 verified by the	ind measu BLM/BIA on or reco nts, includ 10,065' (MILE 41-846 248' 3,250'(P 2,1,505'; 1,505'	red and true ver Required sub- impletion in a ne ing reclamation 1'; PUMP 25 <u>ER BLM</u> . WOC X TAG <u>C DIG OUT</u> L PLATE TO 2 4 / 1 9 cord • NMC	ical depths of all equent reports m w interval, a Forn have been com SXS.CMT.@ CMT.@ 1,37 CUT OFF CSGS. X INS	pertinent mar ust be filed w m 3160-4 mus cered and the ECLAMATI ATT RECL DUE DUE	kers and zones. ithin 30 days st be filed once onperator has ON PROCEDU ACHED AMATION 2 - 28 - 1
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMT @ 10.02</u> 06/23/19: PUMP 25 SXS_CMT 7,143';WOC X T <u>AG CMT @ 10.02</u> 06/24-26/19: CUT 5-1/2" CSG 06/24-26/19: CUT 5-1/2" CSG 06/24-26/19: <u>TAG CMT @ 2.984</u> PERF. X SQZ_40 SXS_CMT. 06/28/19)PERF. X CIRC. TO WELLHEAD 3' B.G.L.: VERIF HOLE MARKER. WELL PLUGGED AND ABAN	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation res andonment Notices must be file inal inspection. <u>10.065'(PER BLM)</u> ; DUM <u>6</u> ; SET <u>5-1/2" CIBP @ 9</u> ; <u>7. @ 9.300-9.110' PUMP</u> <u>685'(OK'D BY BLM)</u> ; PUI <u>685'(OK'D BY BLM)</u> ; PUI <u>685'(OK'D BY BLM)</u> ; PUI <u>685'(OK'D BY BLM)</u> ; PERF X <u>@ 850'; WOC X TAG CM</u> <u>SURF. FILLING ALL AN</u> <u>Y CMT. TO SURF.</u> ON AL IDONED 06/28/19. s true and correct. Electronic Submission #4 For CIMAREX ENE nitted to AFMSS for proces	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 19 BAIL 35' CMT. @ 1 300', CIRC. WELL W. 25 SXS.CMT. @ 86. MP 25 SXS.CMT. @ 0 22. 50 SXS.CMT. @ 302. 45 SXS.CMT. @ 302. 45 SXS.CMT. @ 302. 45 SXS.CMT. @ 472340 verified by the I RGY COMPANY OF CO sing by DEBORAH MC	Ind measu BLM/BIA ion or reco nts, includ 10,065'. <u>/MLE</u> <u>41'-8,46</u> <u>248'</u> <u>3,250'(P</u> <u>21,505';</u> <u>1M)</u> <u>0,268'-3</u> N STEEI 1 for re BLM Well	red and true ver Required sub- impletion in a ne ing reclamation 1'; PUMP 25 ER BLM). WOC X TAC C DIG OUT X L PLATE TO 2 4 / 1 9 cord • NMAC Information o the Carlsba on 07/08/2015	ical depths of all equent reports m w interval, a Forn have been com SXS.CMT.@ CMT.@ 1,37 CUT OFF CSGS. X INS	pertinent mar ust be filed w m 3160-4 mus cered and the ECLAMATI ATT RECL DUE DUE	kers and zones. ithin 30 days st be filed once ON PROCEDU ACHED AMATI 2, - 2,8 - 1
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2</u> " <u>CIBP @</u> 06/22/19: <u>TAG CMT @ 10.02</u> 06/23/19: PUMP 25 SXS_CMT 7,143'; WOC X TAG CMT @ 0 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/27/19: <u>TAG CMT @ 2,984</u> <u>PERE_X SQZ_40 SXS CMT.</u> 06/28/19) PERE_X CIRC_TO WELLHEAD 3' B.G.L. VERIF HOLE MARKER. WELL PLUGGED AND ABAN	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation res sandonment Notices must be file inal inspection. 10.065'(PER BLM); DUM (6; SET 5-1/2" CIBP @ 9, 1.@ 9.300-9,110': PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PERF X @ 850'; WOC X TAG CM SURF FILLING ALL AN Y CMT. TO SURF. ON AL IDONED 06/28/19.	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement IP BAIL 35' CMT. @ 1 300', CIRC. WELL W 25 SXS.CMT. @ 86. MP 25 SXS.CMT. @ 0 22. 50 SXS.CMT. @ 302. 45 SXS.CMT. @ 302. 45 SXS.CMT. @ 302. 45 SXS.CMT. @ 472340 verified by the l RGY COMPANY OF CO sing by DEBORAH MC Title	ind measu BLM/BIA on or reco nts, includ 10,065' (MILE 41-846 248' 3,250'(P 2,1,505' 1	red and true ver Required sub- impletion in a ne ing reclamation (1'; PUMP 25 <u>ER BLM).</u> WOC X TAC WOC X TAC DIG OUT X L PLATE TO 2 4 / 1 9 cord • NMAC Information o the Carlsba on 07/08/2015	ical depths of all equent reports m w interval, a Forn have been com SXS.CMT.@ CMT.@ 1,37 CUT OFF CSGS. X INS	pertinent man ust be filed w m 3160-4 mu: ECLAMATI ATT RECL DUE TALL DRY	kers and zones. ithin 30 days st be filed once onperator has ON PROCEDU ACHED AMATION 2 - 28 - 1
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMT. @ 10.02</u> 06/23/19: PUMP 25 SXS <u>CMT</u> 7,143';WOC X T <u>AG CMT.@ 10.02</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/27/19: <u>TAG CMT.@ 2,984</u> <u>PERE. X SQZ. 40 SXS.CMT.</u> 06/28/19]PERE. X CIRC. TO WELLHEAD 3' B.G.L. VERIF HOLE MARKER. WELL PLUGGED AND ABAN	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation res andomment Notices must be file inal inspection. <u>10.065'(PER BLM);</u> DUM (6; SET <u>5-1/2" CIBP @ 9</u> . @ 9.300'-9.110' PUMP 685'(OK'D.BY.BLM); PUI . @ 3.250'-NOT FREE; SC (OK'D.BY BLM); PERF.X @ 850'; WOC X TAG CM SURE. FILLING ALL AN Y CMT. TO SURE. ON AL IDONED 06/28/19. Strue and correct. Electronic Submission ## For CIMAREX ENE nitted to AFMSS for proces EYLER Submission)	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement IP BAIL 35' CMT. @ 1 300', CIRC. WELL W 25 SXS.CMT. @ 86. MP 25 SXS.CMT. @ 0 22. 50 SXS.CMT. @ 302. 45 SXS.CMT. @ 302. 45 SXS.CMT. @ 302. 45 SXS.CMT. @ 472340 verified by the l RGY COMPANY OF CO sing by DEBORAH MC Title	ind measu BLM/BIA on or reco nts, includ 10,065' (MLLF 41-8,46 248' 3,250'(P 2,1,505' 1,505'	red and true ver Required subsimpletion in a nei ing reclamation 1'; PUMP 25 <u>ER BLM</u> . WOC X TAG <u>CER BLM</u> . MOC X	SXS.CMT_@ CMT.@ 1,37 CUT OFF CSGS. X INS System (19PP 196055 CD	pertinent man ust be filed w m 3160-4 mu: ECLAMATI ATT RECL DUE TALL DRY	kers and zones. ithin 30 days st be filed once ON PROCECU ACHED AMATION 2 - 28 - 1 OR RECO B 2019
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMT. @ 10.02</u> 06/23/19: PUMP 25 SXS <u>CMT</u> 7,143'; WOC X T <u>AG CMT.@ 10.02</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/27/19: <u>TAG CMT.@ 2,984</u> <u>PERE. X SQZ. 40 SXS.CMT.</u> 06/28/19: <u>PERE. X CIRC. TO</u> <u>WELLHEAD 3' B.G.L. VERIF</u> HOLE MARKER. WELL PLUGGED AND ABAN	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation res andomment Notices must be file inal inspection. <u>10.065'(PER BLM);</u> DUM (6; SET <u>5-1/2" CIBP @ 9</u> . @ 9.300'-9.110' PUMP 685'(OK'D.BY.BLM); PUI . @ 3.250'-NOT FREE; SC (OK'D.BY BLM); PERF.X @ 850'; WOC X TAG CM SURE. FILLING ALL AN Y CMT. TO SURE. ON AL IDONED 06/28/19. Strue and correct. Electronic Submission ## For CIMAREX ENE nitted to AFMSS for proces EYLER Submission)	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 19 BAIL 35' CMT. @ 1 300', CIRC. WELL W 25 SXS.CMT. @ 86 MP 25 SXS.CMT. @ 6 QZ. 50 SXS.CMT. @ QZ. 45 SXS.CMT. @ SQZ. 45 SXS.CMT. @ SQZ. 45 SXS.CMT. @ C 2. ANNULI, WELD OI C Accepted 472340 verified by the I RGY COMPANY OF CC sing by DEBORAH MC Title Date	ind measu BLM/BIA on or reco nts, includ 10,065' (MLLF 41-8,46 248' 3,250'(P 2,1,505' 1,505'	red and true ver Required subsimpletion in a nei ing reclamation 1'; PUMP 25 <u>ER BLM</u> . WOC X TAG <u>CER BLM</u> . MOC X	E	pertinent man ust be filed w m 3160-4 mu: ECLAMATI ATT RECL DUE TALL DRY TALL DRY	kers and zones. ithin 30 days st be filed once ON PROCECU ACHED AMATION 2 - 28 - 1 OR RECO B 2019 4 1/6 MANAGEMENT LD OFFICE
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMT @ 10.02</u> 06/23/19: PUMP 25 SXS_CMT 7,143'; WOC X TAG CMT @ 2.984' PERE_X SQZ_40 SXS_CMT. 06/28/19: PERE_X CIRC_TO WELLHEAD 3' B.G.L. VERIF HOLE MARKER. WELL PLUGGED AND ABAN 14. I hereby certify that the foregoing is Comm Name (<i>Printed/Typed</i>) DAVID A Signature (Electronic S	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation res andonment Notices must be file inal inspection. 10.065'(PER BLM); DUM 6'; SET <u>5-1/2" CIBP @ 9</u> 7. @ 9.300-9.110': PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PUMP 685'(OK'D BY BLM); PERF.X @ 850'; WOC X TAG CM SURF. FILLING ALL AN Y CMT. TO SURF. ON AL IDONED 06/28/19. IDONED 06/28/19	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 300': CIRC. WELL W. 25 SXS.CMT.@ 86. MP 25 SXS.CMT.@ 6 QZ. 50 SXS.CMT.@ SQZ. 45 SXS.CMT.@ SQZ. 45 SXS.CMT.@ SQZ. 45 SXS.CMT.@ L ANNULI; WELD OI C. ARTOPIC ACTOPIC ACTOPIC Sing by DEBORAH MC Title Date DR FEDERAL OR S	ind measu BLM/BIA on or reco nts, includ 10,065' (MLLF 41-8,46 248' 3,250'(P 2,1,505' 1,505'	red and true ver Required subsimpletion in a nei ing reclamation 1'; PUMP 25 <u>ER BLM</u> . WOC X TAG <u>CER BLM</u> . MOC X	E	pertinent man ust be filed w m 3160-4 mu: ECLAMATI ATT RECL DUE TALL DRY TALL DRY	kers and zones. ithin 30 days st be filed once ON PROCECU ACHED AMATION 2 - 2.8 - 1 OR RECO B 2019 4 LIE
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMI @ 10.02</u> 06/23/19: PUMP 25 SXS_CMT 7,143';WOC X T <u>AG CMI @ 10.02</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/24-26/19: CUT 5-1/2" <u>CSG</u> 06/24-26/19: <u>CUT 5-1/2</u> " <u>CSG</u> 06/27/19: <u>TAG CMI @ 2,984</u> <u>PERF_X SQZ_40 SXS_CMT</u> . 06/28/19: <u>PERF_X CIRC_TO</u> WELLHEAD 3' <u>B.G.L.: VERIF</u> HOLE MARKER. WELL PLUGGED AND ABAN 14. I hereby certify that the foregoing is Comm Name (<i>Printed/Typed</i>) DAVID A Signature (Electronic S	ally or recomplete horizontally, rk will be performed or provide loperations. If the operation res andomment Notices must be file inal inspection. <u>10.065'(PER BLM);</u> DUM (6; SET <u>5-1/2" CIBP @ 9</u> . @ 9.300'-9.110' PUMP 685'(OK'D BY BLM); PUI @ 3.250'-NOT FREE; SC (OK'D BY BLM); PERF.X @ 850'; WOC X TAG CM SURE. FILLING ALL AN Y CMT. TO SURE. ON AL IDONED 06/28/19. IDONED 06/28/19. Submission) THIS SPACE FC d. Approval of this notice does uitable title to those rights in the	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 19 BAIL 35' CMT. @ 1 300', CIRC. WELL W 25 SXS.CMT. @ 8.6. MP 25 SXS.CMT. @ 6 QZ. 50 SXS.CMT. @ 6 QZ. 45 SXS.CMT. @ SQZ. 45 SXS.CMT. @ C 2 C TO SYS.CMT. @ 1. ANNULI, WELD OI C Accepted A72340 verified by the I RGY COMPANY OF CO sing by DEBORAH MC Title Date DR FEDERAL OR S	ind measu BLM/BIA on or reco nts, includ 10,065' (MLLF 41-8,46 248' 3,250'(P 2,1,505' 1,505'	red and true ver Required subsimpletion in a nei ing reclamation 1'; PUMP 25 <u>ER BLM</u> . WOC X TAG <u>CER BLM</u> . MOC X	E	pertinent man ust be filed w m 3160-4 mu: ECLAMATI ATT RECL DUE TALL DRY TALL DRY	kers and zones. ithin 30 days st be filed once ON PROCECU ACHED AMATION 2 - 28 - 1 OR RECO B 2019 4 1/6 MANAGEMENT LD OFFICE
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>JAG CMT_@ 10.02</u> 06/23/19: <u>PUMP 25 SXS_CMT</u> 7,143'; WOC X TAG CMT_@ 10.02 06/24-26/19: CUT 5-1/2", CSG 06/27/19: <u>TAG CMT_@ 2.984'</u> <u>PERE, X SQZ, 40 SXS_CMT</u> . 06/28/19: <u>PERF, X CIRC, TO</u> <u>WELLHEAD 3' B.GL.: VERIF</u> HOLE MARKER. WELL PLUGGED AND ABAN 14. I hereby certify that the foregoing is <u>Comm</u> Name (<i>Printed/Typed</i>) DAVID A <u>Signature</u> (Electronic S <u>Approved By</u> Conditions of approval, if any, are attache certify that the applicant holds legal or equ	ally or recomplete horizontally, rk will be performed or provide loperations. If the operation res- bandomment Notices must be file inal inspection. <u>10.065'(PER BLM)</u> ; DUM <u>6</u> ; SET <u>5-1/2" CIBP @ 9</u> <u>6</u> <u>9 300'-9 110" PUMP</u> <u>685'(OK'D BY BLM)</u> ; PUI <u>685'(OK'D BY BLM</u> ; PUI <u>700'</u> ; WOC X TAG CM <u>700'</u> ; WOC X	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 300': CIRC. WELL W 25 SXS.CMT. @ 8.6. MP 25 SXS.CMT. @ 6 QZ. 50 SXS.CMT. @ 6 QZ. 45 SXS.CMT. @ SQZ. 45 SXS.CMT. @ C. 20 SXS.CMT. @ 1. ANNULI; WELD OI G C Acceptent 472340 verified by the I RGY COMPANY OF CO sing by DEBORAH MC Title Date DR FEDERAL OR S 	ind measu BLM/BIA on or reco nts, includ 10,065' /MLLF 41-8,46 248' 3,250'(P 2,1,505'; 1M) 2,248' 3,250'(P 2,1,505'; 1M) 2,268'-3 N STEEI 07/04/20 BLM Well C, sent to KINNEY AGENT 07/04/20	red and true ver Required subsimpletion in a neing reclamation (1'; PUMP 25 <u>ER BLM)</u> . WOC X TAC (1'; DIG OUT) PLATE TO (2', DIG OUT) PLATE TO (2', OIG OUT) (2', DIG OU	ical depths of all equent reports m winterval, a Forn have been comp SXS.CMT @ CMT.@ 1,37 CUT OFF CSGS. X INS CD System CCD System CCF (1SPP Ison SP E BURFA CAI	pertinent mai ust be filed w m 3160-4 mux ected and the ECLAMATI ATT RECL DUE TALL DRY TALL DRY PTED F JUL - { LOE LAND RLSBAD FI	kers and zones. ithin 30 days st be filed once onerator has ON PROCECU ACHED AMATION 2 - 2.8 - 1 0 0 0 0 0 0 0 0 0 0 0 0 0
If the proposal is to deepen direction: Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f 06/21/19: <u>SET 5-1/2" CIBP @</u> 06/22/19: <u>TAG CMT @ 10.02</u> 06/23/19: PUMP 25 SXS_CMT 7,143'; WOC X TAG CMT @ 6 06/24-26/19: CUT 5-1/2" CSG 06/27/19: <u>TAG CMT @ 2,984</u> <u>PERE X SQZ 40 SXS.CMT</u> . 06/28/19) PERE X CIRC. TO WELL HEAD 3' B.G.L.: VERIE HOLE MARKER. WELL PLUGGED AND ABAN 14. I hereby certify that the foregoing is Comm Name (<i>Printed/Typed</i>) DAVID A Signature (Electronic S Approved By Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent to (Instructions on page 2)	ally or recomplete horizontally, rk will be performed or provide loperations. If the operation res- bandomment Notices must be file inal inspection. <u>10.065'(PER BLM)</u> ; DUM <u>6</u> ; SET <u>5-1/2" CIBP @ 9</u> <u>6</u> <u>9 300'-9 110" PUMP</u> <u>685'(OK'D BY BLM)</u> ; PUI <u>685'(OK'D BY BLM</u> ; PUI <u>700'</u> ; WOC X TAG CM <u>700'</u> ; WOC X	give subsurface locations a the Bond No. on file with sults in a multiple completi ed only after all requirement 19 BAIL 35' CMT. @ 1 300', CIRC. WELL W 25 SXS.CMT. @ 8.6. MP 25 SXS.CMT. @ 6 QZ. 50 SXS.CMT. @ 6 QZ. 45 SXS.CMT. @ SQZ. 45 SXS.CMT. @ C 2 COMPANY OF CO Sing by DEBORAH MC Title Date DR FEDERAL OR S OFFICE Lease Crime for any person know to any matter within its jur	ind measu BLM/BIA on or reco nts, includ (0,065' (MLLE 41-8,46),248' 3,250'(P 2,1,505') (ML) 2,268'-3 N STEE 07/04/20 BLM Well C, sent to KINNEY AGENT 07/04/20 STATE (07/04/20	red and true ver Required subsimpletion in a nei ing reclamation 1'; PUMP 25 <u>ER BLM</u>). WOC X TAG 1'; DIG OUT 2 Cord - NMC 1 Information o the Carlsba on 07/08/2019 019 0FFICE US	ical depths of all equent reports m winterval, a Forn have been comp SXS.CMT_@ CMT_@ 1,37 CUT_OFF CSGS.X INS CD System CCF (19PP19605E E BURFA CAI	pertinent mai ust be filed w m 3160-4 mux ECLAMATI ATT RECL DUE TALL DRY TALL DRY PTED F USE LAND RLSBAD FIL ELGE LAND RLSBAD FIL ELGE LAND RLSBAD FIL	kers and zones. ithin 30 days st be filed once onerator has ON PROCECU ACHED AMATION 2 - 2.8 - 1 0 0 0 0 0 0 0 0 0 0 0 0 0



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm

PRIDE

In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.

3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.

4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crystal Weaver Environmental Protection Specialist 575-234-5943

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Evnironmental Protection Specialist 575-234-5996

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612