

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

JUL 23 2019

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such purposes.

5. Lease Serial No.
NMNM43744

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
PLATINUM MDP1 34-3 FEDERAL COM 176

9. API Well No.
30-015-45233-00-X1

10. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)

11. County or Parish, State
EDDY COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
OXY USA INCORPORATED
Contact: SARAH E CHAPMAN
E-Mail: SARAH_CHAPMAN@OXY.COM

3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-0521

3b. Phone No. (include area code)
Ph: 713-350-4997

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 34 T23S R31E NENE 110FNL 1003FEL
32.267887 N Lat, 103.760368 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change to Original APD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

Per a conversation with Mandela over the weekend (06/29-06/30) OXY is updating our casing design to change weight of 9-5/8" intermediate from 43.5# to 40#. OXY requests permission to deviate from the 0.422" annular clearance requirement in the 8-1/2" hole section. Annular clearance will be less than 0.422" from 9-5/8" shoe to 6,000 TVD.

Please find the updated drill plan attached.

Thank you.

GC
Accepted for record - NMOCB
7/24/19

**Carlsbad Field Office
Operator Copy**

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #471483 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFSS for processing by PRISCILLA PEREZ on 07/01/2019 (19PP2667SE)

Name (Printed/Typed) SARAH E CHAPMAN Title REGULATORY SPECIALIST

Signature (Electronic Submission) Date 07/01/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By NDUNGU KAMAU Title PETROLEUM ENGINEER Date 07/05/2019

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #471483

Operator Submitted

BLM Revised (AFMSS)

Sundry Type: APDCH
NOI

APDCH
NOI

Lease: NMNM43744

NMNM43744

Agreement:

Operator: OXY USA INC.
P.O. BOX 4294
HOUSTON, TX 77210
Ph: 713-350-4997

OXY USA INCORPORATED
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-0521
Ph: 713.350.4816

Admin Contact: SARAH E CHAPMAN
REGULATORY SPECIALIST
E-Mail: SARAH_CHAPMAN@OXY.COM
Cell: 281-642-5503
Ph: 713-350-4997

SARAH E CHAPMAN
REGULATORY SPECIALIST
E-Mail: SARAH_CHAPMAN@OXY.COM
Cell: 281-642-5503
Ph: 713-350-4997

Tech Contact: SARAH E CHAPMAN
REGULATORY SPECIALIST
E-Mail: SARAH_CHAPMAN@OXY.COM
Cell: 281-642-5503
Ph: 713-350-4997

SARAH E CHAPMAN
REGULATORY SPECIALIST
E-Mail: SARAH_CHAPMAN@OXY.COM
Cell: 281-642-5503
Ph: 713-350-4997

Location:
State: NM
County: EDDY COUNTY

NM
EDDY

Field/Pool: PURPLE SAGE WOLFCAMP

PURPLE SAGE-WOLFCAMP (GAS)

Well/Facility: PLATINUM MDP1 34-3 FEERAL COM 176
Sec 34 T23S R31E NENE 110FNL 1003FEL
32.267886 N Lat, 103.780368 W Lon

PLATINUM MDP1 34-3 FEDERAL COM 176H
Sec 34 T23S R31E NENE 110FNL 1003FEL
32.267887 N Lat, 103.760368 W Lon

Oxy is updating our casing design to change weight of 9-5/8" Intermediate from 43.5# to 40#. Oxy requests permission to deviate from the 0.422" annular clearance requirement in the 8.5" hole section. Annular clearance will be less than 0.422" from 9.625" shoe to 6,000' MD.

API #	Well Name	Lease Serial #
30-015-45233	Platinum MDP1 34-3 Fed Com 176H	NMNM043744

Casing Program

Hole Size (in)	Casing Interval		Csg. Size (in)	Weight (lbs)	Grade	Conn.	SF	SF Burst	Body SF	Joint SF
	From (ft)	To (ft)					Collapse		Tension	Tension
12.25	0	4455	9.625	40	HCL80	BTC	1.125	1.2	1.4	1.4
8.5	0	11316	7.625	26.4	HCL80	SF (0 ft to 6000 ft) FJ (6000 ft to TD)	1.125	1.2	1.4	1.4
SF Values will meet or Exceed										

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h
 *Oxy requests the option to set casing shallower yet still below the salts if losses or hole conditions require this. Cement volumes may be adjusted if casing is set shallower and a DV tool may be run in case hole conditions merit pumping a second stage cement job to comply with permitted top of cement. If cement circulated to surface during first stage we will drop a cancelation cone and not pump the second stage.

Cementing Program

Casing String	#Sks	Wt. (lb/gal)	Yld (ft/sack)	H ₂ O (gal/sk)	500# Comp Strength (hours)	Slurry Description
Intermediate (Lead)	1191	12.9	1.88	10.130	12:12	Pozzolan Cement, Retarder
Intermediate (Tail)	167	14.8	1.33	6.370	4:34	Class C Cement, Accelerator
Intermediate II 1st Stage (Lead)	N/A	N/A	N/A	N/A	N/A	N/A
Intermediate II 1st Stage (Tail)	224	13.2	1.61	7.800	7:11	Class H Cement, Retarder, Dispersant, Salt
Intermediate II 2nd Stage (Tail Slurry) to be pumped as Bradenhead Squeeze from surface, down the Intermediate annulus						
Intermediate II 2nd Stage (Lead)	N/A	N/A	N/A	N/A	N/A	N/A
Intermediate II 2nd Stage (Tail)	427	12.8	1.96	10.359	9:49	Class C Cement, Accelerator

Casing String	Top (ft)	Bottom (ft)	% Excess
Intermediate (Lead)	0	3955	50%
Intermediate (Tail)	3955	4455	20%
Intermediate II 1st Stage (Lead)	N/A	N/A	N/A
Intermediate II 1st Stage (Tail)	6900	11316	5%
Intermediate II 2nd Stage (Lead)	N/A	N/A	N/A
Intermediate II 2nd Stage (Tail)	0	6900	25%

Oxy will run a CBL from TD of the 7.625" casing to surface. Results will be submitted to the BLM.