# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	FORM APPROVED
Comlabod	OMB NO. 1004-0137
	1 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	5. Lease Serial No.

**SUNDRY NOTICES AND REPORTS ON WELLS** Do not use this form for proposals to drill or to re-enter an

abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit or CA/Agreement, Name and/or No.		
Type of Well     Gas Well				8. Well Name and No. WILLIAMS A FEDERAL 16		
2. Name of Operator Contact: KYLE ZIMMERMAN VANGUARD OPERATING LLC E-Mail: kzimmerman@vnrllc.com				9. API Well No. 30-015-42116-00-S1		
3a. Address 5847 SAN FELIPE, SUITE 30 HOUSTON, TX 77057	Phone No. (include area code) 432-202-0145		10. Field and Pool or Exploratory Area ARTESIA			
4. Location of Well (Footage, Sec., T		11. County of	11. County or Parish, State			
Sec 29 T17S R28E SESW 09 32.800522 N Lat, 104.198795		EDDY C	EDDY COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES) TO IN	NDICATE NATURE OF	NOTICE, REPORT, C	OR OTHER I	DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
■ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (Start/Res	ume) 🔲 🗸	Water Shut-Off	
_	☐ Alter Casing	☐ Hydraulic Fracturing	□ Reclamation	<b>"</b>	Well Integrity	
☐ Subsequent Report	□ Casing Repair	■ New Construction	Recomplete		Other	
☐ Final Abandonment Notice	□ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandor	1		
	☐ Convert to Injection	☐ Plug Back	■ Water Disposal	Disposal		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.  Vanguard Operating, LLC requests to recomplete this well to the San Andres and DHC as follows:  MIRUSU. TOH w/ all production equipment. Set a 5-1/2" CBP @ ~3,370' (existing Yeso perforations are @ 3,424-3,517') & PT csg and CBP to 1,000 psig for 30 minutes and chart casing integrity test. PT CBP to 3,500 psig. Perforate lower San Andres @ ~3,053-3,278' w/ ~33 holes. Stimulate w/ ~1,500 gals 15% HCL acid & frac w/ ~30,000# 100 mesh, ~131,775# 40/70 Ottawa, & ~72,450# 40/70 Coolset sand in slick water. Set a 5-1/2" CBP @ ~3,040' & PT to 3,500 psig. Perforate middle San Andres @ ~2,766-3,026' w/ ~33 holes. Stimulate w/ ~1,500 gals 15% HCL acid & frac w/ ~30,000# 40/70 Coolset sand in slick water. Set a 5-1/2" CBP @ ~2,710' & PT to 3,500 psig. Perforate upper San Andres @ ~2,377-2,676' w/ ~32 holes. Stimulate w/ ~1,500 gals 15% HCL acid & frac w/ ~30,000# 100 mesh, ~174,300# 40/70 Ottawa, & ~92,400# 40/70 Coolset sand in slick water. Set a 5-1/2" CBP @ ~2,710' & Sick water. CO after frac, drill out CBP's @ 2,710' & 3,040' & CO to CBP @ 3,370'. Land tbg and						
14. I hereby certify that the foregoing is	Electronic Submission #488819	ERATING LLC, sent to the i by PRISCILLA PEREZ on	e Carlsbad 1 10/21/2019 (20PP0178SE	Ξ)		
Name (Printed/Typed) KYLE ZIMMERMANN		Title OPERA	TIONS ENGINEER I			
Signature (Electronic Submission) Da		Date 10/18/20	Date 10/18/2019			
	THIS SPACE FOR FE	EDERAL OR STATE (	OFFICE USE			
Approved By JONATHON SHEPARD			UM ENGINEER		Date 10/30/2019	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent would entitle the applicant to conduct to conduct the applicant the	uitable title to those rights in the subject act operations thereon.	Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent			willfully to make to any depar	rtment or agency	of the United	

Ref 11-5-19

## Additional data for EC transaction #488819 that would not fit on the form

#### 32. Additional remarks, continued

rod pump @ ~3,200' and test SA. Complete as a single San Andres well. Following a test of the San Andres alone and the submittal and approval of State and BLM DHC applications, the CBP @ 3,370' will be removed and the well producing DHC with San Andres and Yeso.

#### Revisions to Operator-Submitted EC Data for Sundry Notice #488819

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

RCMPL NOI

RCMPL NOI

Lease:

NMNM048344

NMNM048344

Agreement:

Operator:

VANGUARD OPERATING, LLC 5847 SAN FELIPE, SUITE 3000 HOUSTON, TX 77057

Ph: 832-377-2255

VANGUARD OPERATING LLC 5847 SAN FELIPE, SUITE 3000 HOUSTON, TX 77057

Ph: 832-377-2243

KYLE ZIMMERMANN OPERATIONS ENGINEER I

Admin Contact:

KYLE ZIMMERMANN

OPERATIONS ENGINEER

E-Mail: kzimmerman@vnrenergy.com

Ph: 432-202-0145

Ph: 432-202-0145

Tech Contact:

KYLE ZIMMERMANN **OPERATIONS ENGINEER** 

E-Mail: kzimmerman@vnrenergy.com

Ph: 432-202-0145

KYLE ZIMMERMANN OPERATIONS ENGINEER I E-Mail: kzimmerman@vnrllc.com

E-Mail: kzimmerman@vnrllc.com

Ph: 432-202-0145

Location:

State:

NM EDDY

County: Field/Pool:

RED LAKE; QN-GRBG-SA

NM EDDY

**ARTESIA** 

Well/Facility:

WILLIAMS A FEDERAL 16

Sec 29 T17S R28E Mer NMP SESW 990FSL 2160FWL

WILLIAMS A FEDERAL 16 Sec 29 T17S R28E SESW 0990FSL 2160FWL 32.800522 N Lat, 104.198795 W Lon

#### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

### Conditions of Approval for Workover/Deepening of a Well

- 1. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-393-3612
- 2. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. Cement: Notify BLM if cement fails to circulate.
- 4. <u>Subsequent Reporting:</u> Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. <u>Show date work was completed</u>. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 5. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- 6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1<sup>st</sup> through June 15<sup>th</sup> annually, abandonment activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.