

State of New Mexico
Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham
Governor

Sarah Cottrell Propst
Cabinet Secretary

Todd E. Leahy, JD, PhD
Deputy Secretary

Adrienne Sandoval, Division Director
Oil Conservation Division



Notice of C-104 Denial and Request for Information

OCD denies your C-104 – *Request for Allowable and Authorization to Transport* because it is incomplete or conflicts with other information provided to OCD.

The sale or transport of product without a C-104 approved by OCD violates the Oil and Gas Act and the implementing rules, including 19.15.7.15 and 19.15.16.19 NMAC.

To avoid an enforcement action, you must submit the indicated information no later than 30 days after receipt of this notice.

Test Allowable, New Well and Recompleted Well

AMEND C-104

- C-103 (or BLM equivalent) for all casing strings
 - Spud Notice
 - Surface Casing
 - Intermediate Casing (if applicable)
 - Additional Intermediate Casing (if applicable)
 - Production Casing or Liner
- Applicable Order (NSL, NSP, Other _____)
- Deviation Survey for Vertical Wells
- Directional Survey
 - C-102 (As-Drilled Plat for Horizontal Well)

New Well and Recompleted Well Only

- C-103 Completion Sundry (or BLM equivalent)
- C-105 Completion Report (or BLM equivalent)
- All Logs Run on Well

Accepted or approved copy

If you have any questions please contact the local OCD District Office

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

NM OIL CONSERVATION
ARTESIA DISTRICT

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

09/01/2019
Submit one copy to appropriate District Office

RECEIVED

AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC P.O. BOX 4294 HOUSTON, TX 77210		² OGRID Number 16696
⁴ API Number 30-015-45647		³ Reason for Filing Code/ Effective Date - NW
⁵ Pool Name INGLE WELLS; BONE SPRING	⁶ Pool Code 33740	
⁷ Property Code: 324872	⁸ Property Name: PURE GOLD MDP1 29-17 FEDERAL COM	⁹ Well Number: 3H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
N	29	23S	31E		430'	SOUTH	2500'	WEST	EDDY

¹¹ Bottom Hole Location FTP: 190' FSL 2226' FWL LTP: 2528' FSL 2121' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	17	23S	31E		2633'	SOUTH	2113'	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code: F	¹⁴ Gas Connection Date: 7/21/2019	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/02/2019	²² Ready Date 07/14/2019	²³ TD 10065'V/23058'M	²⁴ PBD 10065'V/23014'M	²⁵ Perforations 10095'-22978'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	667'	870		
12-1/4"	9-5/8"	4214'	1274		
8-1/2"	7-5/8"	9225'	467		
6-3/4"	5-1/2"	23058'	1065		

*** V. Well Test Data**

³¹ Date New Oil 7/21/2019	³² Gas Delivery Date 7/7/2019	³³ Test Date 7/25/2019	³⁴ Test Length 24-HOUR	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 967
³⁷ Choke Size 106/128	³⁸ Oil 3908	³⁹ Water 10811	⁴⁰ Gas 4811	⁴¹ Test Method FLOWING	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: Sarah Chapman

Printed name:
SARAH CHAPMAN

Title:
REGULATORY SPECIALIST

E-mail Address:
SARAH_CHAPMAN@oxy.com

Date: 10/23/2019 Phone: 713-350-4997

OIL CONSERVATION DIVISION	
Approved by:	
Title:	
Approval:	

NM OIL CONSERVATION
ARTESIA DISTRICT

OCT 31 2019

Form 3160-4
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND RECEIVED

5. Lease Serial No.
NMNM0545035

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.
PURE GOLD MDP1 29-17 FEDERAL C 3H

1a. Type of Well Oil Well Gas Well Dry Other

b. Type of Completion New Well Work Over Deepen Plug Back Diff. Resvr.
Other _____

2. Name of Operator
OXY USA INC. Contact: SARAH CHAPMAN
E-Mail: SARAH_CHAPMAN@OXY.COM

3. Address P.O. BOX 4294
HOUSTON, TX 77210 3a. Phone No. (include area code)
Ph: 713-350-4997

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
Sec 29 T23S R31E Mer NMP
At surface SESW 430FSL 2500FWL 32.269359 N Lat, 103.800268 W Lon
Sec 29 T23S R31E Mer NMP
At top prod interval reported below SESW 190FSL 2226FWL 32.268840 N Lat, 103.801160 W Lon
Sec 17 T23S R31E Mer NMP
At total depth NESW 2633FSL 2113FWL 32.304418 N Lat, 103.801266 W Lon

10. Field and Pool, or Exploratory
INGLE WELLS BONE SPRING

11. Sec., T., R., M., or Block and Survey
or Area Sec 29 T23S R31E Mer NMP

12. County or Parish
EDDY

13. State
NM

14. Date Spudded
03/02/2019 15. Date T.D. Reached
05/09/2019 16. Date Completed
 D & A Ready to Prod.
07/06/2019

17. Elevations (DF, KB, RT, GL)*
3357 GL

18. Total Depth: MD 23058 TVD 10065 19. Plug Back T.D.: MD 23014 TVD 10065 20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
GAMMA RAY, MUD LOG

22. Was well cored? No Yes (Submit analysis)
Was DST run? No Yes (Submit analysis)
Directional Survey? No Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
6.750	5.500 SF TORQ	20.0		23058		1065	257	8725	
17.500	13.375 J-55	45.5	0	667		870	210	0	
12.250	9.625 HCL-80	43.5	0	4214		1274	377	0	
8.500	7.625 FJ/SF	26.4	0	9225		467	179	0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) BONE SPRING	10095	22978	10995 TO 22978	0.420	1350	ACTIVE
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
10995 TO 22978	2351760GAL SLICKWATER AND 24010246# SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
07/21/2019	07/25/2019	24	→	3908.0	4811.0	10811.0			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
106/128	SI	967.0	→	3908	4811	10811		POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side)
ELECTRONIC SUBMISSION #490167 VERIFIED BY THE BLM WELL INFORMATION SYSTEM
**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
BELL CANYON	4116	5048	OIL, GAS, WATER	RUSTLER	424
CHERRY CANYON	5049	5283	OIL, GAS, WATER	SALADO	736
BRUSHY CANYON	5284	7956	OIL, GAS, WATER	CASTILE	2643
BONE SPRING	7957	8838	OIL, GAS, WATER	DELAWARE	4095
1ST BONE SPRING	8839	9677	OIL, GAS, WATER	BELL CANYON	4116
2ND BONE SPRING	9678	9850	OIL, GAS, WATER	CHERRY CANYON	5049
				BRUSHY CANYON	6284
				BONE SPRING	7957

32. Additional remarks (include plugging procedure):

LOG HEADER, DIIRECTIONAL SURVEY, AS DRILLED C-102, SUPPLEMENTAL AND WBD ATTACHED.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #490167 Verified by the BLM Well Information System.
For OXY USA INC., sent to the Carlsbad

Name (please print) SARAH CHAPMAN Title REGULATORY SPECIALIST

Signature _____ (Electronic Submission) Date 10/29/2019

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ****



Pure Gold MDP1 29-17 Federal Com 3H Wellbore Diagram

Elevation: GL 3358'

API: 30-015-45647

17-1/2" hole – 13-3/8" 45.5# J-55 csg
Set @ 667'

12-1/4" hole – 9-5/8" 43.5# HCL-80 BTC csg
Set @ 4214'

9-5/8" hole – 7-5/8" 26.4# HCL-80 SF/FJ csg
Set @ 9225'

6-3/4" hole – 5-1/2" 20# P-110 SF TORQ/DQX csg
Set @ 23058'

Frac'd 10095'-22978'
54 stages

*Note: Diagram not to scale

PBTD – 23014' MD

TD – 23058' MD/10065' TVD