Form 3160-5 (June 2015)			EU	1	FORM AP	
(June 2013)				OMB NO. 1004-0137 Expires: January 31, 2018		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to difficulto te enter an RTES abandoned well. Use form 3160-3 (APD) for such proposals.			5. Lea	<ul> <li>5. Lease Serial No. NMNM45236</li> </ul>		
Do not use abandoned v	this form for proposals to vell. Use form 3160-3 (AP	D) for such prop	ank i E sais.	6. If Ir	ndian, Allottee or T	ribe Name
SUBMIT IN TRIPLICATE - Other instructions on		tructions on page	age 2		7. If Unit or CA/Agreement, Name and/or No	
1. Type of Well	Other				I Name and No. DIUM MDP1 28-2	1 FEDERAL CO
2. Name of Operator Contact: SARAH CHA OXY USA INCORPORATED E-Mail: SARAH_CHAPMAN@O		SARAH CHAPMA CHAPMAN@OXY.CO			9. API Well No. 30-015-45249-00-X1	
		3b. Phone No. (incl Ph: 713-350-49			oloratory Area	
	4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			11. Co	ounty or Parish, Sta	te
Sec 33 T23S R31E NENW 32.267498 N Lat, 103.7835	249FNL 2404FWL 88 W Lon			ED	DY COUNTY, I	NM
12. CHECK THE	APPROPRIATE BOX(ES)	TO INDICATE N	ATURE O	F NOTICE, REPO	RT, OR OTHE	R DẠTA
TYPE OF SUBMISSION		1	TYPE OF	F ACTION		
□ Notice of Intent	Acidize	Deepen		Production (Sta	rt/Resume)	UWater Shut-O
	□ Alter Casing	🗖 Hydrauli	Fracturing	Reclamation		Well Integrity
🛛 Subsequent Report	Casing Repair	🗖 New Con	struction	Recomplete		Other Drilling Operation
☐ Final Abandonment Notice	Change Plans	Plug and Plug Bac		<ul> <li>Temporarily At</li> <li>Water Disposal</li> </ul>	emporarily Abandon	
determined that the site is ready for good test. RIH & drill new for Drill 12-1/4" hole to 4360'. F w/ 1174sxs (357bbl) class ( additives 14.8ppg 1.33 yield MIRU, test 9-5/8" csg to 250 perform FIT test to EMW=1 26.4# HCL-80 FJ/SF csg @ additives 13.2ppg 1.60 yield cmt w/ additives 12.8ppg 1. yield. WOC, circ 10sxs cmt	5000# high 250# low, good prmation to 564', perform FI RIH & set 9-5/8'' 40# HCL-80 C w/ additives 12.9ppg 1.37 d. Full returns throughout jol 00# for 30 minutes, good te 4.5ppg 1357psi, good test. 4.5ppg 1357psi, good test. 11076', pump 40bbl MPE s J. No returns, prepare to pu 96 yield followed by 145sxs	T test to EMW=21 0 BTC csg @ 4348 yield followed by b, circ 379sxs cmt st. RIH & drill new Drill 8-3/4" hole to spacer then cmt w mp 2nd stage. Pur	bpg 317psi, i'  pump 80t 175sxs (40b to surface. ! formation to 11081'. RIH / 281sxs (80 np 315sxs (	good test. bbl MPE then cmt bl) class C w/ 9/24/19	Screpted Tos/re	20 Lerd - NMOCT
<ul> <li>14. I hereby certify that the foregoin</li> <li>C</li> <li>Name (Printed/Typed) SARAH</li> </ul>	Electronic Submission # For OXY US/ committed to AFMSS for proc	A INCORPORATED.	sent to the	Carlsbad	225SE)	
Signature (Electron	ic Submission)	Dat	10/23/2	019		
	THIS SPACE FO	OR FEDERAL O	R STATE	OFFICE USE		
Approved By ACCEP	TED	Tit		N SHEPARD UM ENGINEER		Date 10/31
Conditions of approval, if any, are attac certify that the applicant holds legal or which would entitle the applicant to co	equitable title to those rights in th	e subject lease	ice Carlsba	d		
Title 18 U.S.C. Section 1001 and Title	12 11 0 C 0		1		u denertment er ee	anov of the United

## Additional data for EC transaction #489248 that would not fit on the form

## 32. Additional remarks, continued

ę,

-3

9/30/19 NU BOP, test to 5000# high 250# low, good test. Test 7-5/8" csg to 4000# for 30 minutes, good test. RIH & drill new formation to 11091', perform FIT test to EMW=15.0pbg 2064psi, good test. Drill 6-3/4" hole to 11665'V/22579'M. RIH & set 5-1/2" 20# P-110 DQX/TORQ DQW csg @ 22579', pump 160bbl MPE spacer then cmt w/ 914sxs (225bbl) class H w/ additives 13.2ppg 1.38 yield. Full returns throughout job, TOC @ 9720'. 10/19/19 ND BOP, cut csg, install nightcap and rig release.

This sundry is to correct the production casing/cmt depths that were reported in EC Tran 488870. Thank you.

## Revisions to Operator-Submitted EC Data for Sundry Notice #489248

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM45236	NMNM45236
Agreement:		
Operator:	OXY USA INC. P.O. BOX 4294 HOUSTON, TX 77210 Ph: 713-350-4997	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	SARAH CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997	I SARAH CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997
Tech Contact:	SARAH CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997	SARAH CHAPMAN REGULATORY SPECIALIST E-Mail: SARAH_CHAPMAN@OXY.COM Cell: 281-642-5503 Ph: 713-350-4997
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	WILDCAT WOLFCAMP	WILDCAT
Well/Facility:	IRIDIUM MDP1 28-21 FEDERAL COM 173H Sec 33 T23S R31E Mer NMP NENW 249FNL 2404FWL 32.267498 N Lat, 103.783508 W Lon	RIDIUM MDP1 28-21 FEDERAL COM 173H Sec 33 T23S R31E NENW 249FNL 2404FWL 32.267498 N Lat, 103.783508 W Lon
• -		

Ĉ