

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

JAN 16 2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM21640

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
PRECIOUS 30-18 FEDERAL COM 149. API Well No.
30-015-46373-00-X110. Field and Pool or Exploratory Area
WILDCAT11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
OXY USA INCORPORATEDContact: LESLIE REEVES
E-Mail: LESLIE_REEVES@OXY.COM3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-05213b. Phone No. (include area code)
Ph: 713-497-2492

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 31 T23S R31E NWNW 570FNL 550FWL
32.266605 N Lat, 103.823860 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION

- ☐
- Notice of Intent
-
- ☒
- Subsequent Report
-
- ☐
- Final Abandonment Notice

- ☐
- Acidize
-
- ☐
- Alter Casing
-
- ☐
- Casing Repair
-
- ☐
- Change Plans
-
- ☐
- Convert to Injection

- ☐
- Deepen
-
- ☐
- Hydraulic Fracturing
-
- ☐
- New Construction
-
- ☐
- Plug and Abandon
-
- ☐
- Plug Back

TYPE OF ACTION

- ☐
- Production (Start/Resume)
-
- ☐
- Reclamation
-
- ☐
- Recomplete
-
- ☐
- Temporarily Abandon
-
- ☐
- Water Disposal
-
- ☐
- Water Shut-Off
-
- ☐
- Well Integrity
-
- ☒
- Other
-
- Drilling Operations

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

12/23/19 MIRU, NU and test BOP 250psi low/10000psi high, good test. 12/25/19 Test 13-3/8" casing to 1500psi for 30min, good test. RIH and drill new formation to 500', perform FIT to EMW=24ppg, good test. Drill 12-1/4" hole to 4081'. RIH and set 9-5/8" 40# HCL-80 BTC casing at 4066'. Pump 80bbls spacer then cement with 1335sx (396bbls) class H with additives 12.9ppg 1.66 yield cement followed by 175sx (41bbls) class H with additives 14.8ppg 1.33 yield cement. Full returns during job, circ 335sx (105bbls) cement back to surface. WOC ~24 hours. Test 9-5/8" casing to 1500psi for 30 min, good test. RIH and drill new formation to 4091', perform FIT to EMW=20ppg, good test. Drill 8-3/4" hole to 10285'. RIH with logs. RIH and set 7-5/8" 26.4# HCL-80 FJ/SF casing at 10274'. Pump 40bbls MPE and 122bbls spacer then cement with 296sx (70bbls) class H with additives 13.2ppg 1.33 yield cement. No cement to surface, WOC before pumping second stage. Perform bradenhead squeeze cement job, pump 10bbls MPE then cement with 464sx (110bbls) class H with additives 1.32ppg 1.33 yield cement followed by 135sx (40bbls) class H with additives 12.9ppg 1.66 yield cement. Est TOC ~45'.

BC
Accepted for record - NMOCD
1/20/20

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #498398 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 01/13/2020 (20PP0834SE)

Name (Printed/Typed) LESLIE REEVES

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 01/08/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

Title

JONATHON SHEPARD
PETROLEUM ENGINEER

Date 01/14/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

1/31/20 KS

Additional data for EC transaction #498398 that would not fit on the form

32. Additional remarks, continued

performed top job by pumping 47sx (14bbls) class H with additives 12.9ppg 1.66yield cement. Cement to surface, 1/4/20 WOC +24 hours.

Revisions to Operator-Submitted EC Data for Sundry Notice #498398

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM0546732	NMNM21640
Agreement:		
Operator:	OXY USA INC PO 4294 HOUSTON, TX 77210 Ph: 713-497-2492	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	LESLIE REEVES REGULATORY ADVISOR E-Mail: Leslie_Reeves@oxy.com Ph: 713-497-2492	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492
Tech Contact:	LESLIE REEVES REGULATORY ADVISOR E-Mail: Leslie_Reeves@oxy.com Ph: 713-497-2492	LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	INGLE WELLS; BONE SPRING	WILDCAT
Well/Facility:	PRECIOUS 30-18 FEDERAL COM 1H Sec 31 T23S R31E NWNW 570FNL 550FWL 32.266070 N Lat, 103.823862 W Lon	PRECIOUS 30-18 FEDERAL COM 1H Sec 31 T23S R31E NWNW 570FNL 550FWL 32.266605 N Lat, 103.823860 W Lon