

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**  
**Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**5. Lease Serial No.  
NMNM21640

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.  
Multiple--See Attached2. Name of Operator  
OXY USA INCORPORATEDContact: LESLIE REEVES  
E-Mail: LESLIE\_REEVES@OXY.COM9. API Well No.  
Multiple--See Attached3a. Address  
5 GREENWAY PLAZA SUITE 110  
HOUSTON, TX 77046-05213b. Phone No. (include area code)  
Ph: 713-497-249210. Field and Pool or Exploratory Area  
Multiple--See Attached

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple--See Attached

11. County or Parish, State

EDDY COUNTY, NM

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                |   |  |   |
|--|---|---|--|---|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize              | <input type="checkbox"/> Deepen               | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off   |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity   |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction     | <input type="checkbox"/> Recomplete                | <input checked="" type="checkbox"/> Other |
|  | <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon     | <input type="checkbox"/> Temporarily Abandon       | Change to Original A                      |
|  | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back            | <input type="checkbox"/> Water Disposal            | PD  |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA INC. respectfully requests variances for BOP break-testing, offline cementing and to adjust the CBL requirement after bradenhead cement jobs for the below list of wells. Please see the attached drill plan revisions.

30-015-46373 Precious 30-18 Federal Com 1H (13480'TVD)  
30-015-46375 Precious 30-18 Federal Com 7H (9874'TVD)  
30-015-46523 Precious 30-18 Federal Com 9H (9720'TVD)  
30-015-46464 Precious 30-18 Federal Com 4H (9835'TVD)  
30-015-46448 Precious 30-18 Federal Com 5H (9783'TVD)  
30-015-46465 Precious 30-18 Federal Com 6H (10153'TVD)  
30-015-46463 Precious 30-18 Federal Com 10H (9943'TVD)

**RECEIVED**  
FEB 26 2020**EMNRD-OCDARTESIA**

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #500404 verified by the BLM Well Information System****For OXY USA INCORPORATED, sent to the Carlsbad****Committed to AFMSS for processing by PRISCILLA PEREZ on 01/24/2020 (20PP1013SE)**

Name (Printed/Typed) LESLIE REEVES

Title REGULATORY ADVISOR

Signature (Electronic Submission)

Date 01/23/2020

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**Approved By NDUNGU KAMAU

Title PETROLEUM ENGINEER

Date 02/24/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

FEB 26 2020

# **Additional data for EC transaction #500404 that would not fit on the form**

## **Wells/Facilities, continued**

| Agreement | Lease     | Well/Fac Name, Number      | API Number         | Location  |
|-----------|-----------|----------------------------|--------------------|---|
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46373-00-X1 | Sec 31 T23S R31E NWNW 570FNL 550FWL<br>32.266605 N Lat, 103.823860 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46463-00-X1 | Sec 31 T23S R31E NENE 520FNL 730FEL<br>32.266747 N Lat, 103.810715 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46464-00-X1 | Sec 31 T23S R31E NENE 520FNL 730FEL<br>32.266747 N Lat, 103.810715 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46448-00-X1 | Sec 31 T23S R31E NENE 520FNL 800FEL<br>32.266613 N Lat, 103.816765 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46465-00-X1 | Sec 31 T23S R31E NENE 520FNL 765FEL<br>32.266747 N Lat, 103.810944 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46372-00-X1 | Sec 31 T23S R31E NENE 520FNL 765FEL<br>32.266747 N Lat, 103.810829 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46523-00-X1 | Sec 31 T23S R31E NWNW 570FNL 620FWL<br>32.266605 N Lat, 103.823631 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46581-00-X1 | Sec 31 T23S R31E NENW 570FNL 2670FEL<br>32.266613 N Lat, 103.816994 W Lon |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46582-00-X1 | Sec 31 T23S R31E NWNW 570FNL 880FWL<br>32.266609 N Lat, 103.822792 W Lon  |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46457-00-X1 | Sec 31 T23S R31E NENE 520FNL 1065FEL<br>32.266747 N Lat, 103.811798 W Lon |
| NMNM21640 | NMNM21640 | PRECIOUS 30-18 FEDERAL COM | 30-015-46462-00-X1 | Sec 31 T23S R31E NENE 520FNL 1030FEL<br>32.266747 N Lat, 103.811684 W Lon |

## **10. Field and Pool, continued**

WOLFCAMP

## **32. Additional remarks, continued**

30-015-46457 Precious 30-18 Federal Com 175H (11419'TVD)  
 30-015-46462 Precious 30-18 Federal Com 176H (11416'TVD)  
 30-015-46581 Precious 30-18 Federal Com 171H (11284'TVD)  
 30-015-46582 Precious 30-18 Federal Com 172H (11410'TVD)

# Revisions to Operator-Submitted EC Data for Sundry Notice #500404

## Operator Submitted

Sundry Type: APDCH  
NOI

Lease: NMNM0546732A

Agreement:

Operator: OXY USA INC  
PO 4294  
HOUSTON, TX 77210  
Ph: 713-497-2492

Admin Contact: LESLIE REEVES  
REGULATORY ADVISOR  
E-Mail: LESLIE\_REEVES@OXY.COM  
Cell: 281-733-0824  
Ph: 713-497-2492

Tech Contact: LESLIE REEVES  
REGULATORY ADVISOR  
E-Mail: LESLIE\_REEVES@OXY.COM  
Cell: 281-733-0824  
Ph: 713-497-2492

Location:  
State: NM  
County: EDDY

Field/Pool: INGLE WELLS; BONE SPRING

Well/Facility: PRECIOUS 30-18 FEDERAL COM 1H  
Sec 31 T23S R31E Mer NMP NWNW 570FNL 550FWL  
32.266070 N Lat, 103.823862 W Lon

## BLM Revised (AFMSS)

APDCH  
NOI

NMNM21640

OXY USA INCORPORATED  
5 GREENWAY PLAZA SUITE 110  
HOUSTON, TX 77046-0521  
Ph: 713.350.4816

LESLIE REEVES  
REGULATORY ADVISOR  
E-Mail: LESLIE\_REEVES@OXY.COM  
Cell: 281-733-0824  
Ph: 713-497-2492

LESLIE REEVES  
REGULATORY ADVISOR  
E-Mail: LESLIE\_REEVES@OXY.COM  
Cell: 281-733-0824  
Ph: 713-497-2492

NM  
EDDY

MESAVERDE  
WILDCAT  
WOLFCAMP

PRECIOUS 30-18 FEDERAL COM 1H  
Sec 31 T23S R31E NWNW 570FNL 550FWL  
32.266605 N Lat, 103.823860 W Lon  
PRECIOUS 30-18 FEDERAL COM 10H  
Sec 31 T23S R31E NENE 520FNL 730FEL  
32.266747 N Lat, 103.810715 W Lon  
PRECIOUS 30-18 FEDERAL COM 4H  
Sec 31 T23S R31E NWNE 570FNL 2600FEL  
32.266613 N Lat, 103.816765 W Lon  
PRECIOUS 30-18 FEDERAL COM 5H  
Sec 31 T23S R31E NENE 520FNL 800FEL  
32.266747 N Lat, 103.810944 W Lon  
PRECIOUS 30-18 FEDERAL COM 6H  
Sec 31 T23S R31E NENE 520FNL 765FEL  
32.266747 N Lat, 103.810829 W Lon  
PRECIOUS 30-18 FEDERAL COM 7H  
Sec 31 T23S R31E NWNW 570FNL 620FWL  
32.266605 N Lat, 103.823631 W Lon  
PRECIOUS 30-18 FEDERAL COM 9H  
Sec 31 T23S R31E NENW 570FNL 2670FEL  
32.266613 N Lat, 103.816994 W Lon  
PRECIOUS 30-18 FEDERAL COM 171H  
Sec 31 T23S R31E NWNW 570FNL 880FWL  
32.266609 N Lat, 103.822792 W Lon  
PRECIOUS 30-18 FEDERAL COM 172H  
Sec 31 T23S R31E NWNW 570FNL 915FWL  
32.266609 N Lat, 103.822678 W Lon  
PRECIOUS 30-18 FEDERAL COM 175H  
Sec 31 T23S R31E NENE 520FNL 1065FEL  
32.266747 N Lat, 103.811798 W Lon  
PRECIOUS 30-18 FEDERAL COM 176H  
Sec 31 T23S R31E NENE 520FNL 1030FEL  
32.266747 N Lat, 103.811684 W Lon

**PECOS DISTRICT  
DRILLING CONDITIONS OF APPROVAL**

|                         |                                    |
|-------------------------|------------------------------------|
| <b>OPERATOR'S NAME:</b> | Oxy USA Incorporated               |
| <b>LEASE NO.:</b>       | NMNM021640                         |
| <b>LOCATION:</b>        | Section 31, T.23 S., R.31 E., NMPM |
| <b>COUNTY:</b>          | Eddy County, New Mexico            |

  

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 1H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 550'/W               |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2621'/S & 330'/W              |

  

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 4H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 2600'/W              |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2621'/S & 2200'/W             |

  

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com.5H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 800'/E               |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2625'/S & 1310'/E             |

  

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 6H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 765'/E               |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2624'/S & 770'/E              |

  

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 7H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 620'/W               |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2621'/S & 1260'/W             |

  

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 9H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 2670'/E              |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2621'/S & 2200'/W             |

  

|                              |                                |
|------------------------------|--------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 10H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 550'/W                |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2621'/S & 330'/W               |

  

|                              |                                 |
|------------------------------|---------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 171H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 880'/W                 |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2620'/S & 330'/W                |

  

|                              |                                 |
|------------------------------|---------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 172H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 915'/W                 |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2620'/S & 1210'/W               |

|                              |                                 |
|------------------------------|---------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 175H |
| <b>SURFACE HOLE FOOTAGE:</b> | 520'/N & 1065'/E                |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2624'/S & 1310'/E               |

|                              |                                 |
|------------------------------|---------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | Precious 30-18 Federal Com 176H |
| <b>SURFACE HOLE FOOTAGE:</b> | 570'/N & 1030'/E                |
| <b>BOTTOM HOLE FOOTAGE:</b>  | 2624'/S & 440'/E                |

**ALL PREVIOUS COAs STILL APPLY.**

**A. SPECIAL REQUIREMENT (S)**

**BOP Break Testing Variance (Note: For 5M BOP or less)**

- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer prior to the commencement of any BOP Break Testing operations.
- A full BOP test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOP test will be required.

**Offline Cementing**

Contact the BLM prior to the commencement of any offline cementing procedure.