(June 2015)	DEP	UNITED STATES ARTMENT OF THE II	NTERIOR	RECEIV	ED	OMB N	APPROVED O. 1004-0137 anuary 31, 2018
eu		REAU OF LAND MANA		FEB 18		Lease Serial No.	
50 Do not	t use this	OTICES AND REPO form for proposals to Use form 3160-3 (AP	drill or to r	VELLS re-enter an	ADTES	NMNM32636	r Tribe Name
	nea weii.	Use form 3160-3 (AP)	D) for such				
SUBMIT IN TRIPLICATE - Other instructions on page 2					7.	If Unit or CA/Agree	ement, Name and/or No.
1. Type of Well Oil Well Gas Well Other					. 8.	Well Name and No. AMOCO 11 FED	
2. Name of Operator Contact: RICKY VILLANUEVA CHEVRON USA INCORPORATED E-Mail: rygg@chevron.com					9.	API Well No. 30-015-33056-0	00-S1
3a. Address 6301 DEAUVILLE BLV MIDLAND, TX 79706	3a. Address 6301 DEAUVILLE BLVD BLVD BLVD BLVD BLVD				10). Field and Pool or E LOVING	Exploratory Area
	4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				1	I. County or Parish,	State
Sec 11 T23S R28E N	Sec 11 T23S R28E NENE 545FNL 800FEL					EDDY COUNTY, NM	
12. CHECK 7	THE APP	ROPRIATE BOX(ES)	TO INDIC/	ATE NATURE O	F NOTICE, RI	EPORT, OR OTH	IER DATA
TYPE OF SUBMISSIC	NC			TYPE OF	ACTION		
Notice of Intent			🗖 De	epen	Production	(Start/Resume)	Water Shut-Off
Subsequent Report		Alter Casing		draulic Fracturing	Reclamatio		Well Integrity
Final Abandonment N			asing Repair		 Recomplete Temporarily Abandon 		□ Other
	louice	Convert to Injection		ug and Abandon ug Back	U Water Disp		· 4=
determined that the site is re 01/08/20-MIRU.	ready for fina 230'. SPO ⁻ 5'-5520'.	donment Notices must be file I inspection. TTED 70SX OF GLASS	S "C" CEMEI		-	OTTED 60SX OI	- GLASS "C"
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZE	CEMENT 130'. SPO 00'. SPOTT 31'. PERFI 333SX OF ED 200SX	TTED 145SX OF GLAS FROM 3414'-3118'. TTED 30SX OF GLASS "ED 25SX OF GLASS " D@830'. SPOTTED 45 GLASS "C" CEMENT OF GLASS "C" CEMENT B GLASS "C" CEMENT B	5 "C" CEMEI C" CEMEN SX OF GLA BEHIND 5.5 NT BEHIND	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 9 5.5" CASING.	428'. WOC&T/ ¥'. FROM 830'-38	AGGED@2441'. 6'. WOC&TAGGE	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 9	CEMENT 130'. SPOT 30'. SPOT 31'. PERFI 333SX OF ED 200SX 91SX OF (FROM 3414'-3118'. TTED 30SX OF GLASS ED 25SX OF GLASS " D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B GLASS "C" CEMENT B	5 "C" CEMEI C" CEMEN SX OF GLA BEHIND 5.5 NT BEHIND	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 9 5.5" CASING.	428'. WOC&T/ ¥'. FROM 830'-38	AGGED@2441'.	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED	CEMENT 130'. SPO 00'. SPOTT 331'. PERFI 333SX OF ED 200SX 91SX OF (pregoing is tr	FROM 3414'-3118'. TTED 30SX OF GLASS 'ED 25SX OF GLASS '' O@830'. SPOTTED 453 GLASS ''C'' CEMENT I OF GLASS ''C'' CEMENT B GLASS ''C'' CEMENT B ue and correct. Electronic Submission #4 For CHEVRON L	5 "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5"	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 5.5" CASING. CASING. CASING.	428'. WOC&T/ I'. FROM 830'-38 A Information Sy he Carlsbad	AGGED@2441'. 6'. WOC&TAGGE C	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 3 1/18/20-SQUEEZED 9	CEMENT 130'. SPO 0'. SPOTI 31'. PERFI 333SX OF ED 200SX 91SX OF (pregoing is tri Comm	FROM 3414'-3118'. TTED 30SX OF GLASS 'ED 25SX OF GLASS 'D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B URL ASS "C" CEMENT B URL ASS "C" CEMENT B URL ASS "C" CEMENT B URL ASS "C" CEMENT B COMPARING SUBMISSION # For CHEVRON L itted to AFMSS for proce	5 "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5"	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 5.5" CASING. CASING. CASING. ed by the BLM Well GRATED, sent to t ISCILLA PEREZ or	428'. WOC&T/ 	AGGED@2441'. 6'. WOC&TAGGE C C 2 Accepted for rec vstem DLM0535S)	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 3 1/18/20-SQUEEZED 9	CEMENT 130'. SPO 00'. SPOTT 331'. PERFI 333SX OF ED 200SX 91SX OF (pregoing is tr	FROM 3414'-3118'. TTED 30SX OF GLASS 'ED 25SX OF GLASS 'D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B URL ASS "C" CEMENT B URL ASS "C" CEMENT B URL ASS "C" CEMENT B URL ASS "C" CEMENT B COMPARING SUBMISSION # For CHEVRON L itted to AFMSS for proce	5 "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5"	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 5.5" CASING. CASING. CASING. ed by the BLM Well GRATED, sent to t ISCILLA PEREZ or	428'. WOC&T/ 	AGGED@2441'. 6'. WOC&TAGGE C	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 3 1/18/20-SQUEEZED 9 14. Thereby certify that the fo Name (Printed/Typed) RI	CEMENT 130'. SPO 0'. SPOTI 31'. PERFI 333SX OF ED 200SX 91SX OF (pregoing is tri Comm	FROM 3414'-3118'. TTED 30SX OF GLASS ED 25SX OF GLASS D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B Le and correct. Electronic Submission # For CHEVRON L itted to AFMSS for proce ANUEVA pmission)	5 "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5" 502590 verifi ISA INCORP essing by PR	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 0 5.5" CASING. CASING. ed by the BLM Well GRATED, sent to t SCILLA PEREZ on Title P&A EN Date 02/10/20	428'. WOC&T/ '. FROM 830'-38 Information Sy he Carlsbad 02/11/2020 (19 GINEER ATTC	AGGED@2441'. 6'. WOC&TAGGE Accepted for rec vstem DLM0535S) DRNEY IN FACT	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 3 1/18/20-SQUEEZED 9 14. Thereby certify that the fo Name (Printed/Typed) RI	CEMENT 130'. SPOT 0'. SPOT 31'. PERFI 333SX OF ED 200SX 91SX OF (oregoing is tr f Comm ICKY VILL	FROM 3414'-3118'. ITED 30SX OF GLASS 'ED 25SX OF GLASS " D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B Ue and correct. Electronic Submission # For CHEVRON U itted to AFMSS for proce ANUEVA	5 "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5" 502590 verifi ISA INCORP essing by PR	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 0 5.5" CASING. CASING. ed by the BLM Well GRATED, sent to t SCILLA PEREZ on Title P&A EN Date 02/10/20	428'. WOC&T/ '. FROM 830'-38 Information Sy he Carlsbad 02/11/2020 (19 GINEER ATTC	AGGED@2441'. 6'. WOC&TAGGE Accepted for rec vstem DLM0535S) DRNEY IN FACT	ED@765'.
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 3 1/18/20-SQUEEZED 9 14. Thereby certify that the fo Name (Printed/Typed) RI	CEMENT 130'. SPOT 0'. SPOT 31'. PERFI 333SX OF ED 200SX 91SX OF (oregoing is tr f Comm ICKY VILL	FROM 3414'-3118'. TTED 30SX OF GLASS ED 25SX OF GLASS D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B Le and correct. Electronic Submission # For CHEVRON L itted to AFMSS for proce ANUEVA pmission)	5 "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5" 502590 verifi ISA INCORP essing by PR	NT FROM 2724'-2 T FROM 1025'-774 SS "C" CEMENT F " CASING. 0 5.5" CASING. CASING. CASING. ed by the BLM Well GRATED, sent to t SCILLA PEREZ on Title P&A EN Date 02/10/20	428'. WOC&T/ FROM 830'-38 Information Syne Carlsbad 02/11/2020 (19 GINEER ATT(020 DFFICE USE	AGGED@2441'. 6'. WOC&TAGGE (ccepted for rec vstem DLM0535S) DRNEY IN FACT	D@765'. 20/2-3 ord NMOCD
CEMENT FROM 6115 1/13/20-TAGGED@57 30SX OF GLASS "C" 1/14/20-TAGGED@31 1/15/20-PERFD@100 1/16/20-TAGGED@83 1/17/20-SQUEEZED 3 1/18/20-RE-SQUEEZED 3 1/18/20-SQUEEZED 9 14. I hereby certify that the fo Name (Printed/Typed) RI Signature (EI	CEMENT 130'. SPO 0'. SPOTI 31'. PERFI 333SX OF ED 200SX 91SX OF (oregoing is tr Comm ICKY VILL dectronic Sub	FROM 3414'-3118'. TTED 30SX OF GLASS ED 25SX OF GLASS " D@830'. SPOTTED 45: GLASS "C" CEMENT I OF GLASS "C" CEMENT B Lee and correct. Electronic Submission # For CHEVRON L itted to AFMSS for proce ANUEVA THIS SPACE FO ED Approval of this notice does able title to those rights in the	S "C" CEMEI C" CEMENT SX OF GLA BEHIND 5.5 NT BEHIND EHIND 5.5" 502590 verifi ISA INCORP Passing by PR	NT FROM 2724'-2 T FROM 1025'-77' SS "C" CEMENT f "CASING. 0 5.5" CASING. CASING. CASING. CASING. Title P&A EN Date 02/10/20 AL OR STATE O DEBORAH TitleLEGAL INS	428'. WOC&T/ FROM 830'-38 Information Sy the Carlsbad 02/11/2020 (19 GINEER ATTO 020 DFFICE USE MCKINNEY STRUMENTS I	AGGED@2441'. 6'. WOC&TAGGE (ccepted for rec vstem DLM0535S) DRNEY IN FACT	ED@765'.

Additional data for EC transaction #502590 that would not fit on the form

32. Additional remarks, continued

.

1/21/20-SPOTTED 50SX OF GLASS "C" CEMENT FROM 760'-267'. CIRCULATED 75SX OF GLASS "C" CEMENT CUT-OFF WELLHEAD, INSTALLED MARKER AND TURNOVER FOR RECLAMMATION.

.

1

.

Revisions to Operator-Submitted EC Data for Sundry Notice #502590

.

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	ABD SR	ABD SR
Lease:	NMNM32636	NMNM32636
Agreement:		
Operator:	CHEVRON USA 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432-687-7786	CHEVRON USA INCORPORATED 6301 DEAUVILLE BLVD MIDLAND, TX 79706 Ph: 432 687 7100
Admin Contact:	RICKY VILLANUEVA WELL P&A PROJECT MANAGER E-Mail: rygg@chevron.com	RICKY VILLANUEVA P&A ENGINEER ATTORNEY IN FACT E-Mail: rygg@chevron.com
	Ph: 432-687-7786	Ph: 432-687-7786
Tech Contact:	RICKY VILLANUEVA WELL P&A PROJECT MANAGER E-Mail: ryqg@chevron.com	RICKY VILLANUEVA P&A ENGINEER ATTORNEY IN FACT E-Mail: ryqg@chevron.com
	Ph: 432-687-7786	Ph: 432-687-7786
Location: State: County:	NM EDDY COUNTY	NM EDDY
Field/Pool:	LOVING: BRUSHY CANYON	E LOVING
Well/Facility:	AMOCO FEDERAL 11 8T Sec 11 T23S R28E	AMOCO 11 FED 8 Sec 11 T23S R28E NENE 545FNL 800FEL