### State of New Mexico

Form C-144 June 1, 2004

RECEIVEEnergy Minerals and Natural Resources

District III • 1301 W. Grand Avenue, Artesia, NM 88210

1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87503


MAY 2 6 2006

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🗌 No 🗵

Type of action: Registration of a pit or below-grade tank 🗵 Closure of a pit or below-grade tank 📋		
Operator: Pogo Producing Company Telephone:	432-685-8100 e-mail address: wrig	htc@pogoproducing.com_
Address: P. O. Box 10340, Midland, TX 79702-7340		
Facility or well name: Sterling Silver 33 Federal #12 API #: 30	-015-34943 J/L or Qtr/Qtr_J	Sec 33 T 23S R 31E
County: Eddy Latitud	e 32:15:16.02N Longitude 103:	46:37.02 NAD: 1927 ⊠ 1983 □
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐		
Pit	Below-grade tank	
Type: Drilling \( \sum \) Production \( \sum \) Disposal \( \sum \)	Volume:bbl Type of fluid:  Construction material:	
Workover		
Lined \( \subseteq Unlined \( \subseteq \)	Double-walled, with leak detection? Yes  lf not, explain why not.	
_	Double-waited, with leak detection: Tes in not, explain wity not.	
Liner type: Synthetic Marchickness 12 mil Clay Clay		
Pit Volume 16000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
ingi water elevation of ground water.)	100 feet or more X	( 0 points) 0
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No X	( 0 points) 0
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
inigation calais, diteries, and perennal and epitemesal watercourses.	1000 feet or more X	( 0 points) 0
. :	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🗍 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
	:	
<del></del>		
	:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Ç Ç		–
Date: <u>05/18/06</u>	Call 11110	1 -
Printed Name/Title Cathy Wright, Sr. Eng Tech Signature Cathy Wight		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or		
regulations.		
Gerry Guye	h L	
Approval: Deputy Field Inspector	Mend Ind	Date: JUN 1 - 2006
Printed Name/Title District II - Astesia	Signature	Date:



**Water Resources** 



News: Available soon in NWISWeb

## **Ground-water levels for New Mexico**

Search Results -- 1 sites found

Search Criteria

site\_no list = • 322114103524801

Save file of selected sites to local disk for future upload

#### USGS 322114103524801 22S.30E.33.212243

Available data for this site

Ground-water: Levels

GO

Eddy County, New Mexico **Output formats** Hydrologic Unit Code Table of data Latitude 32°21'14", Longitude 103°52'48" NAD27 Land-surface elevation 3,161.57 feet above sea level NGVD29 Tab-separated data The depth of the well is 248 feet below land surface. Graph of data This well is completed in the RUSTLER FORMATION (312RSLR) local aquifer. Reselect period USGS 322114103524801 225.30E.33.212243 Ground-Water Level, in feet below surface 155 3005 160 3000 165 2995 170 2990 175 2985 180 2980 1958 1964 1970 1976 1982 1988 2000 2006 Breaks in the plot represent a gap of at least one calendar year between two consecutive points. Download a presentation-quality graph

Water Resources

Data Category:
Site Information New Mexico

News: Available soon in NWISWeb

# Site Map for New Mexico

USGS 322114103524801 22S.30E.33.212243

Available data for this site

site map GO

Eddy County, New Mexico


Hydrologic Unit Code

Latitude 32°21'14", Longitude 103°52'48" NAD27

Land-surface elevation 3,161.57 feet above sea level NGVD29

The depth of the well is 248 feet below land surface.

This well is completed in the RUSTLER FORMATION (312RSLR) local aquifer.



Questions about data New Mexico NWISWeb Data Inquiries
Feedback on this websiteNew Mexico NWISWeb Maintainer
NWIS Site Inventory for New Mexico: Site Map
http://waterdata.usgs.gov/nm/nwis/nwismap?

Explanation of terms

Retrieved on 2006-05-18 16:28:56 EDT

### **Great Circle Calculator.**


### By Ed Williams


You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

### Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD;MM.MM or DD;MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.





### Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Input data

Lat1 Lon1

0:00.00 N 0:00.00 W

Course 1-2 Distance 1-2

360 0.0