Submit 3 Copies To Appropriate District Office	State of Nev	v Mexico	Form C-103
District I	Energy, Minerals and	Natural Resources	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVAT	ION DIVISION	30-015-03793
District III	1220 South St.	Francis Dr.	5. Indicate Type of Lease STATE X FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NI	M 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	ŕ		B-2023
87505 SUNDRY NOT	ICES AND REPORTS ON WI	ELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			WESTALL "B" STATE
PROPOSALS.)	Car Wall CWD In:	4: W/-11	8. Well Number 6
1. Type of Well: Oil Well X (2. Name of Operator	Gas Well SWD Inje	ection NECEIVED	9. OGRID Number 229137
COG OPERATING, L.L.C	ı	JUL 1 0 7006	9. OGRID Number 229137
3. Address of Operator	<u> </u>		10. Pool name or Wildcat
550 W. Texas, Suite 1300, M	lidland, TX 79701	MISH: WITH SIA	Grayburg Jackson SR Q G SA
4. Well Location			
Unit Letter E: 1650 feet from the NORTH line and 330 feet from the WEST line			
Section 36		nge 29E NMPM	
	3562' G		
Pit or Below-grade Tank Application 0			
Pit type_STEELDepth to G	<u> </u>	earest fresh water well	Distance from nearest surface water
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
	ITENTION TO:		SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON		
TEMPORARILY ABANDON DULL OR ALTER CASING	CHANGE PLANS MULTIPLE COMPL	COMMENCE DRI	
SWITTE ATTER CASING 11	MULTIPLE COMPL	CASING/CEMEN	I JOB
_ Approved as to plugging of the well bore	e Liability	1 0 1112111	
under bond is retained until surface restoration. 3. (Clearly state all pertinent details, and give pertinent dates, including estimated dates.)			
environmental E 1103. For Multiple Completions: Attach wellbore diagram of proposed completion remediation and final inspection is completed.			
		ot 25 sx. cmt. on CIBP @	2,486'. Perf. 4 holes @895'. Set pkr. @
535'. Squeeze 40 sx. cmt.			
6-9-06 Tag plug @760'. Perf. 4 holes @488'. Set pkr. @250'. Sqz. 40 sx. cmt. No tag. Sqz. 40 sx. cmt. @488'. Tag plug @350' Spot 10 sx. cmt. from 60' to surface.			
6-10-06 Install Dryhole Marke			
			λ
			,
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan.			
SIGNATURE Candle	all Mines TITL	LE AGENT	DATE 6-19-06
Type or print name RANDALL MINEAR E-mail address: randall.minear@basicenergyservices.com Telephone No. (432) 530-0907 For State Use Only			

TITLE

DATE

APPROVED BY: Conditions of Approval (if any):