Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Energy, Minerals and Natural Resources Revised May 08, 2003 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-015-34542 District II OIL CONSERVATION DIVISION 1301 W. Grand Ave., Artesia, NM 88210 5. Indicate Type of Lease 1220 South St. Francis Dr. District III STATE X FEE \square 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV 6. State Oil & Gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name: (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DÉEPEN OR PLUG BACK TO A 1724 STATE COM DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 8. Well Number 1. Type of Well: Oil Well Gas Well X Other 211 2. Name of Operator 9. OGRID Number LCX Energy, LLC 218885 3. Address of Operator 10. Pool name or Wildcat 110 N. Marienfeld, Ste. 200, Midland, TX 79701 COLLINS RANCH - WOLFCAMP 4. Well Location 660 SOUTH 760 Unit Letter feet from the ___ line and __ feet from the_ **EAST** line Section Township 17S Range **NMPM** County **EDDY** 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3761' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON ... REMEDIAL WORK ALTERING CASING **TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. X **PLUG AND ABANDONMENT** CASING TEST AND **PULL OR ALTER CASING MULTIPLE** COMPLETION CEMENT JOB OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 8/16/06 - 8/17/06 MIRU PULLING UNIT. PICK UP AND RIH W/ 4 3/4" BIT AND 2 7/8" DRILL PIPE. TAG FLOAT COLLAR AT 8565'. TEST CASING TO 5000#. HELD OK. SPOT 5000 GALS 15% HCL ACID. POOH. 8/18/06 TIH W/ TCP GUN ASSEMBLY. SPACE OUT. PRESSURE UP ON GUNS TO SHOOT. SHOOT HOLES AT 8570' (14H). 8370' (13H), 8165' (12H), 7920' (11H), 7680' (10) ACIDIZE PERFS W/ 5000 GALS 15% HCL ACID AT 19 BPM AND 4300#. ISDP 1650#. POOH W/ TUBING AND GUN ASSEEMBLY. SWIFN. 6/26/06 LAY DOWN TUBING, SET FRAC VALVE. WELL READY TO FRAC. I hereby certify that the information above is the and complete to the best of my knowledge and belief. Regulatory Agent DATE 9/8/06 SIGNATURE. TITLE_ Type or print name KANICIA DAVID Telephone No. 432-848-0214 (This space for State use) SEP 1 4 2006 FOR RECORDS ONLY APPROVED BY_ TITLE ____ DATE_

Conditions of approval, if any:

Submit 3 Copies To Appropriate District Office	State of New Me Energy, Minerals and Natur			Form C-103 Revised May 08, 2003
District I 1625 N. French Dr., Hobbs, NM 87240 District II	OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505		WELL API NO. 30-015-34542	
1301 W. Grand Ave., Artesia, NM 88210 District III			5. Indicate Type of	h
1000 Rio Brazos Rd., Aztec, NM 87410 District IV			STATE X	FEE
1220 S. St. Francis Dr., Santa Fe, NM 87505			6. State Oil & Gas I	ease No.
SUNDRY NOTICI (DO NOT USE THIS FORM FOR PROPO DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)		ÖR PLUG BÄCK TO A	7. Lease Name or U 1724 STATE COM	nit Agreement Name:
1. Type of Well: Oil Well Gas Well X	Other (5)	WED WED TESIA	8. Well Number 21888	35
2. Name of Operator	Summ (X)	ECE A	9. OGRID Number	
LCX Energy, LLC	<u>\\$</u>	2 8 /	211	
3. Address of Operator 110 N. Marienfeld, Ste. 20	0 Midland TX 79701		10. Pool name or W COLLINS RANCH -	· ·
4. Well Location	5. Marana, 18 75701	18.78.60	OCEANO IVIVOI	NOLI ONIII
Unit Letter P:	660 feet from the SOU	JTH line and	760 feet from	the EAST line
Section 21		Range 24E	NMPM	County EDDY
	11. Elevation (Show whether 376	<i>DR, RKB, RT, GR, et</i> 51' GR	c.)	
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data				
NOTICE OF INTE	ENTION TO:	SUB	SEQUENT REP	ORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON 🔲	REMEDIAL WORK		ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLI	NG OPNS. 🗓	PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB		, is, it is critically
OTHER:		OTHER:		
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.				
6/26/06 - 6/31/06 RU CASING CREW. RUN 31 JTS 36# J55 STC, TEXAS PATTERN GUIDE SHOE, INSERT FLOAT AT 1331'. SET CASING AT 1331. RAN 5 CENTRALIZERS. CIRCULATE THROUGH CASING. RIG UP CEMENTERS, CEMENT CASING W/ 400 SX LEAD C+5% SALT+1/4#CELLOFLAKE+5#LCM 1 & 200 SX TAIL C+2%CACL2. CIRCULATE 169 SX TO RESERVE PIT. NIPPLE DOWN BOP SET SLIPS AND CUT OFF CASING SET AT 2000 PSI. NIPPLE UP BOP. TEST BOP AND VALVES TO 300 PSI AND 2000 PSI. TEST OK.				
7/1/06 - 7/11/06 RIH W/ 8 3/4" BIT. TAG CEMENT AT 1273'. DRILL CEMENT TO 1299'. TEST CASING TO 1400 PSI, OK. TOTAL WOC TIME 36 HOURS. DRILL 8 3/4" HOLE FROM 1331' - 4960'.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE Van	TIT	LE Regulate	ory Agent I	DATE 9/8/06

TITLE_

Telephone No. 432-848-0214

__ DATE _

SEP 1 4 2006

Type or print name KANICIA DAVID

FOR RECORDS ONLY

(This space for State use)

APPROVED BY______Conditions of approval, if any:

State of New Mexico Form C-103 Submit 3 Copies To Appropriate District Office Energy, Minerals and Natural Resources Revised May 08, 2003 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-015-34542 District II OIL CONSERVATION DIVISION 1301 W. Grand Ave., Artesia, NM 88210 5. Indicate Type of Lease 1220 South St. Francis Dr. District III 1000 Rio Brazos Rd., Aztec, NM 87410 STATE X FEE \square Santa Fe, NM 87505 District IV 6. State Oil & Gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS... 7. Lease Name or Unit Agreement Name: (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 1724 STATE COM DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM, C-101) FOR SUCH PROPOSALS.) 8. Well Number 1. Type of Well: Oil Well Gas Well X Other 218885 2. Name of Operator 9. OGRID Number ď) LCX Energy, LLC 00 3. Address of Operator 10. Pool name or Wildcat 110 N. Marienfeld, Ste. 200, Midland, COLLINS RANCH - WOLFCAMP 4. Well Location 660 **SOUTH** 760 **EAST** feet from the feet from the_ Unit Letter ____ line and line Section Township **17S** Range **NMPM** County **EDDY** 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3761' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON ... REMEDIAL WORK ALTERING CASING **TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. X PLUG AND **ABANDONMENT** CASING TEST AND **PULL OR ALTER CASING MULTIPLE** COMPLETION **CEMENT JOB** OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 7/11/06 RUN GYRO TO TD AT 4960'. RIG UP BAKER ATLAS. RUN OPEN HOLE LOGS. RUN CNL DENSITY AND INDUCTION LOGS. 7/12/06 - 8/3/06 RIH OPEN ENDED AND SPOT 600 SX CIL H+ 1.2% CD-31+5% SALT MIXED AT 18# GAL KICK OFF PLUG. SPOT FROM 4960' TO 4066'. REVERSED OUT 88 SX CEMENT FROM 4066' TO RESERVE PIT. WOC 24 HOURS. TIH, TAG CEMENT AT 4039', DRILL CEMENT TO 4330'. TIH W/ DIRECTIONAL TOOLS AND 7 7/8" BIT, KICK WELL OFF AT 4330'. BUILD CURVE AND HORIZONTAL SECTION OF WELL TO 8616' MD AND 4808' TVD. CIRCULATE HOLE CLEAN. POOH. 8/5/06 RUN 5 1/2" CASING AS FOLLOWS: 5 1/2" SHOE, 1 JT - 5 1/2" 17# P110 CASING, 5 1/2" FLOAT COLLAR, 206 JTS 5 1/2" 17# P110 & L80 CASING. LAND CASING AT 8609'. CEMENT CASING W/ 500 SX 50-50 CL C W/ 2/ 10% FL52+2/10% SMS & 650 SX CL H W/ 1.4% FL62+ 1/10% ASA -301+2/10% SMS+40#/SX CACO3. DISPLACE CEMENT, BUMP PLUG TO 1600#, HELD OK. SET SLIPS. ND BOPS. CUT OFF AND SET WELLHELD W/ FRAC VALVE. WO FRAC. I hereby certify that the information above is true and complete to the best of my knowledge and belief. **SIGNATURE** Regulatory Agent 9/8/06

TITLE-

TITLE_

FOR RECORDS ONLY

____ DATE __

Telephone No. 432-848-0214

SEP 1 4 2006

APPROVED BY_ Conditions of approval, if any:

(This space for State use)

Type or print name KANICIA DAVID

Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Energy, Minerals and Natural Resources Revised May 08, 2003 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 87240 30-015-34542 District II OIL CONSERVATION DIVISION 1301 W. Grand Ave., Artesia, NM 88210 5. Indicate Type of Lease 1220 South St. Francis Dr. District III STATE X FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe. NM 87505 District IV 6. State Oil & Gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 SUNDRY NOTICES AND REPORTS ON WELLS 15 16 17 72 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name: 1724 STATE COM DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM(6-101) FOR SUCH PROPOSALS.) 8. Well Number 1. Type of Well: Ċ Oil Well Gas Well X Other 211 2. Name of Operator 9. OGRID Number (3) (3) LCX Energy, LLC 218885 3. Address of Operator 10. Pool name or Wildcat 110 N. Marienfeld, Ste. 200, Midland, TX 79701 COLLINS RANCH - WOLFCAMP 4. Well Location 660 SOUTH 760 **EAST** Unit Letter feet from the line and ___ feet from the_ line Section Township 17S Range 24E **NMPM** County **EDDY** 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3761' GR 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING TEMPORARILY ABANDON **CHANGE PLANS** COMMENCE DRILLING OPNS. X PLUG AND **ABANDONMENT PULL OR ALTER CASING** CASING TEST AND MULTIPLE COMPLETION **CEMENT JOB** OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 6/21/06 - 6/24/06 SPUD 17 1/2" HOLE AT 2:30 AM. DRILL TO 385'. SWEEP HOLE, POOH W/BIT. CREW. RUN 8 JTS 13 3/8" 48# J55 STC CASING, TEXAS PATTERN GUIDE SOE, INSERT FLOAT AT 344'. SET CASING AT 391.31'. RAN 4 CENTRALIZERS. CIRCULATE THROUGH CASING. RIG UP CEMENTERS, CEMENT CASING W/ F/W AHEAD 545 SXS C+2% CACL +1/4 # FLO-CEL. WEIGHT 14.8, YIELD 1.32, MIX WATER 6.34 GPS, DISPLACE WITH 54 BBL F/W BUMP PLUG W/550 PSI. CIRCULATE 180 SX CEMENT TO PIT. TOTAL WOC 32 HOURS. CUT OFF CONDUCTOR PIPE, WELD ON WELL HEAD. NU BOP. TEST BOP TO 1800 PSI. OK. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Type or print name KANICIA DAVID

(This space for State use) FOR RECORDS ONLY

APPROVED BY TITLE DATE

Conditions of approval, if any:

SIGNATURE.

Regulatory Agent DATE

9/8/06