Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an bandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED OMB NO. 1004-0135 Expires: November 30, 2000

5. Lease Serial No.

NM8941	
--------	--

6. If Indian, Allottee or Tribe Name

abandoned well. Use For	m 3160-3 (APD) for s	such proposals.		
SUBMIT IN TRIPLICATE -	7. If Unit or CA/Agreement, Name and/o			
1. Type of Well Oil Well X Gas Well Other				8. Well Name and No. Government Z Com #1
2. Name of Operator OXY USA WTP Limited Partnership	<u>, </u>	1924	163	
3a. Address		3b. Phone No. (include are		9. API Well No.
P.O. Box 50250, Midland, TX 79710-	0250	432-685-5717		30-015-21242 10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey				Burton Flat Wolfcamp, North
PP - 1980 FSL 1980 FWL NESW(K) Se	ec 23 T20S R28E ec 23 T20S R28E ec 23 T20S R28E			11. County or Parish, State Eddy NM
12. CHECK APPROPRIATE		CATE NATURE OF N	JOTICE REPO	
TYPE OF SUBMISSION	1 20%(20) 10 %12.		E OF ACTION	JKI, OK OTTLEN DATA
X Notice of Intent Subsequent Report Final Abandonment Notice 13. Describe Proposed or Completed Operation (clear)	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	X Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production Reclamatio X Recomplete Temporarit Water Disp	Other Horizonta y Abandon Sidetrack osal
(<i>L</i>)	If the operation results in a Notices shall be filed only ection.)	a multiple completion or re after all requirements, inc	completion in a n	ew interval a Form 3160-4 shall be filed or
13-3/8" 48# csg @ 625' w/ 625sx, 9-5/8" 32-36# csg @ 3008' w/ 1200 5-1/2" 17-20# csg @ 11485' w/ 900 1. POOH w/ tbg, RIH & set RBP @ + 2. RIH w/ gyro, set whipstock, mi 3. Directionally drill to 11693'M 4. RIH w/ tbg and acidize open ho 5. POOH w/ RBP, and return well t	Osx, 12-1/4" hole, Osx, 8-3/4" hole, -/- 9170', blankir Il window and kid 1 9260'V. Die horizontal lat	TOC-Surf-Circ TOC-8120'-TS ng off Wolfcamp pe koff @ +/- 9050'.	rfs.	15.20 20 20 20 20 20 20 20 20 20 20 20 20 2
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) David Stewart		Title Sr Rec	ulatory Ana	lvet
Ox. Sal	-		(25 (06	ı yət
THIS	S SPACE FOR FEDE	RAL OR STATE OFF		
Approved by		Title		Date
Conditions of approval, if any, are attached. Approval of certify that the applicant holds legal or equitable title to which would entitle the applicant to conduct operations the state of the conduct operations th	those rights in the subjec-	ant or Office		

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy. Minerals & Natural Resources

Form C-102 Revised June 10, 2003

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies

East/West line

Fee Lease - 3 Copies


County

X AMENDED REPORT

		WELI	L LOCA	TION AND	D ACREAG	GE DEDICATI	ON PLAT						
1	API Numbe	r	² Pool Code ³ Pool Name				<u> </u>						
30	30-015-21242			73520		Burton Flat Wolfcamp, North							
⁴ Property					⁵ Property Nar	ne	,	⁶ Well Numl	ber				
	8623			Government Z				Government Z				1	
⁷ OGRID					⁸ Operator Nar	ne		9 Elevation	n				
19246	3			OXY USA	WTP Limited	Partnership		3238					
¹⁰ Surface Location													
UL or lot no.	Section	Township	Range	Lot. Idn	Feet from the	North/South line	Feet from the East/	West line	County				

23 K **20S** 28E 1980 south 1980 west Eddy 11 Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot. Idn Feet from the North/South line Feet from the East/West line County Ι 23 20\$ 28E 1880 south 780 east Eddy 12 Dedicated Acres 13 Joint or Infill ¹⁴ Consolidation Code 15 Order No. 320

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



Oxy Permian
Government Z Com #1-H - Plan #1 - 30-015-21242
1980 FSL 1980 FWL Sec 23 T20S R28E
Eddy Co., New Mexico
Government Z Com #1-H

Measured Depth I (ft)	Incl. Azim.	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)
9043.67 9050.37 9055.37 9066.11 9100.00 9200.00 9300.00 9376.82 9400.00 9500.00 9600.00 9700.00 9800.00 9900.00 900.00	0.000	9000.00 9043_67 9050.37 9055.36 9066.08 9099.63 9188.24 9245.75 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00 9260.00	0.00 N N S S S S S S S S S S S S S S S S S	0.00 E 0.00 E 0.18 E 0.44 E 1.00 E 5.56 E 49.68 E 130.22 E 205.19 E 228.35 E 328.27 E 428.19 E 528.11 E 628.03 E 1027.72 E 1127.64 E 1227.56 E 1327.48 E 1327.48 E 1427.40 E 1527.32 E 1527.32 E 1527.32 E 1527.17 E 1527.09 E 1527.01 E 1527.09 E 1527.09 E 1527.01 E 1527.09 E 1527.01 E 1527.01 E 1527.00 E	0.00 0.00 0.18 0.44 1.00 5.56 49.72 130.32 205.35 228.53 328.53 428.53 528.53 1028.53 1128.53 1128.53 1128.53 1128.53 1128.53 1128.53 1128.53 1128.53 128.53 1428.53 1428.53 1528.53 172	0.00 0.00 44.78 0.00 0.00 28.00 28.00 28.00 0.00 0.00

All data are in feet unless otherwise stated. Directions and coordinates are relative to True North.

Vertical depths are relative to WELL. Northings and Eastings are relative to well.

The Dogleg Severity is in Degrees per 100 feet. Vertical Section is from Slot and calculated along an Azimuth of 92.272° (True).

Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East 3001.
Central meridian is -104.333°.
Grid Convergence at Surface is 0.098°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 11693.46ft., the Bottom Hole Displacement is 2521.98ft., in the Direction of 92.272° (True).

OXY USA WTP LP - Proposed Government Z #1 API No. 30-015-21242

> 17-1/2" hole @ 625' 13-3/8" csg @ 625' w/625sx-TOC-Surf-Circ 12-1/4" hole @ 3008' 9-5/8" csg @ 3008' w/1200sx-TOC-Surf-Circ Kickoff @ +/- 9050' TMD-11693' TVD-9260' 8-3/4" hole @ 11485' 5-1/2" csg @ 11485' w/900sx-TOC-8120'-TS

> > TD-11485'

Whipstock to 9000' RBP @ 9170' Wlfcmp perfs @ 9219-9303'

1996-CIBP @ 10050' w/ 4sx Strawn Perfs @ 10135-10141'

1996-CIBP @ 10950' w/ 4sx

Morrow Perfs @ 11052-11348'

