

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB NO. 1004-0135  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

*Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.*

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

OXY USA WTP Limited Partnership

192463

3a. Address

P.O. Box 50250, Midland, TX 79710-0250

3b. Phone No. (include area code)

432-685-5717

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SL - 660 FNL 1980 FWL NENW(C) Sec 23 T20S R28E

PP - 660 FNL 1980 FWL NENW(C) Sec 23 T20S R28E

TL - 683 FNL 754 FEL NENE(A) Sec 23 T20S R28E

5. Lease Serial No.

NM18293

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Government AA Com #1

9. API Well No.

30-015-21286

10. Field and Pool, or Exploratory Area

Burton Flat Wolfcamp, North

11. County or Parish, State

Eddy NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- |   |  |  |   |
|---|--|--|---|
| <input type="checkbox"/> Acidize              | <input checked="" type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off                     |
| <input type="checkbox"/> Alter Casing         | <input type="checkbox"/> Fracture Treat    | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity                     |
| <input type="checkbox"/> Casing Repair        | <input type="checkbox"/> New Construction  | <input checked="" type="checkbox"/> Recomplete     | <input checked="" type="checkbox"/> Other <u>Horizontal</u> |
| <input type="checkbox"/> Change Plans         | <input type="checkbox"/> Plug and Abandon  | <input type="checkbox"/> Temporarily Abandon       | <u>Sidetrack</u>  |
| <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back         | <input type="checkbox"/> Water Disposal            |   |

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

TD-11533' PBDT 11090' Wolfcamp Perfs-9205-9263'

13-3/8" 48# csg @ 605' w/ 625sx, 17-1/2" hole, TOC-Surf-Circ  
9-5/8" 36# csg @ 3000' w/ 1540sx, 12-1/4" hole, TOC-Surf-Circ  
5-1/2" 17-20# csg @ 11533' w/ 900sx, 8-3/4" hole, TOC-8180'-TS

1. POOH w/ tbg, RIH & set RBP @ +/- 9150', blanking off Wolfcamp perfs.
2. RIH w/ gyro, set whipstock, mill window and kickoff @ +/- 9020'.
3. Directionally drill to 11700'M 9250'V.
4. RIH w/ tbg and acidize open hole horizontal lateral and test.
5. POOH w/ RBP, and return well to production.



14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

David Stewart

Title

Sr. Regulatory Analyst

Date

10/25/06

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources

Form C-102  
Revised June 10, 2003

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit to Appropriate District Office  
State Lease - 4 Copies  
Fee Lease - 3 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number 30-015-21286	<sup>2</sup> Pool Code 73520	<sup>3</sup> Pool Name Burton Flat Wolfcamp, North
<sup>4</sup> Property Code 8607	<sup>5</sup> Property Name Government AA	<sup>6</sup> Well Number 1
<sup>7</sup> OGRID No. 192463	<sup>8</sup> Operator Name OXY USA WTP Limited Partnership	<sup>9</sup> Elevation 3227'

<sup>10</sup> Surface Location

UL or lot no. C	Section 23	Township 20S	Range 28E	Lot. Idn	Feet from the 660	North/South line north	Feet from the 1980	East/West line west	County Eddy
--------------------	---------------	-----------------	--------------	----------	----------------------	---------------------------	-----------------------	------------------------	----------------

<sup>11</sup> Bottom Hole Location If Different From Surface

UL or lot no. A	Section 23	Township 20S	Range 28E	Lot. Idn	Feet from the 683	North/South line north	Feet from the 754	East/West line east	County Eddy
--------------------	---------------	-----------------	--------------	----------	----------------------	---------------------------	----------------------	------------------------	----------------

<sup>12</sup> Dedicated Acres 320	<sup>13</sup> Joint or Infill	<sup>14</sup> Consolidation Code	<sup>15</sup> Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<div data-bbox="58 987 1036 1498"><p><sup>16</sup></p><p>Producing Area</p><p>Project Area</p></div>	<div data-bbox="1036 987 1531 1498"><p><sup>17</sup> OPERATOR CERTIFICATION</p><p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</p><p>Signature David Stewart</p><p>Printed Name Sr. Regulatory Analyst</p><p>Title and Email</p><p>Date</p></div>
<div data-bbox="58 1498 1036 2006"><p><sup>18</sup></p></div>	<div data-bbox="1036 1498 1531 2006"><p><sup>18</sup> SURVEYOR CERTIFICATION</p><p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p><p>Date of Survey</p><p>Signature and Seal of Professional Surveyer:</p><p>Certificate Number</p></div>

OXY USA WTP LP

Government AA Com #1-H - Plan #1 - 30-015-21286

660 FNL 1980 FWL Sec 23 T20S R28E

Eddy Co., New Mexico

Government AA Com #1-H

Measured Depth (ft)	Incl.	Azim.	Vertical Depth (ft)	Northings (ft)	Eastings (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)
9020.80	0.000	0.000	9020.80	0.00 N	0.00 E	0.00	0.00
9021.80	0.000	0.000	9021.80	0.00 N	0.00 E	0.00	0.00
9100.00	19.549	90.506	9098.49	0.12 S	13.21 E	13.21	25.00
9200.00	44.547	90.506	9182.58	0.58 S	65.85 E	65.85	25.00
9300.00	69.545	90.506	9236.55	1.32 S	149.09 E	149.10	25.00
9381.83	90.000	90.506	9250.00	2.02 S	228.19 E	228.20	25.00
9400.00	90.000	90.506	9250.00	2.18 S	246.36 E	246.37	0.00
9500.00	90.000	90.506	9250.00	3.06 S	346.36 E	346.37	0.00
9600.00	90.000	90.506	9250.00	3.94 S	446.36 E	446.37	0.00
9700.00	90.000	90.506	9250.00	4.83 S	546.35 E	546.37	0.00
9800.00	90.000	90.506	9250.00	5.71 S	646.35 E	646.37	0.00
9900.00	90.000	90.506	9250.00	6.59 S	746.34 E	746.37	0.00
10000.00	90.000	90.506	9250.00	7.47 S	846.34 E	846.37	0.00
10100.00	90.000	90.506	9250.00	8.36 S	946.34 E	946.37	0.00
10200.00	90.000	90.506	9250.00	9.24 S	1046.33 E	1046.37	0.00
10300.00	90.000	90.506	9250.00	10.12 S	1146.33 E	1146.37	0.00
10400.00	90.000	90.506	9250.00	11.01 S	1246.32 E	1246.37	0.00
10500.00	90.000	90.506	9250.00	11.89 S	1346.32 E	1346.37	0.00
10600.00	90.000	90.506	9250.00	12.77 S	1446.32 E	1446.37	0.00
10700.00	90.000	90.506	9250.00	13.66 S	1546.31 E	1546.37	0.00
10800.00	90.000	90.506	9250.00	14.54 S	1646.31 E	1646.37	0.00
10900.00	90.000	90.506	9250.00	15.42 S	1746.31 E	1746.37	0.00
11000.00	90.000	90.506	9250.00	16.31 S	1846.30 E	1846.37	0.00
11100.00	90.000	90.506	9250.00	17.19 S	1946.30 E	1946.37	0.00
11200.00	90.000	90.506	9250.00	18.07 S	2046.29 E	2046.37	0.00
11300.00	90.000	90.506	9250.00	18.96 S	2146.29 E	2146.37	0.00
11400.00	90.000	90.506	9250.00	19.84 S	2246.29 E	2246.37	0.00
11500.00	90.000	90.506	9250.00	20.72 S	2346.28 E	2346.37	0.00
11600.00	90.000	90.506	9250.00	21.60 S	2446.28 E	2446.37	0.00
11700.00	90.000	90.506	9250.00	22.49 S	2546.27 E	2546.37	0.00

All data are in feet unless otherwise stated. Directions and coordinates are relative to True North.

Vertical depths are relative to WELL. Northings and Eastings are relative to well.

The Dogleg Severity is in Degrees per 100 feet.

Vertical Section is from slot and calculated along an Azimuth of 90.506° (True).


Coordinate System is NAD 1927 (NADCON CONUS) US State Plane 1927 (Exact solution), New Mexico East 3001.

Central meridian is -104.333°.


Grid Convergence at Surface is 0.099°.

Based upon Minimum Curvature type calculations, at a Measured Depth of 11700.0 ft., the Bottom Hole Displacement is 2546.27ft., in the Direction of 90.506° (True).

OXY USA WTP LP - Proposed  
Government AA #1  
API No. 30-015-21286



1983-Pkr w/ Bik Plug @ 11090'  
Morrow Perfs @ 11222-11229'



Bill R. Webb  
 T.O. Ray Pardon  
 From Larry Henry