Submit 3 Copies To Appropriate District Office		New Me		Form C-103
District I 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals	and Natu	ral Resources WELL A	May 27, 2004 PI NO. 30-015-34634
District II	DIVISION -	30-015-34634 te Type of Lease		
District III				
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa F	e, NM 87		ATE X FEE Dil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505				
SUNDRY NOTIC	CES AND REPORTS O		l l	Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOS DIFFERENT RESERVOIR. USE "APPLIC."				da Basin 24 State
PROPOSALS.) 1. Type of Well: Oil Well X	8. Well?	8. Well Number 5		
2. Name of Operator Bass Enterp	9. OGRI	9. OGRID Number		
3. Address of Operator	10 Pool	001801 name or Wildcat		
P. O. Box		Nash Draw (Delaware)/BS (Avalon Sd)		
4. Well Location			'	
Unit Letter H :	feet from the		line and860	feet from the East line
Section 24	Township 2		nge 29E NMPM	County Eddy
	11. Elevation (Show w 3018'	neiner DK,	RKD, RI, GR, elc.)	
Pit or Below-grade Tank Application 🗌 or	Closure			
			ater well Distance from ne	
Pit Liner Thickness: mil	Below-Grade Tank: Vo		bbls; Construction M	
12. Check A	ppropriate Box to Ir	ndicate N	ature of Notice, Report or	Other Data
NOTICE OF IN	ΓΕΝΤΙΟΝ ΤΟ:		SUBSEQUE	NT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WOR				☐ ALTERING CASING ☐
TEMPORARILY ABANDON PULL OR ALTER CASING	CHANGE PLANS MULTIPLE COMPL		COMMENCE DRILLING OPT CASING/CEMENT JOB	NS.□ PANDA □
FOLE ON ALTER CASING	MOLTIFEL COMPL	ш	CASHIO/CEMENT 30B	
OTHER: Drilling Operations	. 1	<u> </u>	OTHER:	
				nent dates, including estimated date re diagram of proposed completion
Spud well on 9/26/06. Drilled 14-3/4" S1 + 1/8 pps D130 (wt 14.8, yld 1.34)				
held ok. Drilled 11" hole to 3240'. Rar	n 76 jts 8-5/8", 32#, J-55	, LTC csg s	et at 3240'. Cemented w/1050	sx 35/65 Poz C + 5% DO44 + 1/4
pps DO28 + 6% DO20 + 0.2% D46 +				
to surface. Drilled 7-7/8" hole to 7230 7242'. Cemented w/ 710 sx Litecrete				
sx Litecrete + 2% D153 + 0.05% D60	4AM + 0.03% M45 + 2 p	ops D24 + 0		
KCL. TOC by temperature survey 31	30'. Rig released on 10/1	10/06.	60	3031-12
			12828	UUT E2006 RECEIVED D - ARTESIA
			23.24.25.26.25.	8 0 K 3/
			★ 25.5	NE SE
			24	A A B C C C C C C C C C C C C C C C C C
			183	RE COO.
I hereby certify that the information a				= . •/
1 d 1 d d d d d d d d d d d d d d d d d	hove is true and comple	ete to the he	est of my knowledge and belief	I further careful that any nit or helow
grade tank has been/will be constructed or o	bove is true and comple	ete to the be	est of my knowledge and bolic], a general permit or an (attack	I further certify that any pit or below-
SIGNATURE MARTINE (losed according to NMOCD	guidelines [est of my knowledge and belie], a general permit or an (attack dministrative Assistant	. I further certify that any pit or below-
Type or print name Annette Childers For State Use Only	losed according to NMOCD	guidelines [], a general permit 🔲 or an (attack	I further certily that any pit or below- Dryligh (10-23-06) DATE 10-23-06
Type or print name Annette Childers For State Use Only	Closed according to NMOCD	guidelines [], a general permit 🗌 or an (बोर्स्कर्ट्स dministrative Assistant	DATE 10-23-06

PRECISION PRESSURE DATA, INC.

TEMPERATURE SURVEY REPORT

Company _	BASS ENTERPRIS	ES	Lease	REMUDA BASIN 24	Well#	ST. 5
Field			County	EDDY	State	NEW MEXICO
Survey Date	10/11/06		Time	13:30	_ Company Rep.	CECIL
		Top of Cem	ent	3180		
		Total Depth		7243		
		Zero @		GL .		
		Plug Down @		10/10/06 @ 16:55		
		Casing Size		5 1/2		
		Hole Size		7 7/8		
		Sacks of Ce	ment	895		
		Ren By		C. HOMER		
		Calculated B	y	D. WEST		

TEMPERATURE SURVEY REPORT

