

S

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT

FORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 20075. Lease Serial No. **LC-028775A**1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Otherb. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____6. If Indian, Allottee or Tribe Name
---7. Unit or CA Agreement Name and No.
NM 71024X2. Name of Operator **COG Operating LLC**8. Lease Name and Well No.
R J Unit #1403. Address **550 W. Texas, Suite 1300, Midland, TX 79701**3a. Phone No. (include area code)
432-685-43409. AFI Well No.
30-015-34977

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface **660' FNL & 2630' FEL, Unit B**

At top prod. interval reported below

At total depth

10. Field and Pool, or Exploratory
Grayburg Jackson SR Q G SA11. Sec., T., R., M., on Block and
Survey or Area **Sec 34, T17S, R29E**12. County or Parish **Eddy** 13. State
NM14. Date Spudded
09/14/200615. Date T.D. Reached
09/23/200616. Date Completed **10/13/2006**
☐ D & A ☒ Ready to Prod.17. Elevations (DF, RKB, RT, GL)*
3522' GL18. Total Depth: MD **3615'**
TVD19. Plug Back T.D.: MD **3 584'**
TVD20. Depth Bridge Plug Set: MD **None**
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

CN / HNGS, Micro CFL / HNGS22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cement Depth	No. of Sks. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17-1/2	13-3/8	48		242		480 sx Cl C		Surface	
12-1/4	8-5/8	24		884		670 sx Cl C		Surface	
7-7/8	5-1/2	17		3604		1050 sx Cl C		Surface	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-3/8	3355	None						

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) San Andres			2868' - 3088.5'	2 SPF	56	Open
B) San Andres			3189' - 3341'	2 SPF	54'	Open
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
2868' - 3088.5'	Acidize w/ 2184 gallons acid
3189' - 3341'	Acidize w/ 2000 gallons acid
	Frac w/ 92,988 gals gel, 8000# LiteProp, & 94,460# 16/30 sand.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
10/13/2006	10/31/2006	24	→	18	36	270	36.2		Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→					Producing	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

*(See instructions and spaces for additional data on page 2)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
Queen	1883				
San Andres	2698				

32. Additional remarks (include plugging procedure):


33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
 ☐ Geologic Report
 ☐ DST Report
 ☐ Directional Survey
 ☐ Sundry Notice for plugging and cement verification
 ☐ Core Analysis
 ☐ Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) **Phyllis A. Edwards**Title **Regulatory Analyst**

Signature


Date **11/20/2006**

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

S

Silver Oak Drilling, LLC

PO Box 1370
Artesia, NM 88211-1370
505/748-1288

RECEIVED
OCD - ARTESIA
OCT 03 2006

October 3, 2006

COG, LLC
Fasken Center, Tower II
550 West Texas Ave, Suite 1300
Midland, TX 79701


RE: RJ Unit #140
660' FNL & 2630' FEL
Sec. 34, T17S, R29E
Eddy County, New Mexico

Dear Sir,

The following is the Deviation Survey for the above captioned well.

<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
242'	1/4°	2018'	1 3/4°
305'	1/4°	2329'	1 3/4°
500'	3/4°	2628'	1 1/2°
685'	3/4°	2969'	1 1/4°
1093'	1/2°	3271'	1°
1414'	3/4°	3600'	1 1/2°
1716'	1°		


Very truly yours,



Eddie C. LaRue
Operations Manager

State of New Mexico }
County of Eddy }

The foregoing was acknowledged before me this 3RD day of October, 2006.


Notary Public