

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease- 4 Copies
Fee Lease- 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-34476	Pool Code 75260	Pool Name Cottonwood Creek; Wolfcamp, West
Property Code 35304	Property Name SAN SABA A 12 FEE	Well Number 1H
OGRID No. 7377	Operator Name EOG RESOURCES	Elevation 3543.7'

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	12	16 SOUTH	24 EAST, N.M.P.M.		760	NORTH	660	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	12	16 SOUTH	24 EAST, N.M.P.M.		895	NORTH	1825	WEST	EDDY

Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.
------------------------	-----------------	--------------------	-----------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Stan Wagner 12/15/06
Signature Date

Stan Wagner
Printed Name

SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual survey made by me or under my supervision and that the same is true and correct to the best of my belief.

15079
DECEMBER 2, 2005
Date of Survey

Signature and Seal of Professional Surveyor

Jerry G. Carl 12/5/05
Certificate Number 15079

WOF 051122WL-d (COO)



Scientific Drilling

E.O.G.


Field: Cottonwood Creek
Site: Eddy County, NM
Well: San Saba A 12 Fee #1
Wellpath: VH - Job #32K1006793
Survey: 10/02/06

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*Chaston*.....Company Representative

Notorized this date 14th of November, 2006.

Deborah Sue Bynum
Notary Signature
County of Midland
State of Texas





Scientific
Drilling

Scientific Drilling International

Survey Report

Company: E.O.G.	Date: 11/06/2006	Time: 19:32:51	Page: 1
Field: Cottonwood Creek	Co-ordinate(NE) Reference:	Site: Eddy County, NM, Grid North	
Site: Eddy County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: San Saba A 12 Fee #1	Section (VS) Reference:	Well (0.00N,0.00E,239.72Azi)	
Wellpath: VH - Job #32K1006793	Survey Calculation Method:	Minimum Curvature	Db: Sybase



Survey: 10/02/06	Start Date: 10/02/2006
Company: KSRG 0'-4016'	
Company: Scientific Drilling Internatio	Engineer: Madrid/Rando
Tool: Keeper;Keeper Surface Readout Gyro	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.31	308.38	100.00	0.10	0.17	-0.21	0.31	0.27	308.38
200.00	0.21	219.84	200.00	0.37	0.20	-0.54	0.37	0.58	289.97
300.00	0.11	212.33	300.00	0.62	-0.02	-0.71	0.10	0.71	268.02
400.00	0.02	111.90	400.00	0.70	-0.11	-0.74	0.12	0.75	261.42
500.00	0.28	188.80	500.00	0.84	-0.36	-0.77	0.27	0.84	244.99
600.00	0.94	220.73	599.99	1.77	-1.22	-1.34	0.72	1.81	227.70
700.00	1.10	235.49	699.98	3.50	-2.38	-2.66	0.31	3.57	228.19
800.00	1.17	249.02	799.96	5.46	-3.29	-4.41	0.28	5.50	233.25
900.00	0.66	269.34	899.94	6.97	-3.66	-5.93	0.60	6.97	238.32
1000.00	0.47	274.28	999.94	7.81	-3.64	-6.92	0.19	7.81	242.26
1100.00	0.45	271.73	1099.94	8.48	-3.60	-7.72	0.03	8.52	245.03
1200.00	0.48	248.71	1199.93	9.23	-3.74	-8.50	0.19	9.29	246.28
1300.00	0.49	251.85	1299.93	10.06	-4.02	-9.30	0.03	10.13	246.62
1400.00	0.57	249.72	1399.92	10.96	-4.33	-10.17	0.08	11.05	246.96
1500.00	0.49	252.35	1499.92	11.87	-4.63	-11.04	0.08	11.97	247.27
1600.00	0.62	252.91	1599.92	12.82	-4.92	-11.97	0.13	12.94	247.67
1700.00	1.02	260.01	1699.91	14.17	-5.23	-13.36	0.41	14.35	248.62
1800.00	1.17	262.75	1799.89	15.94	-5.51	-15.24	0.16	16.21	250.12
1900.00	0.99	254.52	1899.87	17.72	-5.87	-17.09	0.23	18.07	251.04
2000.00	0.50	233.79	1999.86	18.99	-6.36	-18.28	0.55	19.35	250.81
2100.00	0.51	218.32	2099.86	19.84	-6.97	-18.91	0.14	20.15	249.76
2200.00	0.61	228.41	2199.85	20.78	-7.67	-19.58	0.14	21.03	248.60
2300.00	0.75	243.77	2299.85	21.95	-8.31	-20.56	0.23	22.18	247.99
2400.00	0.81	244.83	2399.84	23.30	-8.90	-21.79	0.06	23.54	247.78
2500.00	0.90	246.56	2499.83	24.78	-9.51	-23.15	0.09	25.02	247.66
2600.00	0.97	247.05	2599.81	26.40	-10.16	-24.64	0.07	26.65	247.60
2700.00	0.92	243.05	2699.80	28.04	-10.85	-26.14	0.08	28.30	247.46
2800.00	0.89	244.09	2799.79	29.62	-11.55	-27.55	0.03	29.88	247.25
2900.00	0.93	247.14	2899.77	31.20	-12.21	-29.00	0.06	31.47	247.17
3000.00	0.95	243.80	2999.76	32.83	-12.89	-30.49	0.06	33.10	247.09
3100.00	0.84	248.98	3099.75	34.38	-13.52	-31.92	0.14	34.66	247.05
3200.00	0.59	252.93	3199.74	35.61	-13.93	-33.10	0.25	35.91	247.17
3300.00	0.29	229.16	3299.74	36.36	-14.25	-33.79	0.35	36.67	247.13
3400.00	0.33	110.97	3399.74	36.43	-14.52	-33.71	0.53	36.70	246.69
3500.00	0.63	94.90	3499.73	35.80	-14.67	-32.89	0.32	36.02	245.96
3600.00	0.82	83.07	3599.72	34.70	-14.63	-31.64	0.24	34.86	245.18
3700.00	1.18	85.34	3699.71	33.12	-14.46	-29.91	0.36	33.22	244.19
3800.00	0.97	91.23	3799.69	31.47	-14.40	-28.04	0.23	31.52	242.82
3900.00	0.93	93.00	3899.68	30.07	-14.46	-26.38	0.05	30.08	241.27
4000.00	0.74	84.07	3999.67	28.80	-14.43	-24.92	0.23	28.80	239.92
4016.00	0.97	85.85	4015.67	28.58	-14.41	-24.68	1.44	28.58	239.72



Field: Cottonwood Creek
Site: Eddy County, NM
Well: San Saba A 12 Fee #1
Wellpath: VH - Job #32K1006793
Survey: 10/02/06







Field: Thames Field
Site: San Saba A Fee #1-H
Well: San Saba A Fee #1-H
Wellpath: OH
Survey: Pathfinder MWD Surveys

PATHFINDER

Survey: Pathfinder MWD Surveys (San Saba A Fee #1-H/OH)

No	MD	Inc	Az	TVD	+N/-S	+E/-W	DLeg	TFace	VSec
87	6949.00	90.57	266.36	4595.63	-123.71	-2574.22	2.36	-104.22	2576.17
88	6980.00	90.57	266.36	4595.33	-125.68	-2605.16	0.00	0.00	2607.13
89	7012.00	92.15	267.68	4594.57	-127.34	-2637.10	6.43	39.86	2639.11
90	7043.00	91.54	267.51	4593.57	-128.64	-2668.06	2.04	-164.43	2670.08
91	7073.00	90.66	266.98	4592.99	-130.08	-2698.02	3.42	-148.94	2700.06
92	7104.00	90.31	266.81	4592.73	-131.76	-2728.97	1.26	-154.09	2731.05
93	7170.00	90.31	266.81	4592.37	-135.43	-2794.87	0.00	0.00	2797.00



Geographic Azimuth to Grid North
True North: 0.11°
Magnetic North: 8.74°
Magnetic Field
Strength: 49452nT
Dip Angle: 60.80°
Date: 10/2/2006
Model: IGR2005

SITE DETAILS
San Saba A Fee #1-H
Ground Level: 3544.00
Positional Uncertainty: 0.00
Convergence: -0.11

TARGET DETAILS
Name: PBHL
TVD: 4550.00
+N/-S: -78.30
+E/-W: -3956.70
Shape: Point

WELLPATH DETAILS

OH
Rig: SITE 3544.00ft
Ref. Datum: Origin +N/-S 0.00
V Section Angle: 268.87°
Origin +E/-W 0.00
Starting From TVD 0.00

ANNOTATIONS

No.	TVD	MD	Annotation
1	4015.66	4016.00	Tie-In
2	4111.65	4112.00	KOP @ 4112' MD / 4112' TVD Build 11.58°/100
3	4617.73	4897.88	EOC @ 4898' MD / 4615' TVD
4	4609.27	6450.84	Build 2.99°

Pathfinder Energy

Survey Report

Company: EOG Resources Field: Thames Field Site: San Saba A Fee #1-H Well: San Saba A Fee #1-H Wellpath: OH		Date: 10/23/2006 Time: 11:40:38 Page: 1 Co-ordinate(NE) Reference: Well: San Saba A Fee #1-H, Grid North Vertical (TVD) Reference: SITE 3544.0 Section (VS) Reference: Well (0.00N,0.00E,268.87Azi) Survey Calculation Method: Minimum Curvature Db: Sybase								
Field: Thames Field Eddy, Co. NM USA Map System: US State Plane Coordinate System 1927 Geo Datum: NAD27 (Clarke 1866) Sys Datum: Mean Sea Level		Map Zone: New Mexico, Eastern Zone Coordinate System: Well Centre Geomagnetic Model: igrf2005								
Site: San Saba A Fee #1-H										
Site Position: From: Lease Line Position Uncertainty: 0.00 ft Ground Level: 3544.00 ft		Northing: ft Easting: ft Latitude: Longitude: North Reference: Grid Grid Convergence: -0.11 deg								
Well: San Saba A Fee #1-H		Slot Name:								
Well Position: +N/-S 0.00 ft Northing: 706781.90 ft +E/-W 0.00 ft Easting: 438093.00 ft		Latitude: 32 56 34.277 N Longitude: 104 32 6.463 W								
Position Uncertainty: 0.00 ft										
Wellpath: OH		Drilled From: Surface								
Current Datum: SITE Height: 3544.00 ft		Tie-on Depth: 0.00 ft								
Magnetic Data: 10/3/2006		Above System Datum: Mean Sea Level								
Field Strength: 49452 nT		Declination: 8.63 deg								
Vertical Section: Depth From (TVD)		Mag Dip Angle: 60.80 deg								
ft		ft								
+N/-S		+E/-W								
ft		ft								
Direction		deg								
0.00		0.00								
0.00		0.00								
268.87										
Survey: Pathfinder MWD Surveys		Start Date: 10/11/2006								
Company: Pathfinder Energy		Engineer: Midwellplan								
Tool:		Tied-to: From: Definitive Path								
Survey: Pathfinder MWD Surveys										
MD ft	Incl deg	Azlm deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
4016.00	0.97	85.85	4015.66	-14.42	-24.69	24.97	0.00	0.00	0.00	
4065.00	1.14	84.16	4064.66	-14.34	-23.79	24.07	0.35	0.35	-3.45	
4097.00	1.14	80.47	4096.65	-14.26	-23.16	23.44	0.23	0.00	-11.53	
4128.00	0.97	308.20	4127.65	-14.04	-23.06	23.34	6.23	-0.55	-426.68	
4160.00	4.75	282.18	4159.60	-13.60	-24.57	24.84	12.19	11.81	-81.31	
4192.00	8.79	278.49	4191.37	-12.96	-28.29	28.54	12.69	12.62	-11.53	
4224.00	13.01	276.21	4222.79	-12.20	-34.29	34.52	13.25	13.19	-7.12	
4256.00	17.06	272.95	4253.69	-11.57	-42.56	42.78	12.92	12.66	-10.19	
4287.00	21.02	270.58	4282.99	-11.28	-52.67	52.88	13.01	12.77	-7.65	
4319.00	25.06	269.35	4312.43	-11.30	-65.19	65.40	12.71	12.62	-3.84	
4351.00	28.49	269.53	4340.99	-11.44	-79.60	79.81	10.72	10.72	0.56	
4383.00	32.62	270.32	4368.54	-11.46	-95.86	96.07	12.97	12.91	2.47	
4414.00	36.40	270.93	4394.08	-11.26	-113.42	113.62	12.24	12.19	1.97	
4446.00	40.19	270.85	4419.19	-10.95	-133.25	133.44	11.84	11.84	-0.25	
4478.00	44.05	269.17	4442.93	-10.96	-154.70	154.89	12.57	12.06	-5.25	
4510.00	47.66	267.33	4465.21	-11.67	-177.65	177.84	12.01	11.28	-5.75	
4541.00	51.27	266.54	4485.35	-12.94	-201.17	201.39	11.80	11.65	-2.55	
4573.00	55.05	266.89	4504.54	-14.40	-226.73	226.97	11.84	11.81	1.09	
4605.00	59.18	267.68	4521.91	-15.67	-253.57	253.83	13.07	12.91	2.47	
4649.00	64.37	269.09	4542.71	-16.75	-292.31	292.58	12.13	11.80	3.20	
4680.00	66.83	269.88	4555.52	-17.00	-320.54	320.81	8.27	7.94	2.55	
4711.00	68.32	270.40	4567.34	-16.93	-349.19	349.46	5.05	4.81	1.68	
4742.00	69.91	270.30	4578.39	-16.75	-378.15	378.41	5.14	5.13	-0.32	
4773.00	71.93	270.49	4588.53	-16.55	-407.45	407.70	6.54	6.52	0.61	

Pathfinder Energy

Survey Report

Company: EOG Resources
Field: Thames Field
Site: San Saba A Fee #1-H
Well: San Saba A Fee #1-H
Wellpath: OH

Date: 10/23/2006 **Time:** 11:40:38 **Page:** 2
Co-ordinate(NE) Reference: Well: San Saba A Fee #1-H, Grid North
Vertical (TVD) Reference: SITE 3544.0
Section (VS) Reference: Well (0.00N,0.00E,268.87Azi)
Survey Calculation Method: Minimum Curvature **Db:** Sybase

Survey: Pathfinder MWD Surveys

MD ft	Incl deg	Azlm deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Buidl deg/100ft	Turn deg/100ft	Tool/Comment
4803.00	74.39	270.49	4597.22	-16.31	-436.16	436.39	8.20	8.20	0.00	
4834.00	76.41	271.46	4605.03	-15.80	-466.15	466.37	7.19	6.52	3.13	
4865.00	78.35	271.11	4611.80	-15.12	-496.39	496.59	6.35	6.26	-1.13	
4896.00	80.72	270.23	4617.43	-14.76	-526.87	527.06	8.14	7.65	-2.84	
4927.00	83.01	269.70	4621.82	-14.78	-557.56	557.74	7.58	7.39	-1.71	
4958.00	84.15	269.17	4625.29	-15.09	-588.36	588.54	4.05	3.68	-1.71	
5018.00	86.61	266.89	4630.12	-17.14	-648.12	648.33	5.58	4.10	-3.80	
5050.00	86.35	266.45	4632.08	-19.00	-680.01	680.25	1.59	-0.81	-1.37	
5114.00	88.37	267.07	4635.03	-22.61	-743.83	744.14	3.30	3.16	0.97	
5146.00	88.02	266.54	4636.04	-24.39	-775.77	776.10	1.98	-1.09	-1.66	
5177.00	88.46	266.63	4636.99	-26.24	-806.70	807.06	1.45	1.42	0.29	
5209.00	90.13	266.01	4637.39	-28.29	-838.63	839.02	5.57	5.22	-1.94	
5241.00	91.89	265.66	4636.82	-30.62	-870.54	870.97	5.61	5.50	-1.09	
5273.00	91.54	265.04	4635.86	-33.21	-902.42	902.90	2.22	-1.09	-1.94	
5305.00	90.31	264.78	4635.35	-36.05	-934.29	934.82	3.93	-3.84	-0.81	
5336.00	90.13	265.39	4635.23	-38.70	-965.17	965.75	2.05	-0.58	1.97	
5368.00	90.31	265.04	4635.11	-41.37	-997.06	997.68	1.23	0.56	-1.09	
5400.00	90.22	265.13	4634.96	-44.12	-1028.94	1029.61	0.40	-0.28	0.28	
5432.00	90.13	265.04	4634.86	-46.86	-1060.83	1061.54	0.40	-0.28	-0.28	
5464.00	90.22	265.13	4634.76	-49.60	-1092.71	1093.48	0.40	0.28	0.28	
5495.00	90.13	265.22	4634.67	-52.21	-1123.60	1124.41	0.41	-0.29	0.29	
5527.00	89.69	265.57	4634.72	-54.78	-1155.49	1156.35	1.76	-1.37	1.09	
5559.00	89.25	265.31	4635.01	-57.32	-1187.39	1188.29	1.60	-1.37	-0.81	
5623.00	88.81	265.31	4636.10	-62.55	-1251.17	1252.16	0.69	-0.69	0.00	
5718.00	87.85	265.48	4638.87	-70.18	-1345.82	1346.94	1.03	-1.01	0.18	
5750.00	89.05	265.66	4639.73	-72.65	-1377.71	1378.88	3.79	3.75	0.56	
5782.00	88.37	265.31	4640.45	-75.16	-1409.60	1410.82	2.39	-2.12	-1.09	
5813.00	89.16	265.48	4641.12	-77.65	-1440.50	1441.75	2.61	2.55	0.55	
5875.00	92.86	266.63	4640.03	-81.92	-1502.33	1503.66	6.25	5.97	1.85	
5907.00	93.83	267.07	4638.16	-83.67	-1534.23	1535.58	3.33	3.03	1.37	
5939.00	93.39	266.36	4636.14	-85.50	-1566.11	1567.49	2.61	-1.37	-2.22	
5971.00	93.47	266.27	4634.23	-87.56	-1597.99	1599.41	0.38	0.25	-0.28	
6002.00	93.56	266.54	4632.33	-89.50	-1628.87	1630.32	0.92	0.29	0.87	
6034.00	93.47	266.36	4630.37	-91.47	-1660.74	1662.23	0.63	-0.28	-0.56	
6066.00	93.12	266.71	4628.53	-93.40	-1692.63	1694.15	1.55	-1.09	1.09	
6098.00	92.68	266.98	4626.91	-95.16	-1724.54	1726.09	1.61	-1.37	0.84	
6130.00	92.86	267.15	4625.36	-96.80	-1756.46	1758.04	0.77	0.56	0.53	
6161.00	92.77	266.89	4623.84	-98.41	-1787.39	1788.98	0.89	-0.29	-0.84	
6193.00	93.30	267.24	4622.15	-100.05	-1819.30	1820.92	1.98	1.66	1.09	
6225.00	93.30	266.98	4620.30	-101.66	-1851.20	1852.85	0.81	0.00	-0.81	
6261.00	93.47	267.07	4618.18	-103.52	-1887.09	1888.77	0.53	0.47	0.25	
6292.00	93.65	266.89	4616.25	-105.15	-1917.99	1919.70	0.82	0.58	-0.58	
6324.00	93.12	267.51	4614.36	-106.71	-1949.90	1951.63	2.55	-1.66	1.94	
6355.00	93.39	268.56	4612.60	-107.77	-1980.83	1982.57	3.49	0.87	3.39	
6386.00	92.33	269.00	4611.06	-108.43	-2011.78	2013.53	3.70	-3.42	1.42	
6418.00	91.45	267.86	4610.00	-109.31	-2043.75	2045.51	4.50	-2.75	-3.56	
6449.00	91.10	267.94	4609.31	-110.44	-2074.72	2076.50	1.16	-1.13	0.26	
6480.00	92.77	269.97	4608.27	-111.01	-2105.70	2107.48	8.48	5.39	6.55	
6511.00	92.51	269.97	4606.84	-111.03	-2136.66	2138.44	0.84	-0.84	0.00	
6543.00	92.68	269.97	4605.39	-111.04	-2168.63	2170.40	0.53	0.53	0.00	
6574.00	91.98	269.17	4604.13	-111.27	-2199.60	2201.38	3.43	-2.26	-2.58	
6605.00	91.71	268.73	4603.13	-111.84	-2230.58	2232.36	1.66	-0.87	-1.42	
6636.00	92.51	268.65	4601.99	-112.55	-2261.55	2263.34	2.59	2.58	-0.26	

Pathfinder Energy

Survey Report

Company: EOG Resources
Field: Thames Field
Site: San Saba A Fee #1-H
Well: San Saba A Fee #1-H
Wellpath: OH

Date: 10/23/2006 **Time:** 11:40:38 **Page:** 3
Co-ordinate(NE) Reference: Well: San Saba A Fee #1-H, Grid North
Vertical (TVD) Reference: SITE 3544.0
Section (VS) Reference: Well (0.00N,0.00E,268.87Azi)
Survey Calculation Method: Minimum Curvature **Db:** Sybase

Survey: Pathfinder MWD Surveys

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
6667.00	92.51	268.91	4600.63	-113.21	-2292.52	2294.31	0.84	0.00	0.84	
6699.00	92.42	269.17	4599.25	-113.75	-2324.48	2326.28	0.86	-0.28	0.81	
6730.00	91.28	268.73	4598.25	-114.31	-2355.46	2357.26	3.94	-3.68	-1.42	
6761.00	90.92	268.65	4597.66	-115.02	-2386.45	2388.26	1.19	-1.16	-0.26	
6792.00	90.84	268.30	4597.18	-115.85	-2417.43	2419.25	1.16	-0.26	-1.13	
6824.00	90.66	267.54	4596.76	-117.01	-2449.41	2451.24	2.44	-0.56	-2.37	
6855.00	90.04	266.89	4596.57	-118.51	-2480.37	2482.23	2.90	-2.00	-2.10	
6886.00	90.66	266.80	4596.39	-120.22	-2511.32	2513.21	2.02	2.00	-0.29	
6918.00	90.75	267.07	4595.99	-121.93	-2543.27	2545.19	0.89	0.28	0.84	
6949.00	90.57	266.36	4595.63	-123.71	-2574.22	2576.17	2.36	-0.58	-2.29	
6980.00	90.57	266.36	4595.33	-125.68	-2605.16	2607.13	0.00	0.00	0.00	
7012.00	92.15	267.68	4594.57	-127.34	-2637.10	2639.11	6.43	4.94	4.12	
7043.00	91.54	267.51	4593.57	-128.64	-2668.06	2670.08	2.04	-1.97	-0.55	
7073.00	90.66	266.98	4592.99	-130.08	-2698.02	2700.06	3.42	-2.93	-1.77	
7104.00	90.31	266.81	4592.73	-131.76	-2728.97	2731.05	1.26	-1.13	-0.55	
7170.00	90.31	266.81	4592.37	-135.43	-2794.87	2797.00	0.00	0.00	0.00	