## N.M. Oil Cons. DIV-Dist. 2

1201 M. Grand Avanua

Form 3160-5 (April 2004) DEP. HURI	UNITED STATES ARTMENT OF THE INTE EAU OF LAND MANAGE TICES AND REPORT	ERIORAITESIA, NM EMBIARTESIA, NM ES ON WELLS	88210	• OME	MAPPROVED 3 No. 1004-0135 28 March 31, 2007
EUREAU OF LAND MANAGEMENARIESIA, N.M. 88210  LUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or re enter an  absoluted well. Use Form 3160-3 (APD) for such proposals				NM-36648	
abundoned well.	6.	6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side				7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well Oil Well X Gas	8	Well Name and No			
Cii VVeii X Cas	0.				
2. Name of Operator	С	China Federal #12			
Yates Petroleum Corporation		9. API Well No.			
3a. Address		3b. Phone No. (include area code)		30-005-61659	
105 S. 4th Str., Artesia, NM	505-748-1471	505-748-1471 10. Field and Pool, or Exploratory Area			
4. Location of Well (Footage, Sec., T., R., M.,		Pecos Slope Abo			
4000IENII 8 FOOIENII of Continu		11. County or Parish, State			
1980'FNL & 500'FWL of Section 19-T7S-R23E (Unit E, SWNW)  12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, R				Chaves County, New Mexico	
	TATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, REPO	JRI, OR OIL	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION				
	Acidize	Deepen	Production (Star	t/Resume)	Water Shut-Off
X Notice of Intent	Alter Casing	Fracture Treat	Reclamation		Well Integrity
C. L	Casing Repair	New Construction	Recomplete		Other
Subsequent Report	Change Plans	X Plug and Abandon	Temporarily Aba	andon	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal		
13. Describe Proposed of Completed Operation (cle If the proposal is to deepen directionally or record Attach the Bond under which the work will be following completion of the involved operations. testing has been completed. Final Abandonme determined that the site is ready for final inspect	mplete horizontally, give subsurfi performed or provide the Bond N If the operation results in a mu ent Notices shall be filed only af	ace locations and measured and true volonon file with BLM/BIA. Required subtiple completion or recompletion in a	rertical depths of all pertinubsequent reports shall bunew interval, a Form 3160	ent markers and zone e filed within 30 day 0-4 shall be filed one	PROVED
Yates Petroleum Corporation pl  1. Rig up all safety equipment a				GAF PETROL	RY GOURLEY LEUM ENGINEER
2. Spot a 25 sx Class "C" ceme				Abo. WOC a	and tag plug.
3. Spot a 25 sx Class "C" ceme and tag plug.	nt plug from 1452'-1	1552'. This puts a 100' բ	plug across the	surface casir	ng shoe. WOC
Perforate and spot a 30 sx Clinside and outside the casing		- ·	outs a 100' plug	across the to	op of the Glorieta,
5. Perforate at 60' and circulate			to the surface	inside and or	itside the casing
6 Remove all surface equipmen					

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

14. I hereby certify that the foregoing is true and correct					
Name (Printed/Typed)					
Tina Hiperta		Regulatory Compliance Supervisor			
Signature (Sina Junta)	Date	February 20, 2007			
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
		MACONIC L			

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willbully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction



