Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office Energy, Minerals and Natural Resources May 27, 2004 District I WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 30-015-00646 District II OIL CONSERVATION DIVISION 1301 W. Grand Ave., Artesia, NM 88210 5. Indicate Type of Lease District III 1220 South St. Francis Dr. STATE 🔀 FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 6. State Oil & Gas Lease No. District IV 1220 S. St. Francis Dr., Santa Fe, NM State 13-11538

7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) Month - Year 1. Type of Well: Oil Well Gas Well Other MAR - 1 2007 2. Name of Operator OGRID Number 10701 10. Pool name or Wildcat Address of Operator Empirelytes Seven Kivors 4. Well Location D feet from the North Unit Letter line and feet from the Fast line County Eddy Township /7 Range 27 **NMPM** Section 11. Elevation (Show whether DR, RKB, RT, GR, etc.) Pit or Below-grade Tank Application or Closure Pit type W.O. Depth to Groundwater 24 Distance from nearest fresh water well 1.000 Distance from nearest surface water 1.000 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK ALTERING CASING PLUG AND ABANDON REMEDIAL WORK  $\Box$ **TEMPORARILY ABANDON** CHANGE PLANS COMMENCE DRILLING OPNS. P AND A **PULL OR ALTER CASING MULTIPLE COMPL** CASING/CEMENT JOB Back to Hardred 10a OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. Cleaned existing hale to 515, set coment plug@ 515\$500 Traged Gettom of late Thole @ 510' w/42" 9,5 " casing, Pulled up 2', Pumped 125 sackes comont to surface, Pump Pressure 300 to 100 to bump plug. S.I. 72 hrs. Drilled out plugs to T.D. 540'. Cleaned hole w/Bailer. RIH w/23/8" babing 3/8" Rods to 525' set pump and is pumping as of 2/27/07. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or belowgrade tank has been/will be constructed or closed according to NMOCD guidelines 📳, a general permit 🗌 or an (attached) alternative OCD-approved plan 🔲. Type or print name E-mail address: Telephone No. For State Use Only Accepted for record - NMOCD APPROVED BY: Conditions of Approval (if any):