


District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505



State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-144
March 12, 2004

ing and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: **Marbob Energy Corporation**

Telephone: **505-748-3303**

e-mail address: **land2@marbob.com**

Address: **PO Box 227, Artesia, NM 88211-0227**

1780' FNL & 660' FEL

Facility or well name: **Rwanda Fee #1**

API #: **30-015-34931**

U/L or Qtr/Qtr **SENE** Sec **18** T **24S** R **28E**

County: **Eddy**

Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness **12** mil Clay ☐ Volume _____ bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____

Construction material: _____

Double-walled, with leak detection? Yes ☐ If not, explain why not. _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

50 feet or more, but less than 100 feet

100 feet or more

(20 points)

(10 points)

(0 points)

10 points

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

No

(20 points)

(0 points)

0 points

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

200 feet or more, but less than 1000 feet

1000 feet or more

(20 points)

(10 points)

(0 points)

0 points

Ranking Score (Total Points)

10 points

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date: **February 27, 2007**

Printed Name/Title: **Gerald Herrera**

Signature *G. Herrera*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: **3/17/07**

Printed Name/Title _____

Signature *Jim W. Green*
District II Supervisor

If pit is situated in an agricultural area pit contents MUST be hauled.

Marbob Energy Corporation
Attachment to OCD Form C-144

Pit or Below-Grade Tank Registration or Closure

Pit Closure


Rwanda Fee #1

1780' FNL & 660' FEL

Section 18 T-24S R-28E

Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

Fluids will be disposed at an approved disposal facility.

(3) General description of remedial action:

- a. Mix contents of pit (with material from location for pad reduction) to stiffen.*
- b. Push to one end of pit, use other end for possibly two capsulation pits.*
- c. Line pits with 12 mil plastic.*
- d. Transfer contents into lined pits.*
- e. Cap with 20 mil liner*
- e. Cover with 3' of cover dirt.*
- f. Re-seed to BLM requirements.*

(4) Groundwater encountered:

No

- * Drilled a 65' test hole on the Rwanda Fee Com #1 @ 1780' FNL & 660' FEL, Section 18 T-24S R-28E - No water was encountered.
Notified Tim Gumm of Artesia OCD when test hole was drilled.**

(5) Soil sample:

N/A

March 5, 2007

To Whom It May Concern:

Drilling began on Marbob Energy Corporation well "Rwanda Fee Com #1" on Oct. 20, 2006. An 18" auger was used for drilling to a depth of 65'. No water bearing formation was found.

Toby Boland
Butch's Rathole and Anchor Service
Artesia, NM