
District I \$25 N. Dench Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505



Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Region tration or Closure plan"? Yes 🗌 No 🗶

	ak covered by a "general plan"? Yes No or below-grade tank Closure of a pit or below-gra	
	e-mail address:	
Address: P.D. Box 1799 M. Jand TX	59702	_
Facility or well name: Crow Fints 9 API#:	79702 300/533909 U/L or Qtr/Qtr M	1 Sec 9 Tilos R 286
	Longitude	
Surface Owner: Federal 🗌 State 🔀 Private 🔲 Indian 🗌		
<u>Pit</u>	Below-grade tank	
Type: Drilling X Production Disposal D	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not	t, explain why not.
Liner type: Synthetic Thickness 12 mil Clay		
Pit Volumebbl		·
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	60 feet or more, but less than 100 feet	(10 points)
,	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	6 0	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1600 feet or more	(0 points) Ö
	Ranking Score (Total Points)	
	Ranking Score (10tal rollits)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's		
your are burying in place) onsite 💢 offsite 🗌 If offsite, name of facility_		
remediation start date and end date. (4) Groundwater encountered: No 🔼 Y	es If yes, show depth below ground surface	ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavat		
Additional Comments: Ohi plans to tranch wey to Pit and Bolow-Grade tank Guldelines pit abatents and liner, then cover with	hedrill pits at the Crow Flats	4. As per rule 50 of the
Pit and Below-Grade tank Buldelines	wew. Ill line the ternch w.	thismil liner Andbury
pit aboutents and liner, than accor wit	In zomil plastic, will cap u	simu3 of Native materia
annula of constant and in the	しゃんいとしん いいき いいりのの アルンのっ	U. ALLANCIA LA DINCIA LA
EROSION AND DONDING OF ENINWATER O	oversite. 2"monitorwell	drilled Approx 10'
EROSION and ponding of RAINWATCH of FROM location & Reserve pot 70' deep	o. After 24 hour no water	e encounted.
I hereby certify that the information above is true and complete to the best		
has been/will be constructed or closed according to NMOCD guideline		
7 116 07		
Date: 314-07 Printed Name/Title Brad Lanson / Agent	Signature Peraddaran	
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.		
Approval:	11 1	
Printed Name/Title	Signature Will Branches	Date MAR 2 2 2007

ECO/ENVIRO DRILLING LUC

357 Wilks Road Lovington, NM 88260

invoice

Date	2	invoice#
	٠. ــ	
03/01/2007	į	88

		 	;
Bil	То	 	,
POI	Operating Inc. 30x 1799		:
Mid Atm	land, TX 79702 C Gary Womack		
10			:
! i		 	

		•	
P.O. No.		<u>Terms</u>	Project
<u></u>	<u>-</u>		'
i i		Due on receipt	<u></u>

	Qty	Description	Rate	Amount
(tern	•	3.63 m	9.60	T00.0
crvices		Crow Flats "18" Federal Com. # 1	2,500.00	2,500.00T
vionitor Well 2"	· ·	70' 2-20-07	1.50	225.00T
Mileage Drilling Rig	150		1.00	150.00T
Mileage Support T	150	neu e	0.00	0.00T
Services		Crow Flats "9" State Com. #1	2,500.00	2,500.00T
Monitor Well 2"	•	70' 2-21-4)7	1.50	225.00T
Mileage Drilling Rig	150		1.00	150,00T
Mileage Support T	150		6.00	0.00T
Services		Diamond Vista 10 Federal Com. #1	2,500.00	2,500,00T
Monitor Well 2"	Į.	70' 2-22-07	1.50	225.007
Mileage Drilling Rig	150		1.00	150,007
Mileage Support T	150		6.00	0.007
Services		Beaver Tail	2,500.00	2,500.007
Monitor Well 2"		, 70° 2-23-07		217.50
Mileage Drilling Rig	145		1.50	
Mileage Support T.	145		1.00	145.00
Services		Federal Core. State #2	0.00	0.00
Monitor Well 2"		70' 2-26-07	2,500.00	2,500.00
Mileage Drilling Rig	180	1	1.50	270.00
Mileage Support T	380	1	1.60	180.00
Decon Tools	1	. !	200.00	200.00
	-	Gross Receipts Tax	5 375%	786.77
i !		1		
		•		
			: :	
		1	İ	
			į	
			· · · · · · · · · · · · · · · · · · ·	
	7	10		
11/2	gri a	Kan	Total	\$15,424.2