District I 1625 N. French Dr., Hobbs, NM 88240 District II DistrictIII

1000 Rio Brazos Road, Aztec, NM 87410

DistrictIVI

1000 Rio Brazos Road, Aztec, NM 87410

DistrictIV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submitto appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\sum \) No \(\sum \) Type of action: Registration of a pit or below-grade tank \(\sum \) Closure of a pit or below-gradetank \(\sum \) Operator: DAVID H. ARRINGTON OIL & GAS INC Telephone: (432)682-6685 e-mail address: DEBBIE@ARRINGTONOIL. QM		
Is pit or below-grade tank covered by a "general plan"? Yes \(\text{No} \) Type of action: Registration of a pit or below-grade tank \(\text{Closure of a pit or below-grade tank } \)		
Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank		
DEDDIE ADDINGTONOU COM		
Address: PO BOX 2071 MIDLAND, TX 79702		
Facility or well name: Red Hot #1H API#: 30-005-63915 U/lor Qtr/Qtr A Sec 30 T 15S R 26E		
County: Chaves Latitude 32.9915623 Longitude 104.3717525 NAD: 1927 ▼ 1983 □ Surface Owner Federal □ State □ Private ▼ Indian □		
<u>Pit</u>	Below-gradetank	
Type: Drilling X Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	/ *7) */	
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic \(\) Thickness \(\) mil Clay \(\)	Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Pit Volume 6000 bbl		
Pit volume oddo bol		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
The state of the s	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)	110	(o pomis)
Distanceto surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
· · · · ·	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	20
If this is a pit closure (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🔲 If offsite, name of facility(3) Attach a general description of remedial action taken including		
remediationstart date and end date (4) Groundwater encountered: No 🗌 Yes 📋 If yes, show depth below ground surfaceft. and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
AdditionalComments:		
Drilling Pit.		
Water well 553' from surface location.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has been/will be constructed or closed according to NMOCD guidelines, a general permit or an (attached) alternative OCD-approved plan. Date: 03/06/2007		
Printed Name/Title DEBBIE FREEMAN ENGINEER TECH Signature		
Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Jem W. Drem		
Approval: Printed Name/Tital Life To Specusing attree Date:		
Printed Name/Timed Value To Syphony Signature Date:		