District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144

March 12, 2004


For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)

Type of decion. Registration of a president	cion grade taint ciodate of a pit of ceion gra	
Operator: Pogo Producing Company Telephor	ne: 432-685-8100 e-mail address: wright	c@pogoproducing.com
Address: P O Box 10340 Midland TX 79702-7340		
Facility or well name: Lost Tank 4 Federal (Deep) #20 API	1#:30.015.34918 U/L or Qtr/Qtr H	Sec 4 T 22S R 31E
County: Eddy Latitude 32:25:26.53N Longitude 103:46:31.	- · ·	Owner Federal ⊠ State ☐ Private ☐ Indian ☐
<u>Pit</u>	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Workover ☐ Emergency ☐		
Lined 🛮 Unlined 🗌		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volume		
_ <u>28050</u> bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more X	(0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No X	(0 points) 0
	V 11 200 C 1	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more X	(0 points) 0
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indi	cate disposal location:
onsite 🛛 offsite 🗌 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and		
end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results		
and a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of r		
been/will be constructed or closed according to NMOCD guidelines , a	ny knowledge and belief. I further certify that the general permit □, or an (attached) alternative,	e above-described pit or below-grade tank has DCD5approved plan □.
Date: <u>03/22/07</u>	Cash M	1/1.6-
Printed Name/Title Cathy Wright, Sr. Eng Tech	Signature Why //	Mes
Your certification and NMOCD approval of this application/closure does not rotherwise endanger public health or the environment. Nor does it relieve the cregulations.	elieve the operator of liability should the bontents of operator of its responsibility for compliance with an	of the bitor tank contaminate ground water or yother federal, state, or local laws and/or
Approval: Date: 4/2/67		
Printed Name/Title	Signature 1	4
Printed Name/TitleSignature		
	Natice II S	

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



Lost Tank 4 Fed #20
1330 FALL- 510 FEL
5-4 T-22-5 R-13-E
API-3001534918