District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Minerals and Natural Resources

Conservation Division 20 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

office

## Pit or Below-Grade Tank Registration or Closure

		nk covered by a "general plan"? Yes  or below-grade tank  Closure of a pit or below-	
Address: _P.O. Box 25 Facility or well name: _ County:Eddy	ergy Production Co., L.PTelephone: _505-7-  O Artesia, NM 88210API #: _  Boyds Canyon 14 Fed Com #1API #: _  Latitude	30-015-35290U/L or Qtr/QtrP	Sec14 T _22S R25E
Surface Owner: Federa	al ⊠ State ☐ Private ☐ Indian ☐		•
Workover ☐ E	ic M Thickness _12mil Clay		
Depth to ground water high water elevation of	(vertical distance from bottom of pit to seasonal ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points) XX
-	ea: (Less than 200 feet from a private domestic an 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points) XX
	ter: (horizontal distance to all wetlands, playas, es, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) XX
your are burying in place remediation start date an	(1) Attach a diagram of the facility showing the pit' e) onsite ☑ offsite ☐ If offsite, name of facility_ d end date. (4) Groundwater encountered: No ☑ sults and a diagram of sample locations and excava	. (3) Attach a gener	al description of remedial action taken including
Additional Comments:			
We plan to trench bury the drilling pit at the Boyds Canyon 14 Fed Com #1 as per rule 50 of the Pit and Below-Grade Tank Guidelines, we			
will line the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic, cap with 3' of native material			
capable of supporting native plant growth, contour the pit area to prevent erosion and ponding of rainwater.			
OCD will be notified 48 hours prior to beginning work.			
I hereby certify that the has been/will be const	information above is true and complete to the best cructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify the s , a general permit , or an (attached) alter	at the above-described pit or below-grade tank rnative OCD-approved plan .
Date: 5-7-07	<u>)</u>		·
Printed Name/Title _V	ivian Rodriguez/Field Tech	Signature Uwlan	colland
Your certification and otherwise endanger pul regulations.	NMOCD approval of this application/closure does reblic health or the environment. Nor does it relieve to	not relieve the operator of liability should the conte the operator of its responsibility for compliance with	nts of the pit or tank contaminate ground water or h any other federal, state, or local laws and/or
	—USGS information shows this ar		
Approval: Printed Name/Title	to be water sensitive. Please sub  a plan for this type area or sched  a meeting where other water dat	lule lature DENED	Date: MAY 1 4 2007
	can be reviewed.		É