Submit 3 Copies To Appropriate District Office District I Energy, Minerals and Natural Resources	Form C-103 May 27, 2004
1625 N. French Dr., Hobbs, NM 882	WELL API NO.
District II OII CONSEDVATION DIVIGION.	30-015-20031
District II 1301 W. Grand Ave., Artesia, NM 883 OIL CONSERVATION DIVISION 5 2 District III 1220 South St. Francis Dr	Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505 CD-ARTE	SIA tate Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	-
87505	
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	_
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	Mobil BB
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other	8. Well Number
1. Type of Well: Oil Well Gas Well Other	1
2. Name of Operator	9. OGRID Number
Yates Petroleum Corporation	025575
3. Address of Operator	10. Pool name or Wildcat
105 S. 4 th Street, Artesia, NM 88210	Penasco Draw SA Yeso
4. Well Location	
	650 fact from the Fact line
Unit Letter O: 330 feet from the South line and 1	650 feet from the <u>East</u> line
Section 24 Township 18S Range 25E	NMPM Eddy County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
3452'GR	
Pit or Below-grade Tank Application or Closure	
Pit type Depth to Groundwater Distance from nearest fresh water well Dist	ance from nearest surface water
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK DATERING CASING	
TEMPORARILY ABANDON	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT	JOB
OTHER: OTHER:	<u>D</u> _
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Att	ach wellbore diagram of proposed completion
or recompletion.	
Yates Petroleum Corporation plans to plug and abandon this well as follows:	
1. Discount of the continuous of the second of	
1. Rig up all safety equipment as needed.	
2. Spot a 100' cement plug across the shoe from 1126'-1026' (25 sx). Tag plug.	
3. Perforate squeeze holes at 820'.	
4. Spot a 100' cement plug from 720'-820' (35 sx) in and out of casing. WOC 3 hrs and tag	g plug.
5. Perforate squeeze holes at 100'.	
6. Spot a 100' cement plug from 100' to surface (35 sx) in and out of casing. WOC 3 hrs ar	id tag plug.
7. Cut off wellhead and install dry hole marker and clean up location as per regulated.	
NOTE: V-t D-tl Community will be a tlit and a tit	
NOTE: Yates Petroleum Corporation will use steel pits and no earth pits	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-	
grade tank has been/will be constructed or closed according to NMOCD guidelines 🗆, a general permit 🗋 or an (attached) alternative OCD-approved plan 🗔.	
SIGNATURE TITLE Regulatory Compliance Supervisor DATE June 12, 2007	
The Hard Park III	
Type or print name <u>Tina Huerta</u> E-mail address: <u>tinah@ypcnm.co</u>	
The State Vice Only (1) (1) (2)	m Telephone No. <u>505-748-1471</u>
For State Use Only	
	·
APPROVED BY: Conditions of Approval (if any):	DATE 6/15/07



