

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-015-21667

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Yates Fee DT

8. Well Number

2

9. OGRID Number

025575

10. Pool name or Wildcat

Eagle Creek S. A.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street, Artesia, NM 88210

4. Well Location

Unit Letter E : 1900 feet from the North line and 390 feet from the West line
Section 13 Township 17S Range 25E NMPM Eddy County11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3477'GRPit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDON ☐
CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. TOOH with tubing and lay down TAC, S/N, perf sub, mud joint with bull plug and all but 1162' of tubing.
2. Set a 4-1/2" CIBP at 1320' with 35' cement on top.
3. Spot a 100' cement plug (25 sx) across the shoe from 1140'-1240'. Tag plug.
4. Spot a 100' cement plug (25 sx) across the shoe from 283'-383'. Tag plug.
5. Spot a 100' cement plug (25 sx) from 100' to surface. Tag plug.
6. Cut off wellhead and install marker and clean up location as per regulated.

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE August 10, 2007Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No. 505-748-1471

For State Use Only


APPROVED BY: [Signature] TITLE CUDATE Aug 14, 07

Conditions of Approval (if any):

WELL NAME: Yates Fee DT #2 **FIELD:** Eagle Creek
LOCATION: 1900' FNL & 390' FWL of Section 13-17S-25E Eddy Co., NM
GL: 3,477' **ZERO:** **KB:** 3,490'
SPUD DATE: 10/29/75 **COMPLETION DATE:** 11/15/75
COMMENTS: API No.: 30-015-21667

CASING PROGRAM

10-3/4" 32# J55	333'
7" 20# J55	1190'
5-1/2" 14# J55	0-999'
4-1/2" 9.5# J55	999'-1,494'



Before

TOPS

SA 758'

Not to Scale
 7/31/07
 Moss

PBTD: 1,494'
 TD: 1,508'

WELL NAME: Yates Fee DT #2

FIELD: Eagle Creek

LOCATION: 1900' FNL & 390' FWL of Section 13-17S-25E

Eddy Co., NM


GL: 3,477' ZERO: KB: 3,490'

SPUD DATE: 10/29/75 COMPLETION DATE: 11/15/75

COMMENTS: API No.: 30-015-21667

CASING PROGRAM

10-3/4" 32# J55	333'
7" 20# J55	1190'
5-1/2" 14# J55	0-999'
4-1/2" 9.5# J55	999'-1,494'



After

TOPS

SA 758'

Not to Scale
7/31/07
Moss