



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Lori Wrotenbery

Director

Oil Conservation Division

Field Inspection Program

"Preserving the Integrity of Our Environment"

14-Oct-03

PARRISH, H DWAYNE & RHONDA K

1306 S 9TH ST

ARTESIA, NM 88210-0000

NOTICE OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

TOOMEY ALLEN 004		J-28-18S-28E	30-015-02097-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
10/14/2003	Routine/Periodic	Gerry Guye	Yes	No	10/24/2003	iGEG0328739610
Comments on Inspection:		Stuffing box leaking Rule 13				

TOOMEY ALLEN 007		O-28-18S-28E	30-015-02100-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
10/14/2003	Routine/Periodic	Gerry Guye	Yes	No	10/24/2003	iGEG0328741657
Comments on Inspection:		Stuffing box leaking (Rule 13)				

TOOMEY ALLEN 008		O-28-18S-28E	30-015-06113-00-00			
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
10/14/2003	Routine/Periodic	Gerry Guye	Yes	No	10/31/2003	iGEG0328740553
Comments on Inspection:		Valves missing. Fix ASAP. (Rule 115)				

TOOMEY ALLEN 018

I-28-18S-28E

30-015-24484-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
10/14/2003	Routine/Periodic	Gerry Guye	Yes	No	11/14/2003	iGEG0328741001
Comments on Inspection: No Well Sign (Rule 103)						

TOOMEY ALLEN 019

O-28-18S-28E

30-015-24771-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
10/14/2003	Routine/Periodic	Gerry Guye	Yes	No	11/14/2003	iGEG0328740272
Comments on Inspection: Well sign does not reflect operator (Rule 103)						

TOOMEY ALLEN 020

I-28-18S-28E

30-015-24967-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
10/14/2003	Routine/Periodic	Gerry Guye	Yes	No	11/14/2003	iGEG0328739803
Comments on Inspection: Well sign does not reflect operator (Rule 103)						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,


Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.