OCD.	ARLE BIV
------	----------

Form 3160-5 April 2004)	UNITEDSTATES DEPARTMENT OF THE INTERIOR		OCD METTS	FORMAPPROVED OM B No. 1004-0137 Expires: March 31, 2007
	BUREAU OF LAND MANAGEMENT			5. Lease Serial No
Do not use th	NOTICES AND REPORTS Of is form for proposals to drill or all. Use Form 3160-3 (APD) for some	to re-	enter an	NM-105557 6. If Indian, Allottee or Tribe Name
SUBMIT IN TRI	PLICATE - Other instructions or	n reve	rse side.	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well X Oil Well 2. Name of Operator	GasWell Other	EP 0	7 2007	8. Well Name and No Goodnight "27" Federal #1
Latigo Petroleum, Inc. 3a. Address P.O. Box 10340 Midland	3b. PhoneN	10. (includ 685-82	PTESIA de area code) 229	9 API Well No. 30-015-22157 10. Field and Pool, or Exploratory Area -,
4. Location of Well (Footage, Sec 660' FSL & 1980' FWL, S	e., T., R., M., or Survey Description) Sec 27, T23S, R29E			Laguna Salado; Bone Spring South 11. County or Parish, State Eddy NM
12. CHECK AI	PPROPRIATE BOX(ES)TO INDICATE	NATU	RE OF NOTICE, R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PEOF ACTION	
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Deepen AlterCasing FractureT Casing Repair New Cons Change Plans Plug and A Convert to Injection Plug Back	struction Abandon		Well Integrity X OtherSpecial pandon stipulations for
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Please find the attached following three reports to complete the special stipulations for the completion report.				
Component Analysis Sulfur in Crude Oil ASTM Distillation	Toponia to comple	, (O 1110		ACCEPTED FOR RECORD
				SEP - 4 2007 LES BABYAK PETROLEUM ENGINEER
14 I hereby certify that the fore Name (Printed/Typed)	going is true and correct			Service of the servic
Lisa Hunt		Title	Regulatory Ana	alyst
Signature Lisa	Hunt	Date	08/28/2007	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE				

certify that the applicant holds legal or equitable title to those rights in the subject lease Office which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

(Instructions on page 2)

Approved by _ _ _ _ _ _ _ _ _ _ _ _ _

Conditions of approval, if any, are attached. Approval of this notice does not warrant or

Date



Laboratory Services, Inc.

2609 West Marland Hobbs, New Mexico 88240

Telephone: (505) 397-3713

FOR:

Pogo Producing Company

Attention: Richard Wright

P O. Box 10340

Midland, Texas 79702

SAMPLE:

Meter Run

IDENTIFICATION Goodnight 27 Fed. #1 COMPANY:

Pogo Producing Co.

LEASE:

PLANT:

GAS (XX)

SAMPLE DATA: DATE SAMPLED

PRESSURE - PSIG

SAMPLE TEMP. °F ATMOS. TEMP. °F

8/4/07 10:45 am

ANALYSIS DATE:

8/6/07

90

81

SAMPLED BY: ANALYSIS BY: LIQUID () Will McDaniel

MOLECULAR WT. 21.9644

Vickie Sullivan

REMARKS:

H2S = 0

COMPONENT ANALYSIS

		MOL.	
COMPONENT		PERCENT	GPM
Hydrogen Sulfide	(H2S)	0.000	
Nitrogen	(N2)	2.148	
Carbon Dioxide	(CO2)	2.700	
Methane	(C1)	74.585	
Ethane	(C2)	11.193	2.986
Propane	(C3)	5.950	1.636
I-Butane	(IC4)	0.693	0.226
N-Butane	(NC4)	1.649	0.519
I-Pentane	(IC5)	0.336	0.123
N-Pentane	(NC5)	0.355	0.128
Hexane Plus	(C6+)	0.391	0.170
			
		100.000	5.788

BTU/CU.FT. - DRY 1224 1220 AT 14.650 DRY AT 14.650 WET 1199 AT 14.73 DRY 1227 AT 14.73 WET 1205

SPECIFIC GRAVITY -

CALCULATED **MEASURED**

0.758



Laboratory Services, Inc.

2609 W. Marland Hobbs, New Mexico 88240 Telephone: (505) 397-3713

SULFUR IN CRUDE OIL

Pogo Producing Company Attention: Richard Wright P. O. Box 10340 Midland, Texas 79702

Goodnight 27 Fed. #1

Aug 6, 2007

Total API Specific Sulfur Gravity @ 60° F Gravity @ 60° F

0.0911 wt. % 45.5 0.7994

Thank You,

Vickie Sullivan

L S

Laboratory Services, Inc.

2609 W. Marland Hobbs, New Mexico 88240 Telephone: (505) 397-3713

ASTM DISTILLATION

Pogo Producing Company Attention: Richard Wright

P. O. Box 10340 Midland, Texas 79702

Sample Date: 8/4/07

Sampled By: Will McDaniel

Goodnight 27 Fed. #1

Percent Distilled	<u>Temperature</u>	
IBP	99	
5	138	
10	179	
20	226	
30	278	
40	350	
50	432	
60	510	
70	560	% Recovered = 94.0
80	580	% Residue = 3.0
90	598	% Loss = 3.0
EP	604	

API Gravity @ 60° F = 45.5

Vicki McDaniel