

District I
1525 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505



State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan" Yes No x

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X

Operator: Morexco, Inc. Telephone: 432 684-6381 e-mail address: ann.ritchie@wtor.net
Address: c/o Box 953, Midland, TX 79702
Facility or well name: Goodnight Federal, Well #1 API #: 30 015 35601 U/L or Qtr/Qtr H Sec 30 T24S R28E
County: Eddy Latitude: N32.190 Longitude: W104.120 NAD: 1927 X 1983
Surface Owner: Federal X State Private Indian

OCT 02 2007

R28E OCD-ARTESIA

| Pit | Below-grade tank | |
|--|---|---|
| Type: Drilling X Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined X Unlined <input type="checkbox"/> Liner type: Synthetic X Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume: <u>1400</u> | Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more X | (20 points) (10 points) (0 points) |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No X | (20 points) (0 points) |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more X | (20 points) (10 points) (0 points) |
| Ranking Score (Total Points) | | 0 |

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite X offsite If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No X Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Soil Sample results attached "Log of Exploratory Boring TB-1", located in Unit Letter F, Section 29, T24S, R28E operated by OGX Resources, LLC. Morexco, Inc. plans to trench bury the contents of the pit per OCD Rule 50 guidelines. Log of Boring attached indicates no water Encountered at a depth of 70'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan .

Date: 9-28-07

Printed Name/Title Ann E. Ritchie Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Signature Signed By Mike Demaria Date: OCT 09 2007

OCT 09 2007

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.