Submit 3 Copies To Appropriate District State of New Mexico Form C-103 Office May 27, 2004 Energy, Minerals and Natural Resources District I WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 District II 30-015-35675 OIL CONSERVATION DIVISION 1301 W. Grand Ave., Artesia, NM 88210 5. Indicate Type of Lease District III 1220 South St. Francis Dr. STATE \ FEE 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 6. State Oil & Gas Lease No. District IV 1220 S. St. Francis Dr., Santa Fe, NM V-302 87505 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH State "2" PROPOSALS.) 8. Well Number 1. Type of Well: Oil Well Gas Well Other OCT 25 2007 2. Name of Operator 9. OGRID Number **OCD-ARTESIA** Reef Exploration, L.P. 246083 3. Address of Operator 10. Pool name or Wildcat 1901 N Central Expressway, Suite 300, Richardson, Texas 75080 Livingston Ridge; Delaware, SE 4. Well Location line and 1980 **Unit Letter** : 1980 feet from the North feet from the West line Section Township 23S Range 31E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3421' GR Pit or Below-grade Tank Application 🔲 or Closure 🔲 Reserve Depth to Groundwater 950' Distance from nearest fresh water well_+ 1000'_ Distance from nearest surface water_+ 1000'_ Pit Liner Thickness: 12 mil Below-Grade Tank: Volume 2000 bbls; Construction Material **Lined Clay** 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: ALTERING CASING PERFORM REMEDIAL WORK PLUG AND ABANDON **REMEDIAL WORK** COMMENCE DRILLING OPNS. P AND A **TEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING** MULTIPLE COMPL **CASING/CEMENT JOB** 図 OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 9/19/2007 Set 20" conductor pipe at 40'. 9/25/2007 spud 17 1/2" hole, drill to total depth of 355'. 9/27/2007 Run 17 jts 13 3/8", H-40, 48#/ft STC casing with shoe at 715'. Cement w/ 255 sx Halliburton lite & 300 sx Premium Plus. Circulate 150 sx to pit. Tested casing to 1,000 psi for 30 minutes - held OK. Nipple up & test BOP stack to 1500 low & 3500 high all OK. WOC 19 1/2 hours prior to drilling out.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan .

SIGNATURE XUSUUU W. / V FUNCTION TITLE Regulatory Analyst _____DATE_10/08/2007_

Type or print name Rosalind W. Mercer

E-mail address: Rosalind@reefogc.com Telephone No. 972.437.6792

For State Use Only

FOR RECORDS ONLY

OCT 2 9 2007

Submit 3 Copies To Appropriate District Office	State of New Mexico			Form C-103		
District I	Energy, Mineral	s and Natu	ral Resources	WEST A DING		7, 2004
1625 N. French Dr., Hobbs, NM 88240 District II				WELL API NO 30-015-35675).	
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSER			5. Indicate Ty	ne of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 Sour			STATE		
District IV	Santa I	Fe, NM 87	7505	6. State Oil &	Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505				V-302		
	ICES AND REPORTS (ON WELLS		7. Lease Name	or Unit Agreement N	ame
(DO NOT USE THIS FORM FOR PROPO						
DIFFERENT RESERVOIR. USE "APPLI PROPOSALS.)	CATION FOR PERMIT" (FU	KM C-101) FC	JK SUCH	State "2"		
1. Type of Well: Oil Well Gas Well Other				8. Well Number		
2. Name of Operator				9. OGRID Number		
-	cploration, L.P,). OGRIÐ Nu	246083	
3. Address of Operator				10. Pool name	or Wildcat	
1901 N Centr	ral Expressway, Suite 30	0, Richards	on, Texas 75080	Livingston Ridge; Delaware, SE		
4. Well Location		· · · · · · · · · · · · · · · · · · ·				
Unit Letter F ::	1980feet from the	e North_	line and	1980feet f	rom theWest	_line
Section 2	Township		Range 31E	NMPN	1 Eddy Cou	nty
	11. Elevation (Show v 3421' GR	whether DR,	RKB, RT, GR, etc.)			
Pit or Below-grade Tank Application				F	The second s	3827.
	water_950'Distance from r	nearest fresh v	vater well + 1000' D	istance from neare:	st surface water + 1000'	
Pit Liner Thickness: 12 mil	Below-Grade Tank: Volum		bbls; Constructi		Lined Clay	
12. Check	Appropriate Box to I	ndicate N	ature of Notice,	Report or Oth	er Data	
NOTICE OF IN	NTENTION TO:		SUBS	SEQUENT F	REPORT OF:	
PERFORM REMEDIAL WORK		N 🗆	REMEDIAL WORK		ALTERING CASIN	iG 🔲
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRI	LLING OPNS.	P AND A [
PULL OR ALTER CASING	MULTIPLE COMPL		CASING/CEMENT	JOB 🔀		
OTHER:			OTHER:			
13. Describe proposed or comp	oleted operations. (Clear	ly state all p	pertinent details, and	give pertinent of	lates, including estima	ted date
of starting any proposed w	ork). SEE RULE 1103.	For Multip	le Completions: Att	ach wellbore dia	agram of proposed con	apletion
or recompletion.						
9/27/2007 Drilled out cement & dri	lled 11" hole to 4410'					
10/02/2007 Ran 8 5/8" casing as fol						
1-8 5/8" Saw-tooth shoe		1.50				
1-8 5/8" 32# J-55 STC - 1-8 5/8" Halliburton Floa		43.17				
101-8 5/8" 32#, J-55, ST		1.00 338.45				
1-8 5/8" 32# J-55 STC C		5.38				
KB to cut off	01-30111 (30.00)	18.50				
	Total Run 4	389.50				
G (4400 TY 117					0	* 00 •
Cement w/1100 sx Hallit					up & test BOP stack -	SUU psi
low & 1500 psi high – al WOC 22 hours prior to d		o psi for 30	mnutes – neta OK.			
OC 22 nouis prior to u	IIII Out.					
I hereby certify that the information	above is true and compl	lete to the be	est of my knowledge	and belief. I fu	rther certify that any pit o	r below-
grade tank has been/will be constructed or	closed according to NMOC	D guidelines [」, a general permit ∐	or an (attached) alt	ernative OCD-approved p	aan ∐.
SIGNATURE ASALINA	W. Wyereer	_TITLE	Regulatory Analyst		DATE10/24/20	07_
Type or print name Rosalind W. M	lercer	E-mail ad	dress: Rosalind@re	efogc.com Tele	phone No. 972.437.67	192
For State Use Only			<u> </u>	-		

FOR RECORDS ONLY

APPROVED BY:	TITLE		DATE			
Conditions of Approval (if any):					And desired and the second and the s	
Submit 3 Copies To Appropriate District	Stata	f Now Me	viao		Form C-103	
Office	State of New Mexico Energy, Minerals and Natural Resources				May 27, 2004	
District I 1625 N. French Dr., Hobbs, NM 88240	Effergy, witheran	s and Ivaid	nai Resources	WELL API NO.		
District II	OIL CONSER	VATION	DIVISION	30-015-35675	www	
1301 W. Grand Ave., Artesia, NM 88210 District III		1220 South St. Francis Dr.		5. Indicate Type of Lease STATE FEE		
1000 Rio Brazos Rd., Aztec, NM 87410		Santa Fe, NM 87505		6. State Oil & Gas Lease No.		
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	~	,		V-302	as Lease 140.	
	TICES AND REPORTS (7. Lease Name	or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other			G. 4 (C)			
			ok soen	State "2" 8. Well Number		
			8. Well Number			
2. Name of Operator				9. OGRID Number		
Reef Exploration, L.P,				246083		
3. Address of Operator				10. Pool name of		
1901 N Cen	tral Expressway, Suite 30	0, Richards	on, Texas 75080	Livingston Ridg	e; Delaware, SE	
4. Well Location						
Unit LetterF			line and		om theWestline	
Section 2	Township		Range 31E	NMPM	Eddy County	
	11. Elevation (Show v 3421' GR	vhether DR	, RKB, RT, GR, etc.,)		
Pit or Below-grade Tank Application	or Closure 🗌					
Pit typeReserve _Depth to Groun	dwater_950'Distance from a	nearest fresh	water well_ + 1000' I	Distance from nearest	surface water_+ 1000'	
Pit Liner Thickness: 12 mil	Below-Grade Tank: Volu	me 2000	bbls; Construct	tion Material Li	ned Clay	
12. Check	Appropriate Box to I	ndicate N	lature of Notice,	Report or Othe	r Data	
NOTICE OF	NETENTION		l our		TROPT OF	
NOTICE OF I PERFORM REMEDIAL WORK	NTENTION TO: PLUG AND ABANDO	N 🗆	REMEDIAL WOR	SEQUENT RE	ALTERING CASING	
TEMPORARILY ABANDON	_		COMMENCE DR		P AND A	
	MULTIPLE COMPL	ä	CASING/CEMEN			
				77		
OTHER:			OTHER:		<u> </u>	
13. Describe proposed or con					ites, including estimated dat gram of proposed completion	
or recompletion.	work). SEE ROLE 1105.	roi munip	de Completions. At	nach wendore diag	gain of proposed completion	
10/03/07 Drilled 7 7/8" hole to 85	15'.					
10/07/07 Ran open hole logs - Ha						
10/10/07 Ran 5 1/2" casing as foll		1 77 7				
1-5 1/2" Guide shoe 8' 1-5 1/2" 17#, L-80, LT		1.75 45.79				
1-5 1/2" Float collar	e C casing.	1.25				
9-5 1/2" 17#, L-80, LT	&C casing	407.69				
1-5 1/2" Marker Joint		22.27				
11-5 ½" 17#, L-80, LT		502.10				
1-5 ½" Marker Joint	ued on next page	21.95				
I hereby certify that the informatic grade tank has been/will be constructed	on above is true and compl					
hand.	I I I I I					
SIGNATURE A SULLIN	•				DATE10/24/2007	
Type or print name Rosalind W. For State Use Only			Idress: Rosalind@re	eefogc.com Telep	hone No. 972.437.6792	
F(or records on	LY			O O OOD	
APPROVED BY:		_TITLE			DATECT 2 9 2007	
Conditions of Approval (if any):						

Submit 3 Copies To Appropriate District Office		of New Mo		Form C-		
District I	Energy, Minera	ils and Nati	ıral Resources	WELL ABINO	Ma	y 27, 2004
1625 N. French Dr., Hobbs, NM 88240 District II				WELL API NO. 30-015-35675		
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION			5. Indicate Type	of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.			STATE	FEE [J
District IV	Santa	Fe, NM 8'	7505	6. State Oil & G	as Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505				V-302		
Partition and the same of the		EEPEN OR PL	UG BACK TO A	7. Lease Name of State "2"	or Unit Agreemen	t Name
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other			8. Well Number	NATE		
2. Name of Operator	loration, L.P,			9. OGRID Numl	ber 246083	
3. Address of Operator	ioration, E.T.,			10. Pool name o		
•	Expressway, Suite 30	00, Richards	on, Texas 75080	Livingston Ridge		
4. Well Location				I		
Unit LetterF:_	1980 feet from th	ne North	line and	1980 feet fro	om the West	line
Section 2	Township	23S	Range 31E	NMPM	Eddy C	County
	11. Elevation (Show	whether DR	RKB, RT, GR, etc.,	, if ,		Till a
	3421' GR		· · · · · · · · · · · · · · · · · · ·	1		Reference of the second
Pit or Below-grade Tank Application or						
Pit typeReserve _Depth to Groundwa	iter_950'Distance from			istance from nearest s	surface water_+ 1000	"
Pit Liner Thickness: 12 mil	Below-Grade Tank: Volu	ime 2000	bbls; Constructi	on Material Li	ned Clay	
12. Check A	ppropriate Box to	Indicate N	ature of Notice,	Report or Other	: Data	
NOTICE OF INT			4	SEQUENT RE		
PERFORM REMEDIAL WORK	PLUG AND ABANDO		REMEDIAL WOR		ALTERING CAS	President
TEMPORARILY ABANDON PULL OR ALTER CASING	CHANGE PLANS MULTIPLE COMPL		COMMENCE DRI		P AND A	Ц
PULL OR ALTER CASING	MULTIPLE COMPL		CASING/CEMENT	JOB 🗵		
OTHER:			OTHER:			
13. Describe proposed or comple						
of starting any proposed wor or recompletion.	k). SEE RULE 1103.	For Multip	le Completions: At	ach wellbore diagi	ram of proposed c	ompletio
26-5 1/2" 17#, L-80, LT&	C casing	1177.15				
1-5 1/2" DV Tool		3.00				
8-5 1/2" 17#, L-80, LT& C	casing	365.43				
1-5 ½" Marker Joint 132-5 ½"17#, L-80, LT&C	casino '	22.25 8 98.8 5				
1-5 ½" Cut joint	ousnig	19.00				
Total Ru	ın {	3496.48				
Stage #1-Cement w/400sx Stage		Dropped bo	mb to open DV too	. Circulate for 3 1	/2 hours. Estimate	ed TOC
Stage #2-Pump 44 bbls preflication Closed DV tool. Tested case			terfill & 400sx POZ	50/50- full returns	during entire ops	5.
I hereby certify that the information algrade tank has been/will be constructed or constructed o	losed according to NMOC	D guidelines [], a general permit [or an (attached) altern	native OCD-approve	d plan □.
SIGNATURE Adding	W. Merce	<u>C</u> title	Regulatory Analyst		_DATE10/24/2	2007
Type or print name Rosalind W. Mer For State Use Only	rcer	E-mail ad	dress: Rosalind@re	efogc.com Teleph	ione No. 972,437.	.6792
For State Use Only FOR REC	CORDS ONLY				AAT A A	<u>ን</u> በሮቻ
APPROVED BY:		_TITLE			DATE 2 9	<u></u>
Conditions of Approval (if any):					15	