6District_I 1625 N French Dr , Hobbs, NM 88240 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

Santa Fe, NM 87505

OCD-ARTESIA

OCT 26 2007

Form C-144 June 1, 2004

For drilling and production facilities, submit to

appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

1220 South St. Francis Dr.

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)		
OperatorDevon Energy Production Co , L.PTelephone: _505-74 Address: _P O Box 250 Artesia, NM 88210 Facility or well name _Todd 27 C #3API #30-015-35516 County _EddyLatitude Surface Owner: Federal \(\subseteq \text{ State } \subseteq \text{ Private } \subseteq \text{ Indian } \subseteq \]	48-0173e-mail address:vıvıan rodrıguez@dvn.co	om 23SR31E
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type Synthetic Thickness_12_mil Clay Pit Volumebbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) 0 (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No very if yes, show depth below ground surface ft. and attach sample results. So Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: We plan to trench bury the drilling pit at the Todd 27 C Federal #3 As per rule 50 of the Pit and Below-Grade Tank Guidelines, we will line the trench with 12 mil liner and bury pit contents and liner then cover with 20 mil plastic. We will cap with 3' of native material capable of supporting native plant growth. We will contour the pit area to prevent erosion and ponding of rainwater over the site		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date _10/24/07 Printed Name/Title Vivian Rodriguez/Tech Signature		

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

regulations

Signature If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.

otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

Pit contents are to be stiffened with dry material PRIOR to emplacement in burial trench.

Signed By Mily