District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Final Report

Form C-144 June 1, 2004

Type of action. Registration of a pit o	or below-grade tank U Closure of a pit or below-grade	ie tank 🔼
Operator: <u>EOG Resources, Inc.</u> Telephone:	432-6863600 e-mail address: Bgrigr	y@msn.com
Address: P O Box 2267 Midland, TX 79702		
Facility or well name: Gila C 2 Fee Com #1H API #:	30-015-35567 U/L or Qtr/Qtr I	Sec 2 T 16S R 24E
County: Eddy Latitude	Longitude	NAD: 1927 🗌 1983 🗌
Surface Owner: Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🛭 Unlined 🗍	Double-walled, with leak detection? Yes If not	, explain why not.
Liner type: Synthetic 🖾 Thickness 12 mil Clay 🗌		
Pit Volume 10300 bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) XXX
high water elevation of ground water.)	100 feet or more	(0 points)
	Too rote of more	(o pomily
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points) XXX
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
	Less than 200 feet	(20 points)
istance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
rigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) XXX
	Ranking Score (Total Points)	30 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite ☑ offsite ☐ If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No ☑ (5) Attach soil sample results and a diagram of sample locations and excava Additional Comments: A burial pit was constructed and lined with a 12mi Product at a 20 (mud) to 1 (product) ratio to solidify the contents then place Standards. The burial pit was capped with a 20 mil impervious liner and the standards of the solidity that the solidity is a standard of the solidity that the solidity the contents then place of the solidity that the solidity the solidity that the solidity the solidity that the	Yes I f yes, show depth below ground surfacetions. I impervious liner. The drilling pit contents were mixed bed in the burial pit. After all mud was removed the bed.	ft. and attach sample results. d with Elke Environmental Solidification of the sample results.
I hereby certify that the information above is true and complete to the best	of my knowledge and belief. I further certify that t	he above-described pit or below-grade tank
Date: Date: Det Det Description and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve to gulations.	Signature Signature Signa	of the pit or tank contaminate ground water or
Approval: Printed Name/Title	Signature Signed By Mile Bener	men Dal 10V 2 1 2007

Closure Report

OCT 3 1 2007 **OCD-ARTESIA**

Prepared for **EOG** Resources

Gila C2 Fee #1H API # 30-015-35567 **Eddy County, NM**

Prepared by

Elke Environmental, Inc.
P.O. Box 14167 Odessa, TX 79768

Phone (432) 366-0043 Fax (432) 366-0884

Elke Environmental, Inc.

P.O. Box 14167 Odessa, TX 79768 Phone (432) 366-0043 Fax (432) 366-0884

October 12, 2007

New Mexico Oil Conservation Division Mr. Mike Bratcher 1301 West Grand Ave. Artesia, New Mexico 88210

Re: Drilling Pit Closure of EOG Resources – Gila C2 Fee #1H UL '1' Sec. 2 T16S R24E Eddy County, NM

API # 30-015-35567


Mr. Mike Bratcher,

Elke Environmental was contracted by EOG Resources to complete the closure of the Gila C2 Fee #1H drilling pit. As per the C-144 filed and signed by Mike Bratcher on 8-23-07 a burial pit was constructed and lined with 12 mil liner. The drilling mud was mixed with Elke Environmental Solidification Product at a 20(mud): 1(product) ratio and placed in the burial pit. The burial pit was capped with a 20 mil impervious liner then backfilled with clean native soil. 5 bottom points were analyzed and all points met NMOCD standards. The drilling pit was then backfilled with clean native soil and contoured to the surrounding area. If you have any questions about the enclosed report please contact me at the office.

Sincerely,

Logan Anderson

EOG Resources



Elke Environmental, Inc. P.O. Box 14167 Odessa, TX 79768

Field Analytical Report Form

ient_EOG Reso	ources			Analyst	Kim Baker	
te Gila C2 Fee	#1H					
Sample ID	Date	Depth	TPH / PPM	Cl / PPM	PID / PPM	GPS
TP1	10-4-07	10'		154	9.9	32° 57′ 06.1" N 104° 33′ 11.6" W
TP2	10-4-07	10'		152	4.7	32° 57' 06.2" N 104° 33' 12.3" W
TP3	10-4-07	10'		158	1.9	32° 57' 07.4" N 104° 33' 11.6" W
TP4	10-4-07	10'		131	8.1	32° 57' 07.2" N 104° 33' 12.5" W
TP5	10-4-07	10'		110	7.5	32° 57' 06.9" N 104° 33' 12.5" W

Analyst Notes


EOG Resources - Gila C2 Fee #1H



Drilling pit before closure.




Drilling pit before closure.






Burial pit lined with a 12 mil impervious liner.



Dozer backfilling soil after bottom test met NMOCD standards.



Drilling pit and burial pit after backfill and contouring.

Drilling pit and burial pit after backfill of site.


Analytical Report 290883

for

Elke Environmental, Inc.

Project Manager: Kim Baker
EOG Resources

11-OCT-07



12600 West I-20 East Odessa, Texas 79765

A Xenco Laboratories Company

Texas certification numbers: Houston, TX T104704215

Florida certification numbers: Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America Midland - Corpus Christi - Atlanta



11-OCT-07

Project Manager: Kim Baker Elke Environmental, Inc. 4817 Andrews Hwy P.O. Box 14167 Odessa, tx 79768 Odessa, TX 79762

Reference: XENCO Report No: 290883

EOG Resources

Project Address: Gila C2 Fee Com # 1 H

Kim Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 290883. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 290883 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully

Brent Barron

Odessa Laboratory Director

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America



Sample Cross Reference 290883

Elke Environmental, Inc., Odessa, TX

EOG Resources

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
TP1@10'	S	Oct-04-07 08:00		290883-001
TP2@10'	S	Oct-04-07 08:30		290883-002
TP3@10'	S	Oct-04-07 09:00		290883-003
TP4@10'	S	Oct-04-07 09:30		290883-004
TP5@10'	S	Oct-04-07 10:00		290883-005



Certificate of Analysis Summary 290883

Elke Environmental, Inc., Odessa, TX

Project Id:

Contact: Kim Baker

Project Location: Gila C2 Fee Com # 1 H

Project Name: EOG Resources

Date Received in Lab: Mon Oct-08-07 08:15 am

Report Date: 11-OCT-07

Project Manager: Brent Barron, II

										Dient Duiten,		
	Lab Id:	290883-0	001	290883-0	02	290883-0	003	290883-0	004	290883-6	005	
Analysis Requested	Field Id:	TP1@1	0'	TP2@1	0'	TP3@1	0'	TP4@1	.01	TP5@1	0'	
Analysis Requesieu	Depth:											
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		
	Sampled:	Oct-04-07 (08:00	Oct-04-07 (98:30	Oct-04-07 (9:00	Oct-04-07	09:30	Oct-04-07	10:00	
Percent Moisture	Extracted:											
1	Analyzed:	Oct-08-07	11:00	Oct-08-07 1	11:00	Oct-08-07 1	11:00	Oct-08-07	11:00	Oct-08-07	11:00	
	Units/RL:	%	RL	%	RL	%	RL	%	RL	%	RL	
Percent Moisture		1.13	1.00	6.83	1.00	9.52	1.00	6.28	1.00	3.12	1.00	
TPH by SW8015 Mod	Extracted:	Oct-08-07	12:04	Oct-08-07 1	2:05	Oct-08-07 1	2:06	Oct-08-07	12:07	Oct-08-07	12:08	}
1111 by 5 (10015 1/100	Analyzed:	Oct-08-07	17:57	Oct-08-07 1	8:22	Oct-08-07 1	8:47	Oct-08-07	19:12	Oct-08-07	19:37	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
C6-C12 Gasoline Range Hydrocarbons		ND	10.1	ND	10.7	ND	11.1	ND	10.7	ND	10.3	
C12-C28 Diesel Range Hydrocarbons		ND	10.1	ND	10.7	ND	11.1	ND	10.7	ND	10.3	
C28-C35 Oil Range Hydrocarbons		ND	10.1	ND	10.7	ND	11.1	ND	10.7	ND	10.3	
Total TPH		ND		ND		ND		ND		ND		
Total Chloride by EPA 325.3	Extracted:											
Dy Exit Salis	Analyzed:	Oct-11-07	5:31	Oct-11-07 1	5:31	Oct-11-07 1	5:31	Oct-11-07	15:31	Oct-11-07	15:31	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	
Chloride		140	5.06	183	5.37	118	5.53	90.8	5.34	65.9	5.16	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is inmited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

Odessa Laboratory Director

XENCO Laboratories

Flagging Criteria

- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the MQL and above the SQL.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte.

 The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K Sample analyzed outside of recommended hold time.
- * Outside XENCO'S scope of NELAC Accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994. Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

Phone Fax (281) 589-0692 11381 Meadowglen Lane Suite L Houston, Tx 77082-2647 (281) 589-0695 9701 Harry Hines Blvd, Dallas, TX 75220 (214) 902 0300 (214) 351-9139 5332 Blackberry Drive, Suite 104, San Antonio, TX 78238 (210) 509-3334 (201) 509-3335 2505 N. Falkenburg Rd., Tampa, FL 33619 (813) 620-2000 (813) 620-2033 5757 NW 158th St, Miami Lakes, FL 33014 (305) 823-8500 (305) 823-8555



Form 2 - Surrogate Recoveries

Project Name: EOG Resources

Work Order #: 290883

Project ID:

Lab Batch #: 705968

Sample: 290883-001 / SMP

Matrix: Soil Batch:

Units: mg/kg TPH by SW8015 Mod Analytes	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[D]				
1-Chlorooctadecane	42.0	50.0	84	70-135			
1-Chlorooctane	41.2	50.0	82	70-135			

Lab Batch #: 705968

Sample: 290883-002 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg TPH by SW8015 Mod Analytes Chlorooctadecane	SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
Analytes			[D]			
1-Chlorooctadecane	40.6	50.0	81	70-135		
1-Chlorooctane	43.3	50.0	87	70-135		

Lab Batch #: 705968

Sample: 290883-003 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SU	RROGATE R	ECOVERY	STUDY	
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes			ļ <u> </u>		
1-Chlorooctadecane	40.1	50.0	80	70-135	
1-Chlorooctane	42.5	50.0	85	70-135	

Lab Batch #: 705968

Sample: 290883-004 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SU	SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[D]				
1-Chlorooctadecane	39.8	50.0	80	70-135			
1-Chlorooctane	42.2	50.0	84	70-135			

Lab Batch #: 705968

Sample: 290883-005 / SMP

Batch: 1

Matrix: Soil

Units: mg/kg	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooctadecane	39.8	50.0	80	70-135			
1-Chlorooctane	41.2	50.0	82	70-135			

^{**} Surrogates outside limits; data and surrogates confirmed by reanalysis

Surrogate Recovery [D] = 100 * A / BAll results are based on MDL and validated for QC purposes.

^{***} Poor recoveries due to dilution



Form 2 - Surrogate Recoveries

Project Name: EOG Resources

Work Order #: 290883

Project ID:

Lab Batch #: 705968

Sample: 290896-002 S/MS

Batch: 1 N

Matrix: Soil

Units: mg/kg TPH by SW8015 Mod Analytes Thorocotadecane	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[D]				
1-Chlorooctadecane	41.4	50.0	83	70-135			
1-Chlorooctane	50.3	50.0	101	70-135			

Lab Batch #: 705968

Sample: 290896-002 SD / MSD

Batch: 1

Matrix: Soil

	SU	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
Analytes			[D]					
1-Chlorooctadecane	44.0	50.0	88	70-135				
1-Chlorooctane	53.2	50.0	106	70-135				

Lab Batch #: 705968

Sample: 500215-1-BKS/BKS

Batch:

Matrix: Solid

Units: mg/kg	SURROGATE RECOVERY STUDY						
TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1-Chlorooctadecane	42.8	50.0	86	70-135			
1-Chlorooctane	54.1	50.0	108	70-135			

Lab Batch #: 705968

Sample: 500215-1-BLK / BLK

Batch: 1

Matrix: Solid

Units: mg/kg	SU	SURROGATE RECOVERY STUDY										
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags							
Analytes			[D]	1								
1-Chlorooctadecane	45.2	50.0	90	70-135								
1-Chlorooctane	46.1	50.0	92	70-135								

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.

^{**} Surrogates outside limits; data and surrogates confirmed by reanalysis

^{***} Poor recoveries due to dilution



Blank Spike Recovery

Project Name: EOG Resources

Work Order #: 290883

Project ID:

Lab Batch #: 705968

Sample: 500215-1-BKS

Matrix: Solid

Date Analyzed: 10/08/2007

Date Prepared: 10/08/2007

Analyst: SHE

Reporting Units: mg/kg

Ratch #-

1 BLANK/BLANK SPIKE RECOVERY STUDY

reporting circus mg/kg	DEATH	DEATH DEATH STIRE RECOVERT STUDY											
TPH by SW8015 Mod	Blank Result	Spike Added	Blank Spike	Blank Spike %R	Control Limits	Flags							
Analytes	[A]	[B]	Result [C]	[D]	%R								
C6-C12 Gasoline Range Hydrocarbons	ND	500	603	121	70-135								
C12-C28 Diesel Range Hydrocarbons	ND	500	624	125	70-135	,							

Lab Batch #: 706192

Sample: 706192-1-BKS

Matrix: Solid

Date Analyzed: 10/11/2007

Date Prepared: 10/11/2007

Analyst: LATCOR

Reporting Units: mg/kg

Ratch #•

BLANK/BLANK SPIKE RECOVERY STUDY

Reporting omes. mg/kg	BLANK SPIKE RECOVERY ST							
Total Chloride by EPA 325.3	Blank Result	Spike Added	Blank Spike	Blank Spike	Control Limits	Flags		
Analytes	[A]	[B]	Result [C]	%R [D]	%R			
Chloride	95.7	100	95.7	96	75-125			



Form 3 - MS / MSD Recoveries

Project Name: EOG Resources

Work Order #: 290883

Project ID:

Lab Batch ID: 705968

QC-Sample ID: 290896-002 S

Batch #:

Matrix: Soil

Date Analyzed: 10/08/2007

Date Prepared: 10/08/2007

Analyst: SHE

Reporting Units: mg/kg

Reporting Units: mg/kg		M	IATRIX SPIK	E / MAT	RIX SPI	KE DUPLICA'	TE REC	OVERY S	STUDY		
TPH by SW8015 Mod	Parent Sample	Sample Spike Result		Sample	Spike	Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag
Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
C6-C12 Gasoline Range Hydrocarbons	58.8	545	573	94	545	582	96	2	70-135	35	
C12-C28 Diesel Range Hydrocarbons	444	545	916	87	545	983	99	13	70-135	35	

Lab Batch ID: 706192

QC-Sample ID: 291095-001 S

Batch #:

Matrix: Soil

Date Analyzed: 10/11/2007

Date Prepared: 10/11/2007

Analyst: LATCOR

Reporting Units: mg/kg		MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY													
Total Chloride by EPA 325.3	Parent Sample	Spike	Spiked Sample Result	Sample	Spike	Duplicate Spiked Sample	Spiked Dup.	RPD	Control Limits	Control Limits	Flag				
Analytes	Result [A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD					
Chloride	63.8	1000	1020	96	1000	1060	100	4	75-125	30					

Environmental Lab of Texas I, Ltd.

12600 West I-20 East Odessa, Texas 79763 Phone: 915-563-1800 Fax: 915-563-1713

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

																			_						
Project N	Manager: Kim Bake	er											Pre	oject	Nam	Ð:	E^{ξ})6	R	03	يبوي	<u>~</u>	es 1011		
Compar	ny Name <u>Elke Envi</u>	ronmental, inc	D											Pre	oject :	#:							,		
Company A	Address: P. O. Box	14167											F	roje	ct Lo	6; <u>G</u>	·TL	A	<u>e</u> 2	F	EE	= 0	1011	#	4
Cny/S	tate/zip: Odessa,	Tx 79768																							
Teleph	none No: <u>432-366-</u>	0043		Fax No	: 432	2-3	66-0	384																	
	gnature: 기트		~							<i>y.</i> 20															
		145															T 7	An	alyze	For	1			7	
lab use only)	10883	7			loss											TCLP: OTAL		1	1	_	11				
ORDER#:	10803	<u> </u>			7 3	F	Pro	serva	tive	_	-	Matri:	x	tane			85]				ET.	_
			Date Sampled	Time Sampled	No of Containers 4c2		HCI			ped#y)			ecify)	8015M Y005 10	Cations (Ca. Mg. Na. K)	SAR /F'SP / CEC	Metals As Ag Ba Cd Cr Pb Hg Se		Sernivolaties BTEX 80218/5030					RUSH TAT (Pre-Schedule	фтат
		2005	Cate S.	Time S	No of C	lce 1	NO.		054	orne Other (S)	Water	Soil	Other (specify)	1PH: 418.	ations (C	AR / FS	etals As	Voleties	Semivolables STEX 8021B/	ij	NORM	TDS/ 18S		USH T	X Standard TAT
01	TP10101	LD CODE	10-4-07	8.00	1	X	+ +	-	+	- 10		X		Ž	S A	8	3	اِ ڏ	<u>δ (c</u>	+ -	Ž	旪	++	Tr.	Ÿ
υz	192010		/ /	8.33	ſ	7	-	H	+	+		7	+-	/	-17	1		+	+	+	\Box	+	 	† †	
03	T/30010	· · · · · · · · · · · · · · · · · · ·		9:00			-	† †	+	+	H	- \	1		-15	+-		+	+	+	$\vdash \uparrow$	+	11		H
04	TP4010			9:30	1	K)		1	+	+		- {		H	+	-		十	+	+		+		1 1	Ħ
05	115010		- } -	10:00				1 +	_			1	+)	-	+		+	+	+	十	+		1	H
					-				+	+		+*	\Box	4	-+	1	-	\top	+	+		+	11	† †	4
				 			+	11	\dagger			+	Н		+	$\dagger \dagger$	-	-	+	+-	\sqcap	+	+	11	1
									\top	+		\top	T		1	1	1	\top	1	1	\sqcap	+	11		\neg
						\Box	1	11	十	+	\Box	+		-	-	1-1	-	十	+	+		+	† †	†	7
						_			\top		\vdash	\uparrow		_	1	1-1	十	\top	+	+		1	11	1	
pecial Instructions:	lons:			<u> </u>	<u> </u>	1		<u>ll</u> .		<u></u>			اا		Te	mper	ature	Upo	irs Int	ceipt		(D)		<u> </u>	
elinatished by			Time Received by							1	Date	?	-	lime	7		-						.0 (
- e- l	rie_	10-8-57 8														40.	<u>د</u> ۾	ادنا	5 W	1101	11°E	عنز	700	trus	5
al nauished by:			Time Received by EL								Date		1	me			,	•							
			<u> </u>	me F	+c	4		·		IC	Oc.	<i>US</i>		X3i	5										
				•																					

Environmental Lab of Texas

Variance/ Corrective Action Report- Sample Log-In

Checklist			•
		Cli	ent Initials
	No	(پ. ز) ° C	
	No	(NA)	
	No	Not Present	
	No	(Not Present)	
(Yes)	No		
(es)	No		
Yes	No		
(Yes)	No	ID written on Cont./ Lid	
(Yes)	No	Not Applicable	
(Yes)	No		
(Yes)	No		
O'ES	No	See Below	
(Yes)	No	See Below	
⟨Y98⟩			
(Yes)			
		See Below	
		·	
		1 Hot Applicable	
mentation	1		
		Date/ Time	
	ı	Dater (mile,	
			
	·		
ld like to prod	eed with	analysis	
	Yes	Yes No	Yes No GO C Yes No Not Present Yes No Not Applicable Yes No Not Applicable Yes No See Below Yes No No Not Applicable

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IY
1220 S. St. Francis Dr., Santa Fe, NM 87505

submitted to OCD prior to back-filling.

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

AUC 21 2007

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Operator: <u>EOG Resources, Inc.</u>	Telephone:	432-6863600	e-mail address:	Bgrigry@msn.com	OCD-ARTESIA
Address: P O Box 2267 Midland, TX 79702	·				
Facility or well name: Gila C 2 Fee Com #1H	API#:	30-015-35567	U/L or Qtr/Qt	r <u>l</u> Sec <u>2</u>	T 16S R 24E
County: <u>Eddy</u>			Longitude _		NAD: 1927 🗌 1983 🗍
Surface Owner: Federal 🔲 State 🔲 Private 🔯 Indi	ian 🗌				
Pit		Below-grade tank			
Type: Drilling 🛛 Production 🔲 Disposal 🗌		Volume:bbl	Type of fluid:		
Workover		Construction materi	al:		
Lined 🛛 Unlined 🗌		Double-walled, with	leak detection? Yes [If not, explain why r	not.
Liner type: Synthetic ☑ Thickness 12 mil Ch	By 🔲				
Pit Volume 10300 bbl					
Depth to ground water (vertical distance from bottom	m of nit to canconal	Less than 50 feet		(20 points)	· · · · · · · · · · · · · · · · · · ·
high water elevation of ground water.)	in or pit to seasonin	50 feet or more, but	less than 100 feet	(10 points)	KXX
mgn water elevation of ground water.		100 feet or more		(0 points)	
W. III		Yes		(20 points)	cxx
Wellhead protection area: (Less than 200 feet from	•	No		(0 points)	2200
water source, or less than 1000 feet from all other w	rater sources.)			(o posito)	
Distance to surface water: (horizontal distance to al	il wetlands, playas,	Less than 200 feet		(20 points)	
irrigation canals, ditches, and perennial and epheme	ral watercourses.)	1	nt less than 1000 feet	(10 points)	
		1000 feet or more		(⁻⁰ points)	XXX
_ •		Ranking Score (To	tal Points)	30 Points	
emediation start date and end date. (4) Groundwater 5) Attach soil sample results and a diagram of sampl Additional Comments: Pit is in comer of agriculturi 12mil impervious liner. The drilling pit contents will all mixed contents are placed in the burial pit, the coupled with the pit will then be covered to the below ground level. The burial pit will then be covered to the same placed in the same placed in the burial pit.	e locations and excavi al field out of reach o ill be mixed with Elke ontents will be covered	ations. f pivot system. A solid Environmental Solidif d with a 20 mil impervi	ification closure will be cation Product at a 20 (ous liner with a minimu	used. A burial pit will mad) to 1 (product) rat m of 3 ft. overlap on a	be constructed and lined with io to solidify the contents. At it sides and a minimum of 3 ft
NMOCD Artesia will be notified 48 hrs before world hereby certify that the information above is true are	nd complete to the bes	t of my knowledge and	belief. I further certif	y that the above-desc	ribed pit or below-grade tan
has been/will be constructed or closed according	to NMOCD guidelin	es 🔝, a general perm	it [], or an (attached)	alternative OCD-app	roved plan ⊠.
Date: 8-21-07		_	> 1 / I		
Printed Name/Title Logan Anderson - Agent	•• • • •	Signature	X ()	<u> </u>	
Your certification and NMOCD approval of this appropriate confidence of the environment regulations.	plication/closure does at. Nor does it relieve	not relieve the operator the operator of its resp	of liability should the consibility for compliance	contents of the pit or tage with any other federa	nk contaminate ground water of a state, or local laws and/or
TIFY OCD 24 HOURS PRIOR to inning closure and 24 HOURS PRIOR	W.		ed By Mile	Gemua	Date: AUG 2 3 2007
obtaining samples. Samples are to be ained from pit area and analyses	ii Darial trench i in pit area, same	is to be constructed ples are to be obtained		-	

and analyses submitted to OCD PRIOR to lining trench.

Elke Environmental, Inc.

P.O. Box 14167 Odessa, TX 79768 Phone (432) 366-0043 Fax (432) 366-0884 OCD-ARTESIA

October 12, 2007

EOG Resources Mr. Brett Grigry P O Box 3229 Carlsbad, NM 88220

Re:

Drilling Pit Closure of EOG Resources – Gila C2 Fee #1H

UL 'I' Sec. 2 T16S R24E Eddy County

API # 30-015-35567

Mr. Brett Grigry,

Enclosed is the closure report for the Gila C2 Fee #1H. NMOCD requires that an EOG Resources representative sign and date the final C-144 which is the very last page of the closure report. Then mail one copy to:

NMOCD

Attn: Mike Bratcher 1301 W. Grand Ave. Artesia, NM 88210

If you have any questions about the enclosed report please feel free to contact me at the office.

Logan Anderson

Sincerely,