

District I
1625 N. French Dr. Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOC District Office
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: COG Operating, LLC		Telephone: (432) 685-4340		e-mail address: PF.dwards@conchoresources.com	
Address: 550 West Texas Ave., Suite 1300, Midland, Texas 79701					
Facility or well name: Mohawk Federal #3		API #: 30-015-34869		UL or Qtr/Qtr M Sec 14 T-17-S R-30-E	
County: Eddy		Latitude		Longitude NAD 1977 X 1983 <input type="checkbox"/>	
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>					
Pit		Below-grade tank			
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/> Pit Volume 3,000 bbl		Volume: bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water) 115'		Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more		(20 points) (10 points) 0 (0 points)	
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes No		(20 points) (0 points) 0	
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)		Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more		(20 points) (10 points) (0 points) 0	
		Ranking Score (Total Points)		0	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility: _____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
Closed by trench burial, procedure attached, on 10-11-2007, on verbal approval by Mike Bratcher
Lab and field sample results are attached

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 10-16-07

Printed Name/Title Gary Miller, Agent

Signature

Your certification and NMOC approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

Signature

Signed By Mike Bratcher

Date

NOV 01 2007

Pit Closure Sampling Report

3160

106

Mohawk Fed #3

30-015-34901

12

115

Orientation of pit N S E W

All pit sample depths are *below pit bottom* (BPB)

[illegible]

DNR- Did not run at lab.

BGS- Below Ground Surface

BPB- Below Pit Bottom

All Samples Below 250 - will be left in place
when approved 10-11-07 - Mr. B. B. B. B.

Highlander Environmental Corp.
Pit Sample Location Plat

Pit wall in feet _____

Pit wall in feet _____

x SW NW x

x Center

x SE NE x

• Wellhead

Well Pad

x _____ Indicates Sample Location
(Name by quarter i.e. NW, NE etc)

➤ Draw in North Arrow

Depth of pit in feet 115

Client: COB

Well Name: Mohawk Fed #1

API# 30-015-3491

Summary Report

Gary Miller
Highlander Environmental Services
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: October 17, 2007

Work Order: 7101219



Project Location: Eddy County, NM
Project Name: COG/Mohawk Fed. #3
Project Number: 3160

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
139181	NE 2'	soil	2007-10-11	00:00	2007-10-12
139182	NW 2'	soil	2007-10-11	00:00	2007-10-12
139183	SE 2'	soil	2007-10-11	00:00	2007-10-12
139184	SW 2'	soil	2007-10-11	00:00	2007-10-12
139185	Center 2'	soil	2007-10-11	00:00	2007-10-12

Sample: 139181 - NE 2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 139182 - NW 2'

Param	Flag	Result	Units	RL
Chloride		101	mg/Kg	2.00

Sample: 139183 - SE 2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 139184 - SW 2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 139185 - Center 2'

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 791-1296
This is only a summary. Please, refer to the complete report package for quality control data.

Param	Flag	Result	Units
Chloride		104	mg/Kg
			RL
			2.00

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79124-1515 • (806) 791-1296

This is only a summary. Please, refer to the complete report package for quality control data.

Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of NEW MEXICO
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-34901	
5. Indicate Type of Lease FEDERAL STATE <input type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No. 2007	
7. Lease Name or Unit Agreement Name MOHAWK FEDERAL	
8. Well Number 3	
9. OGRID Number 229137	
10. Pool name or Wildcat JACKSON; ABO	

Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input checked="" type="checkbox"/>
Pit type DRILLING Depth to Groundwater 115' Distance from nearest fresh water well 1000' Distance from nearest surface water 1000'
Pit Liner Thickness: 12 mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator COG Operating LLC	
3. Address of Operator 550 W. Texas Ave., Suite 1300 Midland, TX 79701	
4. Well Location Unit Letter M : 990' feet from the South line and 990' feet from the West line Section 14 Township 17S Range 30E NMPM County EDDY	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3686' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: **Pit closure** ☒

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

COG Operating LLC proposes to close the drilling pit as follows:

1. Remove fluids from pit.
2. A deep trench pit will be constructed next to the existing reserve pit and lined with a 12 mil liner. The contents will be encapsulated in this pit and the liner will be folded over the mud and cuttings.
3. Cover liner with 20 mil liner with excess of 3' on all sides as per option IV.B.3.(b) of the Pit and Below-Grade Tank Guidelines.
4. Cover with a minimum 3' of native soil.
5. Contour pit to prevent erosion and ponding of rainwater.

Notify OCD 24 hours prior to beginning pit closure.

Samples are to be obtained from pit area and analysis submitted to NMOCD prior to back-filling

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Phyllis Edwards TITLE Regulatory Analyst DATE 5-30-07

Type or print name Phyllis Edwards E-mail address: pedwards@conchoresources.com Telephone No. 432-685-4340
For State Use Only Jim W. Brown

APPROVED BY: District II Supervisor
Conditions of Approval (if any):

DATE 6/1/07