

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT



FORM APPROVED  
OMB NO. 1004-0137  
Expires: March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well  Oil Well  Gas Well  Dry  Other  
 b. Type of Completion:  New Well  Work Over  Deepen  Plug Back  Diff. Resrv.,  
 Other \_\_\_\_\_

2. Name of Operator **Marbob Energy Corporation**

3. Address **PO Box 227  
Artesia, NM 88211-0227**

3a. Phone No. (include area code)  
**575-748-3303**

4. Location of Well (Report location clearly and in accordance with Federal requirements)\*

At surface **1650 FSL 990 FEL, Unit I**

At top prod. interval reported below **Same**

At total depth **Same**

**OCT 19 2007  
OCD-ARTESIA**

14. Date Spudded  
**08/06/2007**

15. Date T.D. Reached  
**08/16/2007**

16. Date Completed **09/28/2007**  
 D & A  Ready to Prod.

17. Elevations (DF, RKB, RT, GL)\*  
**3596' GL**

18. Total Depth: MD **5040'**  
TVD **5040'**

19. Plug Back T.D.: MD **4959'**  
TVD **4959'**

20. Depth Bridge Plug Set: MD  
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)  
**DLL, DSN**

22. Was well cored?  No  Yes (Submit analysis)  
 Was DST run?  No  Yes (Submit report)  
 Directional Survey?  No  Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4"	8 5/8"	24#	0	394'		300 sx		0	None
7 7/8"	5 1/2"	17#	0	5012'		1180 sx		280'	None

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8"	4061'							

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) <b>Yeso</b>	<b>4067'</b>	<b>4276'</b>	<b>4067' - 4276'</b>		<b>20</b>	<b>Open</b>
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, etc.

Depth Interval	Amount and Type of Material
<b>4067' - 4276'</b>	<b>Acidz w/ 2000 gal NE Fe 15% HCl acid.</b>

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
09/29/2007	09/30/2007	24	→	115	292	293			<b>Pumping</b>
Choke Size	Tbg. Press. Flwg SI	Csg Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						<b>Producing</b>

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg SI	Csg Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	
			→						

\*(See instructions and spaces for additional data on page 2)

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press Flwg SI	Csg Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press Flwg SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

**Sold**

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers


Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
				<b>Rustler</b>	<b>310'</b>
				<b>Yates</b>	<b>984'</b>
				<b>Seven Rivers</b>	<b>1240'</b>
				<b>Bowers</b>	<b>1608'</b>
				<b>Queen</b>	<b>1848'</b>
				<b>San Andres</b>	<b>2520'</b>
				<b>Glorieta</b>	<b>3948'</b>
				<b>Yeso</b>	<b>4007'</b>

32. Additional remarks (include plugging procedure):


33. Indicate which items have been attached by placing a check in the appropriate boxes:

- Electrical/Mechanical Logs (1 full set req'd.)   
  Geologic Report   
  DST Report   
  Directional Survey  
 Sundry Notice for plugging and cement verification   
  Core Analysis   
  Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)\*

Name (please print) Diana J. Briggs Title Production Analyst  
 Signature  Date 10/18/2007

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



# Permian Drilling Corporation

P. O. Box 726 (505)397-3798 Fax (505)393-2448 Hobbs, New Mexico 88241

## INCLINATION REPORT

DATE: 8/20/2007

WELL NAME AND NUMBER: Dodd #112  
LOCATION: Eddy Co., NM  
OPERATOR: MARBOB ENERGY CORP.  
DRILLING CONTRACTOR: PERMIAN DRILLING CORPORATION

SEP 04 2007

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

DEGREE	DEPTH	DEGREE	DEPTH	DEGREE	DEPTH
0.25	2086				
0.25	2335				
0.25	2815				
0.75	3319				
1.50	3828				
1.50	4299				
1.25	4798				

Drilling Contractor:  
Permian Drilling Incorporated

By: Sherry Coskrey  
Sherry Coskrey  
Regulatory Clerk

Subscribed and sworn to before me on this 28th day of August, 2007.

My Commission Expires:  
June 12, 2010

Angela B. Black