

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals

FORM APPROVED
OMB NO. 1004-0135
EXPIRES: March 31, 2007

SUBMIT IN TRIPLICATE

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other _____

2. Name of Operator
DEVON ENERGY PRODUCTION COMPANY, LP

3. Address and Telephone No.
20 N. Broadway, Oklahoma City, Ok 73102-8260 405-235-3611

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
150' FNL 1980' FWL Unit D SEC 4 T23S R31E
BHL: 330' FSL & 1980' FWL PP: 760' FNL & 1979' FWL

5. Lease Serial No.	NM-81953
6. If Indian, Allottee or Tribe Name	
7. Unit or CA Agreement Name and No.	
8. Well Name and No.	North Pure Gold 4 Federal 4H
9. API Well No.	30-015-35664
10. Field and Pool, or Exploratory	Los Medanos; Delaware
11. County or Parish State	Eddy NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other Completion Report
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work and approximate duration thereof. If the proposal deepens directionally or recompletes horizontally, give subsurface location and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirement, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)


10/10/07 - 11/3/07 MIRU Key Well Service. NU BOP. CHC w/ KCL wtr & test csg to 3000#, ok. TIH w/ perf gun & perf Delaware Brushy Canyon 10,647-49'; 11,229-31'; 11,811-13' & 12,390-92' @ 6 spf: total 48 holes. RU BJ & rin w/ pkr to 12,392 MD. Pickle tbg w/ 500 gals rust buster. Spot 1200 gals 7 1/2% NEFE acid from 10,500-12,392'. Pump lines to 7000# and another 1000 gals 7 1/2% NEFE w/ 96 BS. RD BJ. Rlsd pkr. ND BOP. RU Guardian Casing Saver & BJ frac crew. Test to 7900#. Frac L. Brushy Canyon perfs 10,647-12,392' w/ 279,846 gals Spectra Star 2800 gel, 12,665# 100 mesh sd & 328,091# 20/40 white sd & flush w/ 14,112 gals 10# gel. RD frac crew. Washed bit to 12,395' PBTD. Circ btm for 2 hrs, recovered 5 sx sd. RU Baker Atlas & BJ Services. Perf 10067-08'; 9485-86'; 8903-04' & 8321-22' @ 6 spf: total 24 shots. RD WL & BJ. Pull pkr & 10,076' & spot 1200 gals acid. Set pkr to 8203' & spot 1000 gals 7 1/2% HCL acid w/ BS. RD BJ. ND BOP. RU BJ & frac w/ 301,000 gals Spectra Star 2800 w/ 12,500# 100 mesh white sd, 340,750# 20/40 white sd & 111,000# 16/30 SB excell sd. Flush w/ 296 bbls 10# Linear gel. RD BJ. RIH w/ sub pump. ND BOP. RD PU. POP.

14. I hereby certify that the foregoing is true and correct

Signed Judy A. Barnett Name Judy A. Barnett X8699 Title Regulatory Analyst Date 11/20/2007

(This space for Federal or State Office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:



Scientific Drilling

DEVON ENERGY

Field: Los Medanos
Site: Eddy County, NM
Well: North Pure Gold 4 Fed #4H
Wellpath: VH - Job #32K0907799
Survey: 09/12/07


This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*L. Wharton*.....Company Representative

Notorized this date 8th of October, 2007.

Deborah Sue Bynum
Notary Signature

County of Midland
State of Texas






Scientific Drilling International Survey Report

Company: DEVON ENERGY	Date: 10/07/2007	Time: 13:47:24	Page: 1
Field: Los Medanos	Co-ordinate(NE) Reference:	Site: Eddy County, NM, Grid North	
Site: Eddy County, NM	Vertical (TVD) Reference:	SITE: 0.0	
Well: North Pure Gold 4 Fed #4H	Section (VS) Reference:	Well: (0.00N,0.00E,179.70Azi)	
Wellpath: VH - Job #32K0907799	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey: 09/12/07 KSRG 0'-4194'	Start Date: 09/12/2007
Company: Scientific Drilling Internatio	Engineer: Madrid w/GeoGyro
Tool: Keeper;Keeper Gyro	Tied-to: From Surface


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	359.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.47	264.64	100.00	0.04	-0.04	-0.41	0.47	0.41	264.64
200.00	0.95	244.35	199.99	0.43	-0.44	-1.56	0.53	1.62	254.44
300.00	0.95	243.45	299.98	1.15	-1.16	-3.05	0.01	3.27	249.12
400.00	0.97	245.84	399.96	1.86	-1.88	-4.57	0.04	4.94	247.60
500.00	1.05	242.37	499.95	2.62	-2.65	-6.15	0.10	6.70	246.67
600.00	1.05	243.02	599.93	3.45	-3.49	-7.78	0.01	8.53	245.81
700.00	1.00	246.79	699.91	4.20	-4.25	-9.40	0.08	10.32	245.65
800.00	0.99	238.03	799.90	5.00	-5.05	-10.93	0.15	12.04	245.19
900.00	0.83	245.46	899.89	5.75	-5.81	-12.32	0.20	13.63	244.75
1000.00	0.89	245.88	999.88	6.36	-6.43	-13.69	0.06	15.13	244.84
1100.00	0.92	234.75	1099.86	7.13	-7.21	-15.06	0.18	16.69	244.41
1200.00	0.68	239.51	1199.85	7.89	-7.98	-16.22	0.25	18.08	243.82
1300.00	0.73	231.63	1299.85	8.58	-8.67	-17.23	0.11	19.29	243.29
1400.00	0.63	230.89	1399.84	9.32	-9.42	-18.16	0.10	20.46	242.60
1500.00	0.64	220.42	1499.83	10.09	-10.19	-18.95	0.12	21.51	241.74
1600.00	0.49	219.50	1599.83	10.84	-10.94	-19.58	0.15	22.43	240.81
1700.00	0.61	210.00	1699.82	11.63	-11.73	-20.12	0.15	23.29	239.75
1800.00	0.44	217.63	1799.82	12.39	-12.50	-20.62	0.18	24.11	238.78
1900.00	0.51	210.60	1899.82	13.07	-13.19	-21.08	0.09	24.87	237.98
2000.00	0.54	211.43	1999.81	13.86	-13.97	-21.55	0.03	25.69	237.05
2100.00	0.42	198.19	2099.81	14.61	-14.72	-21.92	0.16	26.40	236.11
2200.00	0.48	208.70	2199.81	15.32	-15.44	-22.23	0.10	27.06	235.22
2300.00	0.47	222.08	2299.80	15.99	-16.11	-22.71	0.11	27.84	234.65
2400.00	0.47	204.73	2399.80	16.66	-16.79	-23.15	0.14	28.60	234.06
2500.00	0.57	214.89	2499.79	17.44	-17.57	-23.61	0.14	29.43	233.35
2600.00	0.61	215.44	2599.79	18.28	-18.41	-24.20	0.04	30.41	232.74
2700.00	0.53	220.78	2699.78	19.06	-19.19	-24.81	0.10	31.37	232.28
2800.00	0.60	215.30	2799.78	19.84	-19.97	-25.42	0.09	32.32	231.85
2900.00	0.76	204.71	2899.77	20.86	-21.00	-26.00	0.20	33.42	231.07
3000.00	0.91	199.07	2999.76	22.21	-22.35	-26.53	0.17	34.69	229.89
3100.00	1.03	187.36	3099.75	23.85	-23.99	-26.91	0.23	36.05	228.28
3200.00	1.30	177.90	3199.73	25.88	-26.02	-26.98	0.33	37.48	226.04
3300.00	1.44	160.57	3299.70	28.20	-28.34	-26.52	0.44	38.81	223.11
3400.00	2.22	141.14	3399.65	30.90	-31.03	-24.89	0.99	39.78	218.73
3500.00	2.33	142.71	3499.57	34.04	-34.16	-22.44	0.13	40.87	213.31
3600.00	2.43	142.36	3599.48	37.35	-37.45	-19.92	0.10	42.42	208.00
3700.00	2.66	143.44	3699.38	40.90	-40.99	-17.24	0.23	44.47	202.81
3800.00	2.83	141.57	3799.27	44.72	-44.79	-14.32	0.19	47.03	197.73
3900.00	2.93	141.93	3899.14	48.68	-48.74	-11.21	0.10	50.01	192.96
4000.00	2.72	148.47	3999.02	52.73	-52.77	-8.40	0.38	53.44	189.04
4100.00	2.36	151.47	4098.92	56.57	-56.60	-6.17	0.38	56.94	186.22
4194.00	2.20	146.16	4192.85	59.78	-59.80	-4.24	0.28	59.95	184.06




Scientific
Drilling

Field: Los Medanos
Site: Eddy County, NM
Well: North Pure Gold 4 Fed #4H
Wellpath: VH - Job #32K0907799
Survey: 09/12/07



West(-)/East(+) [10ft/in]



South(-)/North(+) [10ft/in]

**McVAY DRILLING COMPANY**

P.O. Box 2450
Hobbs, New Mexico 88241
(575) 397-3311
FAX. 39-DRILL



Well Name and Number: North Pure Gold 4 Fed. #4H
Location: Sec. 4, T23S, R31E, Eddy County, NM
Operator: Devon Energy
Drilling Contractor: McVay Drilling Company

The undersigned certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

<u>Degrees @</u>	<u>Depth</u>	<u>Degrees @</u>	<u>Depth</u>	<u>Degrees @</u>	<u>Depth</u>
0.95	287	2.60	7495	91.90	10198
1.32	565	5.20	7527	91.90	10391
0.75	780	27.30	7713	90.60	10582
1.00	11182	37.00	7811	91.50	10869
0.50	1609	48.4	7907	88.3	10965
0.75	2100	61.00	7994	87.6	11157
1.00	3049	66.3	8061	88.3	11253
2.50	3492	72.2	8123	85.3	11540
2.50	3587	74.50	8144	91.8	11732
2.50	3713	82.00	8211	90	11796
2.10	4293	85.60	8242	90.4	11988
1.60	4419	90.70	8312	90.5	12116
0.60	4737	91.00	8344	89	12180
0.50	4927	90.5	8376	88	12208
0.40	5501	90	8408	89.1	12372
0.10	6070	90.1	8536		
0.10	6259	87.6	9112		
0.40	6639	91.9	9336		
0.80	7205	89.6	9719		
1.00	7396	91.2	9910		

Drilling Contractor: McVay Drilling Company

By: [Signature]

Subscribed and sworn to before me this 8th day of October, 2007

[Signature]
Notary Public

My Commission Expires: 8-16-09 Lea County, New Mexico