1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rto Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade	Tank Regis	tration or	Closure
Is pit or below-grade tank co			

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank				
Operator: Southwestern Energy Production Co. Telephone: (281) 618-4887 e-mail address: martha_howard@swn.com				
Address. 2350 N Sam Houston Parkway East, Suite 300 Houston, Texas 77032				
Facility or well name. PICKETT DIAW 16 #1H API#: 30-015-35443 U/L or Qtr/Qtr NE Sec 16 T 255 R 29E				
County Eddy Latitude N 32° 07. 818' Longitude 103°58, 976' NAD: 1927 1983				
Surface Owner: Federal [] State M Private [] Indian []				
Pit	Below-grade tank			
Type: Drilling II Production Disposal	Volumebbl Type of fluid			
Workover	Construction material:			
Lined M Unlined	Double-walled, with leak detection? Yes 1f not, explain why not.			
Liner type: Synthetic M Thickness 12 mil Clay				
Pit Volume 13000 bbl				
Do de la constant de	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(1 <u>0 points</u>) 0		
high water elevation of ground water.)	100 feet or more ✓	(0 points)		
	Ycs	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No 🗸	(0 points) 0		
water source, or less than 1000 feet from all other water sources.)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
	1000 feet or more ✓	(0 points)		
	Ranking Score (Total Points)	0		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if vour are burying in place) onsite of offsite If offsite, name of facility N/A (3) Attach a general description of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No 🗷 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.				
5) Attach soil sample results and a diagram of sample locations and excavati	ions.			
Additional Comments: 504THWESTEIN EIERGY Plans To Deep Bury Reserve Pit Contents				
And LINER PER MINOCO PULE 50 PIT CLOSURE - DIG TRENCH ADDIOX 120'X 30'X 20'				
DEED LINE TO EACH WI ID mil Dlaster. Place Pit Contents in lines TEXTH				
PARTOCOCK IN DO MIL DING BAKELLE COURT WI ADDON 3' NATIVE COURS				
Propert Aven For Dranger & Gursian lowfood Seed Arch of Dentand				
The Marker of Applicable Dolf out the best bustines				
Stro mixture in Applicable. The my oco within to his a straining				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [3], a general permit [3], or an (attached) alternative OCD-approved plan [3].				
Date: 8/15/2007	100	0 11 ()		
Printed Name/Title Martha Howard / Regulatory Analyst	Signature O	C HOWard		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval:				
rinted Name/Title Signature Signed By Mile Samuelese Date: DEC 1 0 2007				
NOTIFY OCD 24 HOURS prior to sampling and If burial trench is to be constructed				
closure Samples are to be obtained from pit area and analyses submitted to OCD prior to backfilling in pit area, samples are to be obtained and analyses submitted to OCD				

PRIOR to lining trench.