

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



WELL API NO. 30-015-20890
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name NDDUP Unit
8. Well Number 67
9. OGRID Number 025575
10. Pool name or Wildcat SWD - Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other SWD

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 S. 4th Street, Artesia, NM 88210

DEC 26 2007
OCD-ARTESIA

4. Well Location
Unit Letter G : 1980 feet from the North line and 1980 feet from the East line
Section 21 Township 19S Range 25E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3478'GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. Rig up all safety equipment as needed. Laying down all but +/-6240' of tubing.
2. Set a 5-1/2" CIBP at 7622' with 35' cement on top.
3. Spot a 100' cement plug (25 sx) from 6240'-6340'.
4. Perforate squeeze holes at 5296'.
5. Spot a 100' cement plug (35 sx) from 5196'-5296', inside and outside the casing. - Tag
6. Perforate squeeze holes at 3770'.
7. Spot a 100' cement plug (35 sx) from 3670'-3770', inside and outside the casing. - Tag
8. Perforate squeeze holes at 2316'.
9. Spot a 100' cement plug (35 sx) from 2216'-2316', inside and outside the casing.
10. Spot a 100' cement plug (25 sx) from 1249'-1349'. Tag plug.
11. Spot a 100' cement plug from 660'-760'.
12. Install a 5-1/2" casing swedge to circulate cement from 100' to surface (25 sx). Tag plug
13. Cut off wellhead and install marker, clean up location as per regulated.

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

* 13 1/2" csc shoe 100' cement @ 525'-425' - TAG.

Notify OCD 24 hrs. prior
To any work done.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE December 19, 2007

Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No. 505-748-1471

For State Use Only

APPROVED BY: Phil Hunter TITLE Compliance Officer DATE 12/31/07

Conditions of Approval (if any):




DEC 26 2007
OCD-ARTESIA

WELL NAME: NDDUP #67 (Formerly Osage SWD) FIELD: N. Dagger Draw U. Penn
LOCATION: 1980' FNL & 1980' FEL of Section 21-19S-25E Eddy, NM
GL: 3,478' ZERO: _____ KB: 3,489'
SPUD DATE: 7/7/1973 COMPLETION DATE: 2/16/1989
COMMENTS: API No.: 30-015-20890

CASING PROGRAM

13-3/8" 48# H-40	475'
8 5/8" 24# J-55	1299'
5-1/2" J-55	7926'



Before

TOPS

SA	710'
Glorieta	2,266'
Yeso	2,316'
BS	3,720'
3 rd BS	5,052'
WC	5,246'
Cisco	6,290'
Canyon	7,648'
Strawn	8,178'
Atoka	8,850'
Morrow	9,100'
Chester	9,386'

Not to Scale
11/26/07
Moss



DEC 26 2007

OCD-ARTESIA

WELL NAME: NDDUP #67 (Formerly Osage SWD) FIELD: N. Dagger Draw U. Penn
LOCATION: 1980' FNL & 1980' FEL of Section 21-19S-25E Eddy, NM
GL: 3,478' ZERO: _____ KB: 3,489'
SPUD DATE: 7/7/1973 COMPLETION DATE: 2/16/1989
COMMENTS: API No.: 30-015-20890

CASING PROGRAM

13-3/8" 48# H-40	475'
8 5/8" 24# J-55	1299'
5-1/2" J-55	7926'

00' cement plug 0' –
00' (inside and
outside the csg) (Tag)

17-1/2" Hole

00' cement plug 660' –
760' (inside and
outside the csg)

12-1/4" Hole

100' cement plug 1249' –
1349' (inside and
outside the csg) (Tag)

100' cement plug 2216' –
2316' (inside and
outside the csg)

100' cement plug 3670' –
3770' (inside and
outside the csg)

100' cement plug 5196' –
5296' (inside and
outside the csg)

100' cement plug 6240' –
6340'

CIBP @ 7622' + 35'

7-7/8" Hole

13-3/8" @ 475' w/550 sx (Circ)

8-5/8" @ 1299' w/600 sx, filled to
surface with 35 sx of ready mix

Squeezed Hole in casing @ 1,390' w/ 250
sx (circ 5 sx to surface 2-21-90)

TOC by temp. survey @ 6,150'

Canyon Perfs: 7,672' – 7,813'

5 1/2" @ 7,926' w/475 sx (Not Circ)

35 sack plug across the Atoka

35 sack plug across the Morrow

After

TOPS

SA	710'
Glorieta	2,266'
Yeso	2,316'
BS	3,720'
3 rd BS	5,052'
WC	5,246'
Cisco	6,290'
Canyon	7,648'
Strawn	8,178'
Atoka	8,850'
Morrow	9,100'
Chester	9,386'

Not to Scale

11/26/07

Moss

TD: 9,410'