District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1009 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

STIPULATIONS

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌

Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)		
Operator Parallel Petroleum Corporation Telephone, 432-684-3905 e-mail address: ddurham@plil.com		
Address: 1004 N. Big Spring Street, Suite 400, Midland, Texas 79701		
Facility or well name. Giacomo 1525-8 Fed Com #1 API # 30-005-63946 U/L, or Qtr/Qtr A Sec 8 [158 R 25E		
County Chaves Latitude 33° 02° 05.88" N Longitude 104° 27° 23.89" W NAD 1927 X 1983		
Surface Owner: Federal State Indian		
Pit Below-grade tank		
Type_Drilling Production Disposal	Volumehbi Type of fluid	
Workover ☐ Emergency ☐	Construction material:	
Lined Unfined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type. Synthetic ☑ Thickness 12 mil Clay ☐	A C SANDANDON COLOR W SANDANDON CONTROL OF COLOR	
Pit Volume 25,000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.) 85'	50 feet or more, but less than 100 feet	(10 points) 10
ingli water elevation of ground water.)	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources)	No	(0 points) 0
water sources of less than 1900 feet from an other water sources)	Language 200 Care	(20 points)
Distance to surface water. (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 feet	(10 points)
urigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet of more	(0 points) 0
to transferred the contract of		10
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility		
· All All All All All All All All All Al		
Additional Comments This well shares a drilling location and pit with both the Smarty Jones 1525-9 #1, API # 33-005-63917		
The fluids in the reserve pit will be allowed to dry or taken to disposal or used at another Parallel Petroleum Corp. drilling well in the area. The drill cuttings and plastic		
will be placed in a plastic lined burial trench located next to the reserve pit. The trench will then be covered with plastic and backfilled with a minimum of 3° of soil		
The reserve pit area will then be backfilled and re-contoured and seeded to BLM specifications.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: 12-20-2007		
Printed Name/Title Gary Miller, Agent	Signature	
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval	11	
Printed Name/Litle	Signature Signed By Mily &	Servere JAN 0 9 2008
SEE ATTACHED	organic	- Land

Stipulations for approval of drilling pit closure:

Notify OCD 24 hours prior to commencement of closure activities.

Notify OCD 24 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Samples are to be obtained from drilling pit area, and analyses submitted to OCD prior to backfilling pit area.

If burial trench is constructed in pit area, samples are to be obtained and analyses submitted to OCD prior to lining trench.

Bottom of burial trench excavation must remain 50' above highest seasonal depth ground water may be encountered.

In the event a pit is situated in an irrigated crop field, pit contents must be hauled to an OCD approved disposal