District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 📝 No 🗌

Is pit or below-grade tan	nk covered by a "general plan"? Yes 🔟 No or below-grade tank 🗌 Closure of a pit or below-grade	de tank 🔀
		OCD-ARTESIA
Operator: <u>EOG_RESOURCES</u> , <u>INC</u> . Telephon	e:e-mail address:	
Address: PO Box 2267, Midland TX 79702	112.1	<u> </u>
Facility or well name: Trinity B28 St Com #1 FAPI#:	30-015-35683 U/L or Qtr/QtrUNTT	I Sec 28 T 17S R 24E
County: Eddy Latitude 1880' FSL Longitude 660' FEL NAD 1927 1983		
Surface Owner: Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling 🔀 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🖸 Unlined 🔲	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type Synthetic Thickness 12 mil Clay		
Pit Volume/DOD bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
nigh water elevation of ground water.)	100 feet or more	(0 points)
W. W. J	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	®	(0 points)
water source, or less than 1000 feet from all other water sources)		·
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	(0)
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🔀 offsite 🔲 If offsite, name of facility		
remediation start date and end date (4) Groundwater encountered No Yes 🗌 If yes, show depth below ground surfaceft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: DIG DEEP BURIAL HOLE, LINE WITH 12-MIL PLASTIC, MIX ALL DRILLING MUD		
TO STIFFEN & PLACE IN ENCAPSULATION HOLE; CAP WITH 20-MIL, COVER WITH		
NO LESS THAN 3' TOP SOIL OR LIKE MATERIAL.		
TAKE SOIL SAMPLES OF OLD PIT AREA; IF SAMPLES TEST GOOD, BACKFILL		
WITH CLEAN MATERIAL.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [4], a general permit [4], or an (attached) alternative OCD-approved plan [4].		
Date: 1/15/08 MORGAN TOOLS CO., LLC		
Printed Name/Title Stephen Wilson, Foreman Signature Stephen Wilson,		
Your certification and NMOCD approval of this application/closure does not relieve the operator of Mability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations		
Approval:		
Printed Name/Title	Signature Signed By Mile Bea	MIN 1 7 2008
TIMEA MAINS THE	Signature	Date

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.