

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOC District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

OCT 17 2007

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐
Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒ OGD-ARTESIA

Operator: Burnett Oil Co Telephone: 505-677-2313 e-mail address: seay04@leaco.net
Address: Box 188 Loco Hills NM 88255
Facility or well name: Gissler A #26 API #: 30-015-34503 U/L or Qtr/Qtr J Sec 14 T 17 R 30
County: Eddy Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>9300</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ JAN 02 2008 Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. OCD-ARTESIA
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>300 +</u>	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points) <u>0</u>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.
5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: (A C-144 was previously submitted)
Plan to deep bury on location, cover with 20 mil plastic and 3 ft
of clean soil. - Backfill, level and seed
Will notify OCD + BLM Before starting & file summary of closing
will begin soon after approved. Pit closed as approved 12/14/2007

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC District Office, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 10/16/2007

Printed Name/Title

Signature

Your certification and NMOC District Office approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Samples are to be obtained from Pit area and analysis submitted to NMOC District Office prior to back-filling. NOTIFY NMOC District Office 24 HOURS PRIOR TO OBTAINING SAMPLES.

Signature

Signed By

Date:

OCT 17 2007

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.

ASSAIGAI ANALYTICAL LABORATORIES, INC.

P.O. Box 90430 • Albuquerque, New Mexico 87199 • (505) 345-8964 • FAX (505) 345-7259

3332 Wedgewood, Ste. N • El Paso, Texas 79925 • (915) 593-6000 • FAX (915) 593-7820

127 Eastgate Drive, 212-C • Los Alamos, New Mexico 87544 • (505) 662-2558

DIAMONDBACK DISPOSAL SERVICES
attn: JUSTIN ROBERTS
P O BOX 2491
HOBBS NM 88241

Explanation of codes

B	Analyte Detected in Method Blank
E	Result Is Estimated
H	Analyzed Out of Hold Time
N	Tentatively Identified Compound
S	Subcontracted
1-9	See Footnote

Assaigai Analytical Laboratories, Inc.

STANDARD

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **DIAMONDBACK DISPOSAL SERVICES**
Project: **BURNETT OIL/GISSLER A#26**
Order: **07120252 DDS01** Receipt: **12-07-07**

William R. Blava
William R. Blava: President of Assaigai Analytical Laboratories, Inc.

Sample: **NORTHWEST 15' BGS**
Matrix: **SOIL**

Collected: 12-06-07 9:45:00 By: JR

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07120252-001A			SW846 9056 Anions by Ion Chromatography						By: JJK	
W07981	WC.2007.3145.3	16887-00-6	Chloride	9.52	mg/Kg	10	0.5		12-07-07	12-07-07

Sample: **NORTHEAST 15 BGS'**
Matrix: **SOIL**


Collected: 12-06-07 9:51:00 By: JR

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07120252-002A			SW846 9056 Anions by Ion Chromatography						By: JJK	
W07981	WC.2007.3145.4	16887-00-6	Chloride	6.14	mg/Kg	10	0.5		12-07-07	12-07-07

Sample: **SOUTHEAST 15' BGS**
Matrix: **SOIL**

Collected: 12-06-07 10:04:00 By: JR

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07120252-003A			SW846 9056 Anions by Ion Chromatography						By: JJK	
W07981	WC.2007.3145.5	16887-00-6	Chloride	52.9	mg/Kg	10	0.5		12-07-07	12-07-07



ASSAIGAL ANALYTICAL LABORATORIES, INC.

P.O. Box 90430 • Albuquerque, New Mexico 87199 • (505) 345-8964 • FAX (505) 345-7259

3332 Wedgewood, Ste. N • El Paso, Texas 79925 • (915) 593-6000 • FAX (915) 593-7820
127 Eastgate Drive, 212-C • Los Alamos, New Mexico 87544 • (505) 662-2558

DIAMONDBACK DISPOSAL SERVICES
attn: JUSTIN ROBERTS
P O BOX 2491
HOBBS NM 88241

Explanation of codes

B	Analyte Detected in Method Blank
E	Result is Estimated
H	Analyzed Out of Hold Time
N	Tentatively Identified Compound
S	Subcontracted
1-9	See Footnote

Assaigal Analytical Laboratories, Inc.

STANDARD

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **DIAMONDBACK DISPOSAL SERVICES**
Project: **BURNETT OIL/GISSLER A #26**
Order: **07120218 DDS01** Receipt: **12-07-07**

William R. Blay
William R. Blay: President of Assaigal Analytical Laboratories, Inc.

Sample: **WEST SIDE 26'BGS**
Matrix: **COMP**

Collected: **12-03-07 9:12:00** By: **JR**
DEEP BURY TRENCH #2

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07120218-001A		SW846 9056 Anions by Ion Chromatography						By: JJK		
W07981	WG.2007.3143.4	16887-00-6	Chloride	43.7	mg/Kg	50	0.5		12-07-07	12-07-07

Sample: **EAST SIDE 25'BGS**
Matrix: **COMP**

Collected: **12-03-07 9:23:00** By: **JR**
DEEP BURY TRENCH #2

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07120218-002A		SW846 9056 Anions by Ion Chromatography						By: JJK		
W07981	WG.2007.3143.7	16887-00-6	Chloride	164	mg/Kg	50	0.5		12-07-07	12-07-07

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.