


Submit To Appropriate District Office: State Lease - 6 copies Fee Lease - 5 copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S St Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources  Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 Revised June 10, 2003	
		WELL API NO. 30-015-34764		5. Indicate Type of Lease STATE ☒ FEE ☐	
		State Oil & Gas Lease No. 49107			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
1a Type of Well OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER _____ b Type of Completion NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF WELL OVER BACK RESVR ☐ OTHER _____				7 Lease Name or Unit Agreement Name HORNED TOAD 36 STATE	
2 Name of Operator BEPCO, L.P.				8 Well No. 1H	
3 Address of Operator P.O. BOX 2760 MIDLAND, TX 79702-2760				9 Pool name or Wildcat NASH DRAW (DELAWARE/ BS/ AVALON SD	
4 Well Location Unit Letter H 1625 Feet From The NORTH Line and 660 Feet From The EAST Line Section 36 Township 24S Range 29E NMPM EDDY County					
10. Date Spudded 03/31/2007		11 Date T.D. Reached 05/02/2007		12. Date Compl. (Ready to Prod) 07/17/2007	
13 Elevations (DF& RKB, RT, GR, etc) 3130 GL		14 Elev Casinghead		15 Total Depth 8202' MD	
16 Plug Back T.D TVD 7281' MD		17 If Multiple Compl. How Many Zones?		18 Intervals Drilled By X	
19 Producing Interval(s), of this completion - Top, Bottom, Name 5665' - 8101' NASH DRAW (DELAWARE / BONE SPRINGS / AVALON SAND				20. Was Directional Survey Made YES	
21. Type Electric and Other Logs Run LDT-GR-CNL; AIT-CFL-GR; TVD				22. Was Well Cored NO	
23. CASING RECORD (Report all strings set in well)					
CASING SIZE		WEIGHT LB./FT.		DEPTH SET	
HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED	
11-3/4"		42#		867'	
14-3/4"		8-5/8"		3357'	
11"		5-1/2"		8201' (5514' TVD)	
7-7/8"		17#		575 SX TOC 2720' BY TS 0	
2-7/8"		5018		20/40 Ott, 109637# 20/40 PR 6000	
24. LINER RECORD					
SIZE		TOP		BOTTOM	
SACKS CEMENT		SCREEN		TUBING RECORD	
2-7/8"		5018		PACKER SET	
26 Perforation record (interval, size, and number) 5665-66'; 5965-66'; 0.570", 2 JSPF 6320-21'; 6600-01'; 6900-01'; 7180-81'; 0.57", 3 JSPF 7500-01'; 7800-01'; 8100-01'; 0.57", 4 JSPF				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 5665-8101' AMOUNT AND KIND MATERIAL USED 5000 gals 7.5% NEFE HCL; Frac w/66451 gals Vik 3000, 16747 # 20/40 Ott, 109637# 20/40 PR 6000	
28. PRODUCTION					
Date First Production 07/17/2007		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING		Well Status (Prod. or Shut-in) PRODUCING	
Date of Test 07/24/2007		Hours Tested 24		Choke Size 12/64"	
Flow Tubing Press 310		Casing Pressure 140		Calculated 24-Hour Rate Oil - Bbl Gas - MCF Water - Bbl. Oil Gravity - API - (Corr)	
29 Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD				Test Witnessed By	
30 List Attachments LOGS, C104, INCLINATION REPORT, DIRECTIONAL SURVEY					
31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief					
Signature 		Printed Name ANN MOORE		Title PRODUCTION CLERK	
E-mail Address camoorebasspet.com		Date 08/02/2007			

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depth shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn "B"
T. Salt 808'	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt 3138'	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand 3350	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T. 3380' Bell Canyon	T. Wingate	T.
T. Wolfcamp	T. 4254' Cherry Canyon	T. Chinle	T.
T. Penn	T. 5602' Lo. Cherry Cany.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

(Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

27. ATTACHMENT

DEPTH INTERVAL	AMOUNT AND KIND OF MATERIAL USED
5668-8101'	Re-frac'd w/71089 gals Viking 3000, 4508 bls
	Ottawa & 112555 lbs 20/40 Super LC resin coated

BEPCO, L.P.
P. O. Box 2760
Midland, Texas 79702

AUG 06 2007
OCD-ARTESIA

432-683-2277



FAX: 432-687-0329

August 2, 2007

Re: Horned Toad 36 State #1H
Nash Draw (Delaware/BS/Avalon)
Eddy County, New Mexico
File: 100-WF: HT36S1H.OCD

Oil Conservation Division
1301 West Grand Avenue
Artesia, New Mexico 88210

Gentlemen:

BEPCO, L.P. respectfully requests that the logs and completion data, on the above captioned well, be held confidential for the maximum period of time.

If you should have any questions, please contact Ann Moore at the above letterhead address, phone number or via email at camoore@basspet.com.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Ann Moore'.

Ann Moore
Production Clerk

cam

Attachment